

ENGINE	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
		1844	<i>ENGINE MAJOR OVERHAUL</i> Engine and/or component identified above was repaired and inspected in accordance with current Civil Air Regulations and was found airworthy for return to service Pertinent details of the repair are on file at this agency under work order No. <u>4003</u> Date <u>1-22-91</u> Signed <u>[Redacted Signature]</u> Alaskan Aircraft Engines, Inc 2425 Merrill Field Drive Anchorage, Alaska 99501 F.A.A. Repair Station 501-76

§ 61.57(d)

me, MI, Last
umber), has
ent proficiency

te

e

7(d)

l, Last
, has
iciency

Completion of a flight review: § 61.56(a) and (c)

I certify that Mr./Ms. Kane P. Olson
(First Name, MI, Last Name, pilot certificate,
certificate number), has satisfactorily completed the
flight review of § 61.56(a).
Certificate # [REDACTED]

Signed

CFI #

Date

Exp Date

5-6-19

3-21

Completi

I certify th

Name, pi
satisfacto
§ 61.56(a)

Signed

CFI #

Completion of a flight review: § 61.56(a) and (c)

I certify that Mr./Ms. _____
(First Name, MI, Last
Name, pilot certificate, certificate number), has
satisfactorily completed the flight review of
§ 61.56(a).

Comp

I certifi

Name
satisf

Date		Time in Air Hrs. Min.		Passengers Carried	NATURE OF FLIGHT
Year	Mo. Day				

Place of Last Airplane Overhaul

Date of Last Overhaul

NOTICE:—Making false entries in this book is a violation of the Civil Aeronautics Act of 1938, punishable by Civil Penalty.

AIRCRAFT LOG

REMARKS

SIGNATURE

Cont... AMOC (Stc SA02273AK) Inspected hinges & pulleys, inspected cable runs "I certify this aircraft has been inspected IAW an annual inspection & was found to be in an airworthy condition."

10-15-18 Tach 227.7 Removed Edo 2000 floats, installed landing gear w/ 31" Bushnell wheels. See current WEB

6-5-19

Inspected Aircraft IAW FAR 43 Appx D

Tach: 243.0

Replaced R/H flap spring. Washed aircraft. Lubed pulleys, packed

TTAF: 2600.2

wheel bearings, Inspected brakes

ESO: 1888.2

Inspected ELT IAW FAR 91.207

ELT: 5/2021

C/W AD 68-05-01 IAW AMOC (Stc SA02273AK)

C/W AD 60-10-08 (ops check fuel selector detent) cont....

Weight & Balance Supplement And Equipment List Revision

Date: May 7, 2010

Make: <u>Piper</u>	Model: <u>PA18-150</u>	N-Number: <u>N 7071B</u>	Serial #: <u>18-S146</u>
Previous Weight & Balance Figures(Dated): <u>May 17, 2004</u>	Weight: <u>1122</u>	Arm/CG: <u>13.9</u> (Wheels)	Moment: <u>15633.2</u>

Changes

Installed	Removed	Equipment	Weight	Arm/CG	Moment
	X	MAIN Gear Assy's with All Bushwheels 3141346	-129.0	+2.0	-258.0
	X	TAIL Wheel Assy and TAIL Spring with 4004 Tire	-18.0	+200.0	-3600.0
X		Edo 89.2000 Floate per Item 209B (TCDS)	179.0	+17.0	+3043.0
Totals			1154.0	12.8"	14818.2

Maximum Gross Weight: 1760 Lbs

New Useful Load: 606 Lbs

New Empty Weight CG: 12.8" Alt of Datum (Wing Leading Edge)

Signature [Signature]

Aircraft Configuration: Float PLANE

Prepared by: _____