



## ENGINE MAINTENANCE RECORDS

Log No. \_\_\_\_\_

Aircraft Registration No. N10495

Engine Manufacturer Continental

Model O-200A

Serial No. 199608-9-A

Date installed on aircraft 5/28/2020

Time Between Overhauls (TBO) 0.0 Hours

If used on multi-engine aircraft:

- |                                |                               |
|--------------------------------|-------------------------------|
| <input type="checkbox"/> Right | <input type="checkbox"/> Left |
| <input type="checkbox"/> Front | <input type="checkbox"/> Rear |



(All applicable information must be filled in)

**AEROTECH PUBLICATIONS INC.**

P.O. Box 1359 / Southold, NY 11971-0965


(631) 765-9375

1-800-235-6444

FAX: (631) 765-9359

©2000 Aerotech Publications, Inc.

| DATE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | TOTAL TIME IN SERVICE     | TOTAL TIME SINCE OVERHAUL        | TACH OR RECORDING METER TIME | DESCRIPTION OF WORK PERFORMED—<br>SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|----------------------------------|------------------------------|-----------------------------------------------------------------------------------------|
| 2/25/2020                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 5376.9                    | 0.0                              |                              | TOTALS brought forward from previous page                                               |
| <b>AUTHORIZED RELEASE CERTIFICATE</b><br>FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                           |                                  |                              | 3. Form Tracking Number:<br>Invoice # 11176                                             |
| 1. Approving Civil Aviation Authority/Country:<br>FAA/United States                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                           |                                  |                              | 5. Work Order/Contract/Invoice Number: E8000                                            |
| 4. Organization Name and Address:<br>Signature Engines, Inc., 4760 Airport Road, Cincinnati, Ohio 45226                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                           |                                  |                              | 11. Status/Work:<br>Overhauled                                                          |
| 6. Item:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 7. Description:           | 8. Part Number:                  | 9. Quantity:                 | 10. Serial Number:                                                                      |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Continental Motors Engine | O-200-A                          | 1                            | 199608-9-A                                                                              |
| 12. Remarks:<br>THIS ENGINE HAS BEEN OVERHAULED IN ACCORDANCE WITH THE APPLICABLE CONTINENTAL MOTORS MANUALS. A LIST OF ALL PARTS, F.A.A. AIRWORTHINESS DIRECTIVES AND MANUFACTURER'S SERVICE BULLETINS COMPLIED WITH ARE A PART OF THESE RECORDS. ALL PARTS HAVE BEEN INSPECTED AND HAVE BEEN DETERMINED AIRWORTHY TO RETURN TO SERVICE. ENGINE TEST RUN PER FAA APPROVED DATA (SEIP-103) AND/OR OVERHAUL MANUAL TEST SHEET FURNISHED. THIS ENGINE IS AIRWORTHY FOR RETURN TO SERVICE.<br><br>PARTS AND ACCESSORIES REPLACED:<br>4 New Superior Millennium Cylinders<br>2 New Magnetos<br>1 New Harness<br>1 Overhauled Carburetor<br>1 New Set of Spark Plugs                                                                                                                                                                                                                                                          |                           |                                  |                              |                                                                                         |
| Engine T.S.M.O. 0 Hours<br>Engine T.T.S.N. 5376.9 Hours                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                           |                                  |                              |                                                                                         |
| 13a. Certifies the items identified above were manufactured in conformity to:<br><input type="checkbox"/> Approved design data and are in a condition for safe operation.<br><input type="checkbox"/> Non-approved design data specified in Block 12.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                           |                                  |                              |                                                                                         |
| 14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12<br>Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, Part 43 and in respect to that work, the items are approved for return to service.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                           |                                  |                              |                                                                                         |
| 13b. Authorized Signature:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                           | 13c. Approval/Authorization No.: |                              | 14b. Authorized Signature:                                                              |
| 13d. Name (Typed or Printed):                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                           | 13e. Date (dd/mm/yyyy):          |                              | 14c. Approval/Certificate No.:                                                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                           |                                  |                              | 14d. Name (Typed or Printed):<br>Terrence McRoberts, Inspector                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                           |                                  |                              | 14e. Date (dd/mm/yyyy):<br>25/Feb/2020                                                  |
| <b>User/Installer Responsibilities</b><br><br>It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.<br>Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.<br>Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown. |                           |                                  |                              |                                                                                         |
| FAA Form 8130-3 (02-14) <span style="float: right;">NSN: 0052-00-012-9005</span>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                           |                                  |                              |                                                                                         |
| <b>SUB-TOTALS</b> this page                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                           |                                  |                              |                                                                                         |
| <b>TOTALS</b> -Carry forward to next page                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                           |                                  |                              |                                                                                         |

| DATE      | TOTAL TIME IN SERVICE   | TOTAL TIME SINCE OVERHAUL | TACH OR RECORDING METER TIME | DESCRIPTION OF WORK PERFORMED—<br>SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK                                                                                                                                                                                                                                          |
|-----------|-------------------------|---------------------------|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           |                         |                           |                              | TOTALS brought forward from previous page                                                                                                                                                                                                                                                                                        |
| 5/28/2000 | 5376.9                  | 0.0                       | 7324.6                       | Installed overhauled engine in C-150L N10495 with new baffles, new engine mount rubbers and bolts. This engine is airworthy and approval for Service  A+P  |
|           |                         |                           |                              | Component list follows:                                                                                                                                                                                                                                                                                                          |
|           |                         |                           |                              | Cyl. Assy. with Valves and pistons SA10200-A20P                                                                                                                                                                                                                                                                                  |
|           | 0.0                     |                           | 7324.6                       | #1 S/N 20B2051319                                                                                                                                                                                                                                                                                                                |
|           | 0.0                     |                           | 7324.6                       | #2 S/N 20B2051317                                                                                                                                                                                                                                                                                                                |
|           | 0.0                     |                           | 7324.6                       | #3 S/N 20B2051322                                                                                                                                                                                                                                                                                                                |
|           | 0.0                     |                           | 7324.6                       | #4 S/N 20B2051321                                                                                                                                                                                                                                                                                                                |
|           |                         |                           |                              | Carburetor Marvel-Schebler MA35PA 10-4894-1                                                                                                                                                                                                                                                                                      |
|           | <del>2.6</del> 0.0      |                           | 7324.6                       | S/N M50AWD04                                                                                                                                                                                                                                                                                                                     |
|           |                         |                           |                              | Magneto Slick 4301                                                                                                                                                                                                                                                                                                               |
|           | 0.0                     |                           | 7324.6                       | Lt S/N 19120742                                                                                                                                                                                                                                                                                                                  |
|           | 0.0                     |                           | 7324.6                       | Rt S/N 19120743                                                                                                                                                                                                                                                                                                                  |
|           |                         |                           |                              | Ignition Harness Slick M1780R                                                                                                                                                                                                                                                                                                    |
|           | 0.0                     |                           | 7324.6                       |                                                                                                                                                                                                                                                                                                                                  |
|           |                         |                           |                              | Spark Plug Champion REM 40E                                                                                                                                                                                                                                                                                                      |
|           | 0.0                     |                           | 7324.6                       |                                                                                                                                                                                                                                                                                                                                  |
|           |                         |                           |                              | Alternator Ford DOFF10300F                                                                                                                                                                                                                                                                                                       |
|           |                         | 0.0                       | 7324.6                       | S/N A20163                                                                                                                                                                                                                                                                                                                       |
|           |                         |                           |                              | Starter Sky-Tec C12ST2                                                                                                                                                                                                                                                                                                           |
|           | 243.5<br><del>0.0</del> |                           | 7324.6                       | S/N 2CC-42150B                                                                                                                                                                                                                                                                                                                   |
|           |                         |                           |                              | Oil filter adapter TAF                                                                                                                                                                                                                                                                                                           |
|           | 1947.7                  |                           | 7324.6                       |                                                                                                                                                                                                                                                                                                                                  |
|           |                         |                           |                              | Dry Air Pump Rapco 215CC-9                                                                                                                                                                                                                                                                                                       |
|           | 0.0                     |                           | 7324.6                       |                                                                                                                                                                                                                                                                                                                                  |
|           |                         |                           |                              | SUB-TOTALS this page                                                                                                                                                                                                                                                                                                             |
|           |                         |                           |                              | TOTALS-Carry forward to next page                                                                                                                                                                                                                                                                                                |

| DATE     | TOTAL TIME IN SERVICE | TOTAL TIME SINCE OVERHAUL | TACH OR RECORDING METER TIME | DESCRIPTION OF WORK PERFORMED—<br>SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK                                |
|----------|-----------------------|---------------------------|------------------------------|------------------------------------------------------------------------------------------------------------------------|
|          |                       |                           |                              | TOTALS brought forward from previous page                                                                              |
| L/H      | Muffler               | Weld                      | assy                         |                                                                                                                        |
|          | 180.0                 |                           | 7324.6                       |                                                                                                                        |
| R/H      | Muffler               | Weld                      | assy                         | Wall Colmonoy 8300-4                                                                                                   |
|          | 1852.8                |                           |                              | S/N 2-4210                                                                                                             |
| 7/12/20  |                       | 225                       | 7347.1                       | Replaced R/H muffler weld assy with P/N A0450400-26 New<br>This engine is airworthy and approved for service<br>A+P    |
| 7/21/20  |                       | 27.4                      | 7352.0                       | Change oil and filter, air filter<br>6Qts Amsoil 100W<br>This engine is airworthy and approved for service<br>A+P      |
| 9/15/20  |                       |                           | 7379.8                       | Change oil and Filter, air filter<br>6Qts Amsoil 100W PLUS<br>This engine is airworthy and approved for service<br>A+P |
| 11/24/20 |                       | 84.4                      | 7409.0                       | Remove carburetor S/N M50AWD04 due to limited mixture travel                                                           |
|          | 227.0                 |                           | 7409.0                       | Installed MA3SPA 10-4894-1 S/N MSC 60313<br>227.0 hours since factory overhaul 01 June 2016<br>A+P                     |
|          |                       |                           |                              | SUB-TOTALS this page                                                                                                   |
|          |                       |                           |                              | TOTALS-Carry forward to next page                                                                                      |



| DATE     | TOTAL TIME IN SERVICE | TOTAL TIME SINCE OVERHAUL | TACH OR RECORDING METER TIME | DESCRIPTION OF WORK PERFORMED—<br>SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK                                                                                                                                                                                                                                                                               |
|----------|-----------------------|---------------------------|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          |                       |                           |                              | TOTALS brought forward from previous page                                                                                                                                                                                                                                                                                                                             |
| 6/14/21  |                       | 170.6                     | 7495.2                       | Install Cerminil repaired Millenium cylinder<br>S/N 26014 D.O.T 504 296.1 TTSN in #4 position<br>Installed cleaned and inspected Piston and pin,<br>existing pushrods and rockers, checked dry lash<br>within normal range. Install 6 Qts Aeroshell<br>mineral oil 100 for break-in<br>This engine is airworthy and approved for service<br>[REDACTED] A+P [REDACTED] |
| 7/22/21  |                       |                           | 7519.1                       | Change oil and Filter, air filter<br>6Qt Aeroshell 100Plus<br>[REDACTED] [REDACTED]                                                                                                                                                                                                                                                                                   |
| 9/24/21  |                       |                           | 7544.1                       | Change oil and Filter, air filter<br>6Qt Aeroshell 100Plus<br>[REDACTED] [REDACTED]                                                                                                                                                                                                                                                                                   |
| 11/8/21  |                       |                           | 7573.3                       | Change oil and Filter, air filter<br>6Qt Aeroshell 100PLUS<br>[REDACTED] [REDACTED]                                                                                                                                                                                                                                                                                   |
| 12/13/21 |                       |                           | 7586.2                       | Change oil and Filter, air filter<br>6Qt Aeroshell 100Plus<br>[REDACTED] [REDACTED]                                                                                                                                                                                                                                                                                   |
|          |                       |                           |                              | SUB-TOTALS this page                                                                                                                                                                                                                                                                                                                                                  |
|          |                       |                           |                              | TOTALS-Carry forward to next page                                                                                                                                                                                                                                                                                                                                     |

| DATE    | TOTAL TIME IN SERVICE | TOTAL TIME SINCE OVERHAUL | TACH OR RECORDING METER TIME | DESCRIPTION OF WORK PERFORMED—<br>SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK                                                                                                                                       |
|---------|-----------------------|---------------------------|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         |                       |                           |                              | TOTALS brought forward from previous page                                                                                                                                                                                     |
| 2/25/22 |                       | 7606.3                    |                              | Change oil and filter, a.v. filter<br>6 Qt Amsoil 100plus<br>[REDACTED] [REDACTED]                                                                                                                                            |
| 4/23/22 |                       | 7630.8                    |                              | Change oil and filter, air filter<br>6 Qt Amsoil 100plus<br>[REDACTED] [REDACTED]                                                                                                                                             |
| 6/28/22 |                       | 7652.5                    |                              | Change oil and filter, air filter<br>6 Qt Amsoil 100plus<br>Cyl. leakage #1 71/80, #2 70/80, #3 60/80, #4 69/80<br>This engine has been inspected IAW a 100hr insp.<br>and found to be airworthy<br>[REDACTED] A+P [REDACTED] |
| 10/5/22 |                       | 7695.8                    |                              | Change oil and filter, air filter<br>6 Qt Amsoil 100plus<br>[REDACTED] [REDACTED]                                                                                                                                             |
| 3/4/23  |                       | 7733.7                    |                              | Change oil and filter, air filter<br>6 Qt Amsoil 100 plus<br>[REDACTED] [REDACTED]                                                                                                                                            |
| 5/16/23 |                       | 7770.8                    |                              | Change oil and filter, a.v. filter<br>6 Qt Amsoil 100plus<br>[REDACTED] A+P [REDACTED]                                                                                                                                        |
|         |                       |                           |                              | SUB-TOTALS this page                                                                                                                                                                                                          |
|         |                       |                           |                              | TOTALS-Carry forward to next page                                                                                                                                                                                             |



**TOTALS**-Carry forward to next page

## Aircraft Record General Information

Manufacturer Cessna Model 150L

Serial 15074888 Registration Number N10495

Date of Manufacture 6-73 year model 1974

Engine(s) currently installed:

Manufacturer Continental Model O-200A Serial 250644-A-48

Manufacturer \_\_\_\_\_ Model \_\_\_\_\_ Serial \_\_\_\_\_

Propeller(s) currently installed:

Manufacturer McCawley Model 1A101/HCM

HUB Model \_\_\_\_\_ Serial \_\_\_\_\_ Serial \_\_\_\_\_

Blade Model \_\_\_\_\_ Serial \_\_\_\_\_ Serial \_\_\_\_\_ Serial \_\_\_\_\_

Blade Model \_\_\_\_\_ Serial \_\_\_\_\_ Serial \_\_\_\_\_ Serial \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

| YEAR<br>20 <u>22</u><br>DATE | RECORDING<br>TACH<br>TIME<br>TTIS | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)                                         |
|------------------------------|-----------------------------------|-------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6/29/22                      | 7657.5                            |                   |                             | I certify that this Aircraft, N10495, has been inspected in accordance with an ANNUAL inspection and was determined to be in an Airworthy condition<br>[REDACTED] IA [REDACTED]                                                                        |
| 6/8/2022                     | 7657.5                            |                   |                             | Replaced OEM Green position light and strobe assembly with Whelen OR65016 per Installation Guide<br>Weight removed 1.5 lb Arm 34.5<br>Weight added 0.3 lb Arm 31.0<br>This aircraft is airworthy and approved for service<br>[REDACTED] A-P [REDACTED] |

| YEAR<br>20<br>DATE | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | <b>Description of Inspections, Tests, Repairs and Alterations</b><br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------|---------------------------|-------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6/20/23            | 7784.0                    |                   |                             | Remove pilot and copilot seat belts AMSAFE M2-1 960022<br>and associated single point shoulder harness<br>Install AeroFabricators aircraft safety belts and "Y"<br>type shoulder harness in Kit H601 P/N 13-00902-6 on<br>previously approved end fittings per Aero Fabricators<br>installation instructions and AF26 Rev E 8/11/2011<br>steps 1, 2, 7A, 8, 10, 11, 12. per STC SA1410GL Dated 9/25/89<br>Complied with belt routing instructions in AF-18 Rev<br>Feb 2004, and AF-42. Net weight added 0.416<br>Moment 20.0 Per AC43.13-2B Sec 1 Par. 903 a. (1) Minor Alteration<br>This aircraft is airworthy and approval for Service<br>[Redacted] - A + P. [Redacted] |

| YEAR<br>20 <u>23</u><br>DATE | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or<br>Repair Facility. (See back pages for other specific entries.) |
|------------------------------|---------------------------|-------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6/20/23                      | 7784.0                    |                   |                             | Removed RCA11A-8 Directional Gyro, 2.8 # w/fittings Moment 43.4                                                                                                                                                   |
|                              |                           |                   |                             | Removed RCA22-7 Attitude Gyro, 2.7# w/fittings + hoses Moment 40.5                                                                                                                                                |
|                              |                           |                   |                             | Removed Z15CC-9 Dry Air Pump, 2.5# w/fittings, hose and clamps Moment -66.25                                                                                                                                      |
|                              |                           |                   |                             | Removed Valve-Vacuum relief C482001-0401, 0.3# w/nut + filter Moment 0.3                                                                                                                                          |
|                              |                           |                   |                             | Removed C294501-0101 Air filter assy - Vacuum, 1.1# w/hoses Moment 1.65                                                                                                                                           |
|                              |                           |                   |                             | Removed D120-P2-T Blind Altitude Encoder, 1.3# Moment 13.0                                                                                                                                                        |
|                              |                           |                   |                             | Removed P/N C622001-0102 Tail Position light assy, 0.2# w/lamp Mom 48.0                                                                                                                                           |
|                              |                           |                   |                             | Installed P/N UAV-1003429-002 Model AV-3D-C, S/N 3306637 Configured as<br>Attitude indicator, 0.56 # Moment 10.0 per STC SA00410BO                                                                                |
|                              |                           |                   |                             | Installed P/N UAV-1003429-002 Model AV-3D-C, S/N 3306594 Configured as<br>Direction indicator, 0.56 # Moment 10.0 per STC SA00410BO                                                                               |
|                              |                           |                   |                             | - continued next page -                                                                                                                                                                                           |

| YEAR<br>20____<br>DATE | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or<br>Repair Facility. (See back pages for other specific entries.) |
|------------------------|---------------------------|-------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6/29/23<br>continued   |                           |                   |                             | Installed P/N UAV-1003648-001 uAvionix tail Beacon X, S/N 4000864<br>0.2# Moment 48.0 per STC SA04568CH                                                                                                           |
|                        |                           |                   |                             | Installed #22 twisted pair com wire from AI to tail Beacon X. 0.4# Mom <sup>40.0</sup>                                                                                                                            |
|                        |                           |                   |                             | Disabled skybeacon ADSB out function. Unit still serves as left wing<br>position indicating and anticollision lights                                                                                              |
|                        |                           |                   |                             | Disabled Mode C transponder pending removal                                                                                                                                                                       |
|                        |                           |                   |                             | Net weight change - 9.18# Net Moment change +27.4                                                                                                                                                                 |
|                        |                           |                   |                             | Update Aircraft Flight manual, Equipment List and Weight & Balance                                                                                                                                                |
|                        |                           |                   |                             | This aircraft is airworthy and approved for service<br>C [REDACTED] AIP [REDACTED]                                                                                                                                |

| YEAR<br>2023<br>DATE | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | Description of Inspections, Tests, Repairs and Alterations<br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or<br>Repair Facility. (See back pages for other specific entries.) |
|----------------------|---------------------------|-------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6/24/23              | 7785.2                    |                   | 7785.2                      | AD80-11-04 nutplate insp C/w - visual                                                                                                                                                                             |
|                      |                           |                   |                             | AD2011-10-09 seatrail and roller insp C/w - visual                                                                                                                                                                |
|                      |                           |                   |                             | Check ELT ops IAW FAR 91.207 & checked normal                                                                                                                                                                     |
|                      |                           |                   |                             | Replace batteries by July 2024                                                                                                                                                                                    |
|                      |                           |                   |                             | This aircraft has been inspected IAW a 100hr                                                                                                                                                                      |
|                      |                           |                   |                             | inspection and found to be airworthy                                                                                                                                                                              |
|                      |                           |                   |                             | [Redacted] ACP [Redacted]                                                                                                                                                                                         |

| YEAR<br>20____<br>DATE | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | <b>Description of Inspections, Tests, Repairs and Alterations</b><br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)                             |
|------------------------|---------------------------|-------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6/24/23                | 77852                     |                   | 77852                       | I certify that this Aircraft, N10495, has been<br>inspected IAW an ANNUAL Inspection and was<br>found to be in an Airworthy condition.<br>[REDACTED] IA [REDACTED]                                                                                |
| 9/27/24                | 78830                     |                   |                             | Removed Garmin Skybeacon P/N UAV-1001856-002 From<br>left wingtip. Installed OR650/R position light<br>per installation guide. Weight and balance unchanged<br>This aircraft is airworthy and approval for service<br>[REDACTED] - A-P [REDACTED] |

[illegible]

| YEAR<br>20____<br>DATE | RECORDING<br>TACH<br>TIME | TODAY'S<br>FLIGHT | TOTAL<br>TIME IN<br>SERVICE | <b>Description of Inspections, Tests, Repairs and Alterations</b><br>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)                                                  |
|------------------------|---------------------------|-------------------|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7/14/24                | 7861.4                    |                   |                             | I certify that this Aircraft N 10495, has been inspected<br>in accordance with an ANNUAL inspection and was found<br>to be in an Airworthy condition [REDACTED] IA [REDACTED]                                                                                          |
| 9/27/24                | 7883.0                    |                   | 7883.0                      | Removed Gunders ignition switch P/N C292501-0105<br>Installed ACS A-510-2K ignition switch PMA per<br>installation instruction ACS-510 Rev C (5/10/01)<br>Functional check okay.<br>This aircraft is airworthy and approved for Service<br>[REDACTED] A & P [REDACTED] |