

Amlodipine

Description	A calcium channel blocker heart medication used in the treatment of hypertension.
Therapeutic Low	0.0010
Therapeutic High	0.0240
Units	ug/mL
Specimen	P
Half Life Low	30.00
Half Life High	40.00
VOD Low	21.00
VOD High	24.00
Toxic Level	0.090
Lethal Level	2.700
Plasma to Whole Blood ratio	0.00
Warnings	Adverse reactions include edema, dizziness, and palpitation.

Losartan

Description	Is used in the treatment of hypertension
Therapeutic Low	0.0000
Therapeutic High	0.0000
Units	ug/mL
Specimen	
Half Life Low	0.00
Half Life High	0.00
VOD Low	0.00
VOD High	0.00
Toxic Level	0.000
Lethal Level	0.000
Plasma to Whole Blood ratio	0.00
Warnings	

Sildenafil

Description	Sildenafil (Viagra®) is used for the treatment of erectile disfunction erectile dysfunction (ED), is rapidly becoming one of the most popular and widely used drugs throughout the United States and Europe.
Therapeutic Low	0.2000
Therapeutic High	0.4500
Units	ug/mL
Specimen	P
Half Life Low	4.00
Half Life High	0.00
VOD Low	0.00
VOD High	0.00
Toxic Level	0.000
Lethal Level	0.000
Plasma to Whole Blood ratio	0.00
Warnings	dose-related impairment of color discrimination (blue/green) was detected using the Farnsworth-Munsell 100-hue test, with peak effects near the time of peak plasma levels.

Desmethylsildenafil	
Description	Desmethylsildenafil is the predominant metabolite of Sildenafil, VIAGRA®. It is an active metabolite with properties similar to the parent drug.
Therapeutic Low	0.2000
Therapeutic High	0.5000
Units	ug/mL
Specimen	P
Half Life Low	4.00
Half Life High	0.00
VOD Low	0.00
VOD High	0.00
Toxic Level	0.000
Lethal Level	0.000
Plasma to Whole Blood ratio	0.00
Warnings	Warnings - transient impairment of color vision (blue/green) can occur with a single dose. Not recommended for use by patients with pre-existing cardiac conditions.