

NATIONAL TRANSPORTATION SAFETY BOARD

NTSB Form 6120.1

PILOT/OPERATOR AIRCRAFT ACCIDENT/INCIDENT REPORT

Email the pilot/operator aircraft accident/incident report to the investigator-in-charge of your accident/incident. If email is not available, mail the report per the instructions below.

If your accident/incident occurred in Maine, Vermont, New Hampshire, Massachusetts, Connecticut, Rhode Island, New York, New Jersey, Pennsylvania, Maryland, Delaware, Virginia, West Virginia, Kentucky, Tennessee, North Carolina, South Carolina, Mississippi, Alabama, Georgia, Florida, the District of Columbia, Puerto Rico, or the US Virgin Islands, send the form to: NTSB, ERA, 45065 Riverside Parkway, Ashburn, VA 20147.

If your accident/incident occurred in Ohio, Michigan, Indiana, Wisconsin, Illinois, Minnesota, Iowa, Missouri, Arkansas, Louisiana, North Dakota, South Dakota, Nebraska, Kansas, Oklahoma, Texas, Colorado, or New Mexico, send the form to: NTSB, CEN, 4760 Oakland Street, Suite 500, Denver, CO 80239.

If your accident/incident occurred in Montana, Wyoming, Idaho, Utah, Arizona, Nevada, Washington, Oregon, California, Hawaii, or the territories of Guam or American Samoa, send the form to: NTSB, WPR, 505 South 336th Street, Suite 540, Federal Way, WA 98003.

If your accident/incident occurred in Alaska, send the form to: NTSB, ANC, 222 West 7th Avenue, Room 216, Box 11, Anchorage, AK 99513.

Rules pertaining to notification of aircraft accidents and incidents, as well as overdue aircraft are found in 49 Code of Federal Regulations (CFR) Part 830 http://www.ecfr.gov/cgi-bin/text-idx?c=ecfr&tpl=/ecfrbrowse/Title49/49cfr830_main_02.tpl. These rules state the authority of the NTSB, define accidents, incidents, injuries, and other terms, and provide procedures for initial and immediate notification of accidents and incidents by aircraft pilots/operators.

A. APPLICABILITY

The pilot/operator of an aircraft shall send a report to the office listed above, based on accident/incident location; immediate notification is required by 49 CFR 830.5(a). **The report shall be filed within 10 days after an accident for which notification is required by Section 830.5, or after 7 days if an overdue aircraft is still missing.**

An aircraft accident, as defined in 49 CFR 830.2, is determined as an occurrence that involves a fatality or serious injury, or substantial damage to the aircraft. For occurrences that do not involve a fatality, the determination that the occurrence is an accident can be appealed by writing to the Director, Office of Aviation Safety, NTSB, 490 L'Enfant Plaza, S.W., Washington, D.C. 20594.

INSTRUCTIONS TO PILOTS/OPERATORS FOR COMPLETING THIS FORM

It is necessary that ALL questions on this report be answered completely and accurately.

If more space is needed, continue on a blank sheet of paper.

Nearest City/Place: Use the name of the nearest community in the state where the accident/incident occurred.

Date/Time: Indicate the date and local time of the event. Be sure to indicate the time zone.

Phase of Operation: Indicate the phase of operation during which the accident/incident occurred.

Aircraft Information: Enter aircraft make and model information as indicated on the aircraft registration certificate, including series. If the involved aircraft is certified as "amateur-built," include the name of the producer of the kit or plans, unless an NTSB employee instructs otherwise.

Maximum Gross Weight: Enter the certificated maximum gross weight for the aircraft involved in the occurrence. This should be the same as the maximum gross weight indicated on the aircraft weight and balance documents.

Engine: Enter engine make and model information as indicated on the engine data plate.

The NTSB uses this form for aircraft accident prevention activities and for statistical purposes. NTSB regulations (49 CFR Part 830) require that **ALL** questions be answered completely and accurately. Completion of this form will take approximately 60 minutes. The NTSB does not guarantee the privacy of any information provided in this form. You need not complete this form unless it displays a valid OMB control number, in accordance with 5 C.F.R. § 1320.5(b), which applies to this collection of information.

B. DEFINITIONS

1. "Aircraft Accident" means an occurrence associated with the operation of an aircraft that takes place between the time any person boards the aircraft with the intention of flight and all such persons have disembarked, and in which any person suffers death, or serious injury, or in which the aircraft receives substantial damage. For purposes of this form, the definition of "aircraft accident" includes "unmanned aircraft accident," as defined at 49 CFR 830.2.

2. "Substantial Damage" means damage or failure that adversely affects the structural strength, performance or flight characteristics of the aircraft, and that would normally require major repair or replacement of the affected component. NOTE: Engine failure or damage limited to an engine if only one engine fails or is damaged, bent fairing or cowling, dented skin, small puncture holes in the skin or fabric, ground damage to rotor or propeller blades, and damage to landing gear, wheels, tires, flaps, engine accessories, brakes, or wing tips are not considered "substantial damage" for purposes of this report.

3. "Operator" means any person who causes or authorizes the operation of an aircraft, such as the owner, lessee, or bailee of an aircraft.

4. "Fatal Injury" means any injury that results in death within thirty (30) days of the accident.

5. "Serious Injury" means any injury that (1) requires hospitalization for more than 48 hours, commencing within 7 days from the date the injury was received; (2) results in a fracture of any bone (except simple fracture of fingers, toes, or nose); (3) causes severe hemorrhages, nerve, muscle, or tendon damage; (4) involves injury to any internal organ; or (5) involves second- or third-degree burns, or any burns affecting more than 5 percent of the body surface.

Type of Fire Extinguishing System: If a fire extinguishing system was used to fight an aircraft fire, specify the type(s) of extinguishing system(s) used. Examples include handheld extinguisher, engine fire bottle, cargo/baggage compartment fire suppression system, or airport emergency ground equipment.

Owner/Operator Information: Enter the owner information as shown on the registration certificate. Commercial operators, enter the operator information, including "doing business as" when applicable, as shown on the operator certificate.

Revenue Sightseeing Flight: Indicate whether the accident aircraft was conducting revenue sightseeing operations under 14 CFR Part 91 at the time of the accident.

Air Medical Flight: Indicate whether the accident flight was being conducted for the purpose of carrying medical personnel, patient(s), or organs.

Public Aircraft: Federal, state or local government flight operations such as official travel, law-enforcement, low-level observation, aerial application, firefighting, search and rescue, biological or geological resource management, or aeronautical research. Indicate whether the flight was conducted by the armed forces, federal, state, or local government.

Purpose of Flight: 14 CFR Parts 91, 103, 133, 136, and 137: Indicate the type of operation that was being conducted at the time of the occurrence using the following definitions:

AERIAL APPLICATION--Operations using an aircraft to perform aerial application or dispersion of any substance. Examples include agricultural, health, forestry, cloud seeding, firefighting, insect control, etc.

AERIAL OBSERVATION--These flights include aerial mapping/photography, patrol, search and rescue, hunting, highway traffic advisory, ranching, surveillance, oil and mineral exploration, criminal pursuit, fish spotting, etc.

AIR DROP--Aerial operations, other than aerial application, that are intended to release items in flight.

AIR RACE/SHOW--Includes any flight operations conducted as part of an organized air race or public demonstration.

BUSINESS--includes all personal flying without a paid professional crew for reasons associated with furthering a business, including transportation to and from business meetings or work. This does not include corporate/executive operations, air taxi, or commuter operations.

EXECUTIVE/CORPORATE--Company flying with a paid, professional crew.

FERRY--Non-revenue flight under a special flight or "ferry" permit. Refer to 14 CFR 21.197 for details of special flight permit issuance.

FLIGHT TEST--Flight for the purpose of investigating the flight characteristics of an aircraft/aircraft component or evaluating an applicant for a pilot certificate or rating.

INSTRUCTIONAL--Flying while under the supervision of a flight instructor or receiving air carrier training. Personal proficiency flight operations and personal flight reviews, as required by federal air regulations, are excluded.

OTHER WORK USE--Miscellaneous flight operations conducted for compensation or hire such as construction work (not 14 CFR Part 135 operation), parachuting, aerial advertising, towing gliders, etc.

PERSONAL--Flying for personal reasons (excludes business transportation) including pleasure or personal transportation. This also includes practice or proficiency flights performed under flight instructor supervision and not part of an approved flight training program.

POSITIONING--Non-revenue flight conducted for the primary purpose of relocating the aircraft. Examples include moving the aircraft to a maintenance facility or to load passengers or cargo etc.

UNKNOWN--Use only if the primary purpose of flight is not known.

Other Aircraft--Collision: For all accidents involving a collision with another aircraft, including parked aircraft, check "Collision with other aircraft" under Basic Information and complete this section indicating details about the OTHER aircraft involved in the collision.

Airport Information: Complete this section if the accident/incident occurred on approach, landing, takeoff, departure, or within 3 statute miles of an airport. Please refer to the FAA Airport/Facility Directory or other official source for airport information.

Airport Identifier: Provide the official 3 or 4 character airport identifier number.

Runway: Indicate the number of the runway used, including L, R, or C if applicable.

Runway/Landing Surface: Indicate the type of intended runway/landing surface (do not indicate surface conditions). If the surface type was mixed, check all that apply.

Condition of Runway/Landing Surface: Indicate the condition of the intended runway/landing surface. If multiple conditions existed at the time of the accident, check all that apply.

Weather Information at the Accident/Incident Site: Indicate the weather conditions reported at the accident/incident site at the time of occurrence. If no weather reporting was available for the accident/incident site, indicate the reported conditions at the nearest reporting site. Specify the weather reporting site identifier, the observation time, and distance from the accident/incident.

Sky/Lowest Cloud Condition: Indicate the height above ground level of the lowest cloud condition present at the time of the accident/incident and whether coverage was reported as few, scattered, broken or overcast. Also indicate the height above ground level and coverage of the lowest cloud ceiling present at the time of the accident/incident (reported as broken or overcast).

NOTAMs (D and FDC), AIRMETs, SIGMETs, PIREPs: Describe all NOTAMs (distant (D) or Flight Data Center (FDC), if known), AIRMETs, SIGMETs, and PIREPs in effect near the accident/incident.

Flight Crewmember Information: Indicate the category that best describes the capacity served by this flight crewmember at the time of the accident. The designators "Flight Crewmember 1" and "Flight Crewmember 2" do not refer to a specific pilot position or responsibility. If more than one pilot is aboard, they may be entered in any order and their capacity entered as appropriate.

Degree of Injury: See Definitions on the top half of Page 1 of the instructions. Minor injury is not defined. If an injury does not meet the criteria for another injury category, select Minor.

Date of Last Flight Review or Equivalent: Enter the date of the most recent flight review, or equivalent, completed by this pilot. Refer to 14 CFR 61.56 for accepted equivalents.

Type Ratings: List all type ratings on the pilot certificate. If the pilot holds no type ratings indicate "none." If the pilot holds a pilot certificate other than student and was flying an aircraft requiring an endorsement, enter the type and date of any logbook endorsement(s) for that aircraft. See 14 CFR 61 for examples of required endorsements.

Student Endorsements: If the pilot holds a student pilot certificate, enter all solo endorsements and dates on the student pilot certificate.

Flight Time: Complete the flight time matrix. Solo flight time should be included as "Pilot-in-Command (PIC)" and all dual flight instruction given should be included as "Time as Instructor."

Additional Flight Crewmembers: Complete this section if there were more than two required flight crewmembers on the aircraft. This also includes a check airman performing official duties but does not include cabin crew. State the capacity served by each included crewmember at the time of the accident.

Passenger(s)/Other Personnel: Enter identification and injury severity information for all passengers, cabin crew, and other personnel involved in the accident. See Page 1 of the instructions for the official definition of injury levels.

Several questions throughout the form allow for multiple responses; when appropriate, choose all responses that apply.

These instructions only pertain to major issue areas covered by NTSB Form 6120.1 Pilot/Operator Aircraft Accident/Incident Report. For additional definitions of questions and responses, please refer to www.nts.gov.

NATIONAL TRANSPORTATION SAFETY BOARD PILOT/OPERATOR AIRCRAFT ACCIDENT/INCIDENT REPORT

This form to be used for reporting civil and public aircraft accidents and incidents

BASIC INFORMATION

Accident/Incident Location

Nearest City/Place: Midland State: TX

ZIP: 79711 Country: USA

Latitude: N31.95 Longitude: W102.20

(Enter in decimal degrees or degrees:minutes:seconds)

Accident/Incident Date/Time

Date: 06/29/2024 Local Time: 1652
mm/dd/yyyy

Time Zone: CDT (GMT-5)

Collision with Other Aircraft: ☐ Midair ☐ On-ground ☒ None

AIRCRAFT INFORMATION

Registration Number: N451M

Manufacturer: American Air Racing, Inc.

Model: IV-P

Serial Number: LIV-367

Year of Manufacture: 2005

Amateur-Built: ☒ Yes ☐ No If Yes: ☒ Kit/Plans ☐ Original Design Make: Lancair IV-P

☒ IFR-Equipped and Certified

☐ Commercial Space Flight

☐ Unmanned Aircraft

Maximum Gross Weight: 3500 lb lbs

Weight at Time of Accident/Incident: 3200 lb lbs

Number of Seats: 4 Flight Crew Seats: 1

Cabin Crew Seats: 0 Passenger Seats: 3

Number of Engines: 1

Category of Aircraft

- ☒ Airplane
☐ Balloon
☐ Blimp/Dirigible
☐ Glider
☐ Gyroplane
☐ Helicopter
☐ Powered Lift
☐ Rocket
☐ Ultralight
☐ Unknown

Type of Airworthiness Certificate

(Check all that apply)

Standard

- ☐ Normal
☐ Aerobatic
☐ Balloon
☐ Commuter
☐ Transport
☐ Utility

Special

- ☐ Restricted
☐ Limited
☐ Provisional
☐ Special Flight
☒ Experimental
☐ Special Light-Sport
☐ Experimental Light-Sport

☐ Certificate of Authorization or Waiver (COA)
☐ None ☒ Unknown

Landing Gear

(Check all that apply)

☒ Retractable

- ☒ Tricycle ☐ Tailwheel
☐ Amphibian ☐ High Skid
☐ Emergency Float ☐ Skid
☐ Float ☐ Ski
☐ Hull ☐ Ski/Wheel
☐ Other Launch/Recovery System
☐ None ☐ Unknown

Engine Type (Select one)

- ☒ Reciprocating ☐ Liquid Rocket
☐ Turbo Shaft ☐ Solid Rocket
☐ Turbo Prop ☐ Hybrid Rocket
☐ Turbo Jet ☐ None
☐ Turbo Fan ☐ Unknown
☐ Electric

Fuel System Type (Reciprocating)

☐ Carburetor ☒ Fuel-Injected

Engine	Engine Manufacturer	Engine Model/Series	Manufacturer's Serial Number	Date of Mfg. mm/dd/yyyy	Rated Power ☒ Horsepower or ☐ lbs of Thrust	Total Time (hours)	Time Since: Inspection (hours)	Overhaul (hours)
Eng. 1	<u>Continental</u>	<u>TSIO 550</u>	<u>Unknown</u>	<u>Unknown</u>	<u>350</u>	<u>1010</u>	<u>Unknown</u>	<u>Unknown</u>
Eng. 2								
Eng. 3								
Eng. 4								

Last Inspection Type

- ☐ 100-Hour ☐ Continuous Airworthiness
☐ AAIP ☒ Conditional Inspection
☐ Annual ☐ Unknown

Date Last Inspection: Unknown
mm/dd/yyyy

Airframe Total Time: 1020 hrs

hours measured at (Select one)

☐ Last Inspection ☒ Time of Accident/Incident

Type of Maintenance Program (Select one)

- ☐ Annual
☒ Conditional (Amateur-built only)
☐ Manufacturer's Inspection Program
☐ Other Approved Inspection Program (AAIP)
☐ Continuous Airworthiness
☐ Other, specify: _____

Description of Fire Extinguishing System

- ☒ None
☐ Specify: _____

Propeller 1

- ☐ Fixed Pitch
☒ Controllable Pitch
☐ Ground Adjustable

Manufacturer: Hartzell

Model: Unknown

Propeller 2

- ☐ Fixed Pitch
☐ Controllable Pitch
☐ Ground Adjustable

Manufacturer: N/A

Model: _____

ELT Installed: ☒ Yes ☐ No

If Yes:

ELT Manufacturer: ACK

Model or Part No.: E-04

TSO No.: ☐ OC91 (121.5 MHz) ☐ OC91a (121.5 MHz)
☒ C126 (406 MHz)

Was ELT still mounted in aircraft? ☒ Yes ☐ No

Was ELT still connected to antenna? ☒ Yes ☐ No

Did ELT Activate? ☐ Yes ☒ No

If activated:

Did ELT Aid in Locating Aircraft? ☐ Yes ☐ No

If not activated:

- Indicate Reason: ☐ Impact Damage
☐ Fire Damage
☐ Battery Expired/Damaged
☒ Unknown

Additional Equipment (Check all that apply)

- ☒ ADS-B
☐ Airframe Parachute
☐ Angle of Attack Indicator
☒ Autopilot
☐ Data Recorder
☐ Electronic Flight Bag or Handheld Device
☒ Electronic Multifunction Display
☒ Electronic Primary Flight Display
☐ Handheld GPS
☐ Heads Up Display
☒ Onboard Weather
☐ Satellite Tracking Device
☐ Stall Warning System
☐ Video Recording Device
☐ Other, Specify: _____

OWNER/OPERATOR INFORMATION**Registered Aircraft Owner**Name: Gemini Commercial Properties, LLCFractional Ownership Aircraft: ☐ Yes ☐ No

City: _____

State: _____ ZIP: _____

Country: _____

Operator of Aircraft☒ Same As Registered Owner☐ Same Address as Registered Owner

Name: _____

City: _____

Doing Business As: _____

State: _____ ZIP: _____

Air Carrier/Operator Designator (4 Character Code): _____

Country: _____

Operating Certificates Held

(Check all that apply)

- ☒ None
☐ Flag Carrier Operating Certificate (FAR 121)
☐ Supplemental
☐ Air Cargo
☐ Foreign Air Carriers (FAR 129)
☐ Rotorcraft External Load (FAR 133)
☐ Commuter Air Carrier (FAR 135)
☐ On-Demand Air Taxi (FAR 135)
☐ Commercial Air Tour (FAR 136)
☐ Agricultural Aircraft (FAR 137)
☐ Pilot School (FAR 141)
☐ Certificate of Authorization or Waiver (COA)
☐ Commercial Space Transportation
Experimental Permit
☐ Commercial Space Transportation License
☐ Other Operator of Large Aircraft

Regulation Flight Conducted Under

- ☒ FAR 91 ☐ FAR 129 ☐ FAR 415
☐ FAR 103 ☐ FAR 133 ☐ FAR 431
☐ FAR 121 ☐ FAR 135 ☐ FAR 435
☐ FAR 125 ☐ FAR 137 ☐ FAR 437
- ☐ FAR 91 Special Flight
☐ Non-US, Commercial
☐ Non-US, Non-commercial
- ☐ Public Aircraft (Select one)
☐ Armed Forces
☐ Federal
☐ State
☐ Local
☐ Unknown

Revenue Operation for FAR 121, 125, 129, 135

(Select one for each group)

- ☐ Scheduled or Commuter ☐ Domestic
☐ Non-Scheduled or Air Taxi ☐ International
- ☐ Passenger
☐ Cargo
☐ Mail Contract Only

Purpose of Flight for FAR 91, 103, 133, 137

(Select one)

- ☐ Aerial Application ☐ Firefighting ☐ Unknown
☐ Aerial Observation ☐ Flight Test
☐ Air Drop ☐ Glider Tow
☐ Air Race/Show ☐ Instructional
☐ Banner Tow ☐ Other Work Use
☐ Business ☐ Personal
☐ Executive/Corporate ☐ Positioning
☐ External Load ☐ Skydiving
☒ Ferry

Revenue Sightseeing Flight☐ Yes ☒ No**Air Medical Flight**☐ Yes ☒ No**AIRPORT INFORMATION** (Fill in if accident/incident occurred on approach, landing, takeoff, departure, or within 3 miles of an airport)Airport Name: Midland International Air and Space PortDistance From Airport Center: 0 smAirport Identifier: KMAF

Direction From Airport: _____ degrees true

Proximity to Airport: ☐ Off Airport/Airstrip ☒ On Airport/Airstrip ☐ N/AAirport Elevation: 2872 ft ft. msl**Runway Information**Runway ID: 16R (L/R/C) Length: 9501 ft Width: 150 ft**Condition of Runway/Landing Surface** (Check all that apply)**Runway/Landing Surface** (Check all that apply)

- ☒ Asphalt ☐ Grass/Turf ☐ Macadam ☐ Water
☐ Concrete ☐ Gravel ☐ Metal/Wood
☐ Dirt ☐ Ice ☐ Snow ☐ Unknown

- ☒ Dry ☐ Snow-Compacted ☐ Water-Calm
☐ Holes ☐ Snow-Crusted ☐ Water-Choppy
☐ Ice Covered ☐ Snow-Dry ☐ Water-Glassy
☐ Rough ☐ Snow-Wet ☐ Wet
☐ Rubber Deposits ☐ Soft
☐ Slush-Covered ☐ Vegetation ☐ Unknown

Approach/Departure Segment (Select one)

- ☐ Taxi ☐ VFR Departure ☐ On Instrument Approach ☐ Downwind ☐ Low Approach
☐ Takeoff ☐ IFR Departure Procedure/Clearance ☒ Landing ☐ Base ☐ Go Around
☐ Initial Climb ☐ Aborted Landing (after touchdown)
☐ Crosswind ☐ Unknown

IFR Approach (Check all that apply)

- ☒ None
- ☐ ADF/NDB ☐ PAR ☐ MLS ☐ Practice
☐ SDF ☐ Sidestep ☐ LDA ☐ GPS
☐ VOR/TVOR ☐ ILS ☐ ASR
☐ VOR/DME ☐ Localizer Only ☐ Visual
☐ TACAN ☐ LOC-back course ☐ Contact
☐ RNAV ☐ Circling
☐ Unknown

VFR Approach (Check all that apply)

- ☐ None
- ☐ Traffic Pattern ☐ Stop and Go
☒ Straight-In ☐ Touch and Go
☐ Valley/Terrain Following ☐ Simulated Forced Landing
☐ Go Around ☐ Forced Landing
☐ Full Stop ☐ Precautionary Landing
☐ Unknown

"FLIGHT CREWMEMBER 1" INFORMATION**"Flight Crewmember 1" Responsibilities at the Time of Accident/Incident**

☒ Pilot ☐ Co-Pilot ☐ Student Pilot ☐ Flight Instructor ☐ Check Pilot ☐ Flight Engineer ☐ Other Flight Crew

"Flight Crewmember 1" was pilot flying ☒ Yes ☐ No

"Flight Crewmember 1" Identification

First Name: Leonard

City of Residence: Delaware

Middle Initial: C

State: OH ZIP: 43015

Last Name: Kearl

Country: USA

Age at time of Accident/Incident: 52 Date of Birth: mm/dd/yyyy

Certificate Number: mm/dd/yyyy

Degree of Injury

☒ None ☐ Fatal
☐ Minor ☐ Unknown
☐ Serious

Seat Occupied

☒ Left ☐ Front ☐ Unknown
☐ Right ☐ Rear
☐ Center ☐ Single

Restraint Type**Available**

☐ None
☐ Lap only
☒ 3-point
☐ 4-point
☐ 5-point
☐ Unknown

Used

☐ None
☐ Lap only
☒ 3-point
☐ 4-point
☐ 5-point
☐ Unknown

Inflatable Restraints

☒ Not Installed
☐ Installed
☐ Not Deployed
☐ Deployed
☐ Unknown

Pilot Certificate(s) (Check all that apply)

☐ None ☒ Flight Instructor ☒ Commercial ☐ US Military
☐ Private ☐ Recreational ☒ Airline Transport ☐ Foreign
☐ Student ☐ Sport ☐ Flight Engineer

Principal Occupation

☒ Pilot
☐ Other
☐ Unknown

Medical Certificate

☐ None ☐ Class 3
☐ Class 1 ☐ Driver's License (Sport Pilot only)
☐ Class 2 ☐ Unknown

Medical Certificate Validity

☐ Without limitations/waivers ☐ Unknown
☒ With limitations/waivers ☐ N/A
☐ Special Issuance

Date of Last Medical

04/16/2024
mm/dd/yyyy

Medical Certificate Limitations

Must use corrective lens(es) to meet vision standards at all required distances

Medical Certificate Special Issuance**Date of Last Flight Review or Equivalent, Including FAR 121/135 Checks:**

06/27/2024
mm/dd/yyyy

Flight Review Aircraft

Make: Learjet

Model: 35A

Airplane Rating(s)

(Check all that apply)

☐ None
☒ Single-Engine Land
☐ Single-Engine Sea
☒ Multiengine Land
☒ Multiengine Sea

Other Aircraft Rating(s)

(Check all that apply)

☐ None
☐ Airship
☐ Balloon
☐ Glider
☐ Gyroplane
☒ Helicopter
☐ Powered Lift

Instrument Rating(s)

(Check all that apply)

☐ None
☒ Airplane
☒ Helicopter
☐ Powered Lift

Instructor Rating(s)

(Check all that apply)

☐ None ☒ Instrument Airplane
☒ Airplane Single-Engine ☐ Instrument Helicopter
☒ Airplane Multi-Engine ☐ Helicopter
☐ Gyroplane ☐ Glider
☐ Powered Lift ☐ Sport

Type Ratings

LR-JET, G-1159, AV-L-39, MIG-15, MIG-17, NH-F5, NH-T38

Student Endorsements (Include dates)

Flight Time (Enter appropriate number of hours in each box)	All Aircraft	This Make & Model	Airplane Single Engine	Airplane Multiengine	Night	Instrument		Rotorcraft	Glider	Lighter Than Air
						Actual	Simulated			
Total Time	6,359	900	3,895	2,318	667	832	177	42	5	1
Pilot in Command (PIC)	5,510	880	3,380	2,000	600	750	100	0	3	0
Time as Instructor	1,596	200	1,000	596	200	200	50	0	0	0
This Make/Model					100	100	20			
Last 90 Days	132	39	117	15	11	10	0	0	0	0
Last 30 Days	43	4	29	14	0	5	0	0	0	0
Last 24 Hours	4	4	4	0	0	0	0	0	0	0

"FLIGHT CREWMEMBER 2" INFORMATION

"Flight Crewmember 2" Responsibilities at the Time of Accident/Incident

☐ Pilot
 ☐ Co-Pilot
 ☐ Student Pilot
 ☐ Flight Instructor
 ☐ Check Pilot
 ☐ Flight Engineer
 ☐ Other Flight Crew

"Flight Crewmember 2" was pilot flying ☐ Yes ☐ No

"Flight Crewmember 2" Identification

First Name: _____ City of Residence: _____

Middle Initial: _____ State: _____ ZIP: _____

Last Name: _____ Country: _____

Age at time of Accident/Incident: _____ Date of Birth: _____ mm/dd/yyyy

Certificate Number: _____

Degree of Injury ☐ None ☐ Fatal ☐ Minor ☐ Unknown ☐ Serious	Seat Occupied ☐ Left ☐ Front ☐ Unknown ☐ Right ☐ Rear ☐ Center ☐ Single	Restraint Type <table style="width: 100%;"> <tr> <th style="text-align: left;">Available</th> <th style="text-align: left;">Used</th> </tr> <tr> <td>☐ None</td> <td>☐ None</td> </tr> <tr> <td>☐ Lap only</td> <td>☐ Lap only</td> </tr> <tr> <td>☐ 3-point</td> <td>☐ 3-point</td> </tr> <tr> <td>☐ 4-point</td> <td>☐ 4-point</td> </tr> <tr> <td>☐ 5-point</td> <td>☐ 5-point</td> </tr> <tr> <td>☐ Unknown</td> <td>☐ Unknown</td> </tr> </table>	Available	Used	☐ None	☐ None	☐ Lap only	☐ Lap only	☐ 3-point	☐ 3-point	☐ 4-point	☐ 4-point	☐ 5-point	☐ 5-point	☐ Unknown	☐ Unknown	Inflatable Restraints ☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown
Available	Used																
☐ None	☐ None																
☐ Lap only	☐ Lap only																
☐ 3-point	☐ 3-point																
☐ 4-point	☐ 4-point																
☐ 5-point	☐ 5-point																
☐ Unknown	☐ Unknown																
Pilot Certificate(s) <i>(Check all that apply)</i> <table style="width: 100%;"> <tr> <td>☐ None</td> <td>☐ Flight Instructor</td> <td>☐ Commercial</td> <td>☐ US Military</td> </tr> <tr> <td>☐ Private</td> <td>☐ Recreational</td> <td>☐ Airline Transport</td> <td>☐ Foreign</td> </tr> <tr> <td>☐ Student</td> <td>☐ Sport</td> <td>☐ Flight Engineer</td> <td></td> </tr> </table>		☐ None	☐ Flight Instructor	☐ Commercial	☐ US Military	☐ Private	☐ Recreational	☐ Airline Transport	☐ Foreign	☐ Student	☐ Sport	☐ Flight Engineer					
☐ None	☐ Flight Instructor	☐ Commercial	☐ US Military														
☐ Private	☐ Recreational	☐ Airline Transport	☐ Foreign														
☐ Student	☐ Sport	☐ Flight Engineer															

Principal Occupation ☐ Pilot ☐ Other ☐ Unknown	Medical Certificate ☐ None ☐ Class 3 ☐ Class 1 ☐ Driver's License (Sport Pilot only) ☐ Class 2 ☐ Unknown	Medical Certificate Validity ☐ Without limitations/waivers ☐ Unknown ☐ With limitations/waivers ☐ N/A ☐ Special Issuance	Date of Last Medical _____ mm/dd/yyyy
--	--	--	---

Medical Certificate Limitations

Medical Certificate Special Issuance

Date of Last Flight Review or Equivalent, Including FAR 121/135 Checks: _____ mm/dd/yyyy	Flight Review Aircraft Make: _____ Model: _____
---	--

Airplane Rating(s) <i>(Check all that apply)</i> ☐ None ☐ Single-Engine Land ☐ Single-Engine Sea ☐ Multiengine Land ☐ Multiengine Sea	Other Aircraft Rating(s) <i>(Check all that apply)</i> ☐ None ☐ Airship ☐ Balloon ☐ Glider ☐ Gyroplane ☐ Helicopter ☐ Powered Lift	Instrument Rating(s) <i>(Check all that apply)</i> ☐ None ☐ Airplane ☐ Helicopter ☐ Powered Lift	Instructor Rating(s) <i>(Check all that apply)</i> <table style="width: 100%;"> <tr> <td> ☐ None ☐ Airplane Single-Engine ☐ Airplane Multi-Engine ☐ Gyroplane ☐ Powered Lift </td> <td> ☐ Instrument Airplane ☐ Instrument Helicopter ☐ Helicopter ☐ Glider ☐ Sport </td> </tr> </table>	☐ None ☐ Airplane Single-Engine ☐ Airplane Multi-Engine ☐ Gyroplane ☐ Powered Lift	☐ Instrument Airplane ☐ Instrument Helicopter ☐ Helicopter ☐ Glider ☐ Sport
☐ None ☐ Airplane Single-Engine ☐ Airplane Multi-Engine ☐ Gyroplane ☐ Powered Lift	☐ Instrument Airplane ☐ Instrument Helicopter ☐ Helicopter ☐ Glider ☐ Sport				

Type Ratings	Student Endorsements <i>(Include dates)</i>
---------------------	--

Flight Time <i>(Enter appropriate number of hours in each box)</i>	All Aircraft	This Make & Model	Airplane Single Engine	Airplane Multiengine	Night	Instrument		Rotorcraft	Glider	Lighter Than Air
						Actual	Simulated			
Total Time										
Pilot in Command (PIC)										
Time as Instructor										
This Make/Model										
Last 90 Days										
Last 30 Days										
Last 24 Hours										

ADDITIONAL FLIGHT CREWMEMBERS (Exclusive of cabin crew, complete the following information)

Crew Name and Address	Seat Occupied	Injury
First Name: _____ City of Residence: _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____	☐ Left ☐ Front ☐ Center ☐ Rear ☐ Right ☐ Single ☐ Unknown	☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown
Pilot Certificate(s) (Check all that apply) ☐ None ☐ Flight Instructor ☐ Private ☐ Recreational ☐ Student ☐ Sport ☐ Commercial ☐ US Military ☐ Airline Transport ☐ Foreign ☐ Flight Engineer	Restraint Type: Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	Inflatable Restraints ☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown
Type Rating/Endorsement for Accident/Incident Aircraft? ☐ Yes ☐ No	Total Flight Time at the Time of this Accident/Incident: _____ hrs	

Crew Name and Address	Seat Occupied	Injury
First Name: _____ City of Residence: _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____	☐ Left ☐ Front ☐ Center ☐ Rear ☐ Right ☐ Single ☐ Unknown	☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown
Pilot Certificate(s) (Check all that apply) ☐ None ☐ Flight Instructor ☐ Private ☐ Recreational ☐ Student ☐ Sport ☐ Commercial ☐ US Military ☐ Airline Transport ☐ Foreign ☐ Flight Engineer	Restraint Type: Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	Inflatable Restraints ☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown
Type Rating/Endorsement for Accident/Incident Aircraft? ☐ Yes ☐ No	Total Flight Time at the Time of this Accident/Incident: _____ hrs	

PASSENGER(S) / OTHER PERSONNEL (Include cabin crew; continue on separate sheet if necessary)

Name and Address	Seat	Injury	Restraint Type	Inflatable Restraints	Age
First Name: <u>Jayson</u> City : <u>Delaware</u> Middle Initial: <u>D</u> State: <u>OH</u> ZIP: <u>43015</u> Last Name: <u>Kearl</u> Country: <u>USA</u> ☐ Crew ☒ Passenger ☐ Other	☐ Left ☐ Center ☒ Right ☐ Unknown Row: _____	☒ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☒ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☒ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	☒ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	☐ Under 5 years If Under 5, ☐ Child Restraint ☐ Lap-Held ☐ Unknown
First Name: _____ City : _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other	☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	☐ Under 5 years If Under 5, ☐ Child Restraint ☐ Lap-Held ☐ Unknown
First Name: _____ City : _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other	☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	☐ Under 5 years If Under 5, ☐ Child Restraint ☐ Lap-Held ☐ Unknown
First Name: _____ City : _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other	☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	☐ Under 5 years If Under 5, ☐ Child Restraint ☐ Lap-Held ☐ Unknown

FLIGHT ITINERARY INFORMATION

Last Departure Point Airport ID: <u>KSLR</u> City: <u>Sulphur Springs</u> State: <u>TX</u> Country: <u>USA</u>	Time of Departure Time: <u>1510</u> Time Zone: <u>CDT</u>	Destination Airport ID: <u>KMAF</u> City: <u>Midland</u> State: <u>TX</u> Country: <u>USA</u>	Type Flight Plan Filed ☒ None ☐ VFR/IFR ☐ Company VFR ☐ IFR ☐ Military VFR ☐ Unknown ☐ VFR Activated? ☐ Yes ☐ No ☐ Unknown
---	--	--	---

Type of ATC Clearance/Service (Check all that apply)

☒ None	☐ Special VFR	☐ Special IFR	☐ VFR Flight Following	☐ Cruise
☐ VFR	☐ IFR	☐ VFR On Top	☐ Traffic Advisory	☐ Unknown / NA

Airspace where the accident/incident occurred (Check all that apply)

☐ Class A ☐ Class B ☒ Class C ☐ Class D ☐ Class E	☐ Class G ☐ Demo Area ☐ Warning Area ☐ Prohibited Area ☐ Restricted Area	☐ Military Operations Area (MOA) ☐ Airport Advisory Area ☐ Jet Training Area ☐ TRSA ☐ FAR 93	☐ Special ☐ Air Traffic Control Area ☐ Unknown	Altitude of In-Flight Occurrence: <u>2872</u> ft msl
---	---	---	---	--

WEATHER INFORMATION AT THE ACCIDENT/INCIDENT SITE

Source of Pilot Weather Information

(Check all that apply)

☐ National Weather Service	☐ Company
☐ Flight Service Station	☐ Military
☐ TV/Radio	☒ Internet
☒ Automated Report	☐ None
☐ Commercial Weather Service (DUATS)	☐ Unknown
☒ On-Board Weather	

Weather Observation Facility

Facility ID: _____
 Observation Time: _____
 Time Zone: _____
 Distance from Accident Site: _____ nm
 Direction from Accident Site: _____ degrees true

Basic Conditions

☒ VMC
☐ IMC
☐ Unknown

Light Condition

☐ Dawn ☐ Dusk ☐ Dark Night ☐ Unknown
☒ Day ☐ Night ☐ Bright Night

Sky/Lowest Cloud Condition

☒ Clear ☐ Thin Broken
☐ Few ☐ Thin Overcast
☐ Partial Obscuration ☐ Unknown
☐ Scattered

Lowest Cloud Condition Height

_____ ft agl

Ceiling

☒ None (Clear) ☐ Obscured
☐ Broken ☐ Indefinite
☐ Overcast ☐ Unknown

Ceiling Height

_____ ft agl

Temperature: _____ (C) or 96 (F)

Dew Point: _____ (C) or 61 (F)

Altimeter Setting: 29.99 in. Hg
 or _____ MB

Wind Direction

☐ Variable

-or-
 Direction: 130 degrees true

Wind Speed

☐ Calm
☐ Light and Variable

-or-
 Speed: 20 kts

Wind Gusts

☐ Not Gusting

-or-
 Speed: 30 kts

Visibility 10 miles

RVR: _____ feet

RVV: _____ miles

Density Altitude: _____ ft

Intensity of Precipitation

☐ Light
☐ Moderate
☐ Heavy
☒ N/A
☐ Unknown

Type of Precipitation (Check all that apply)

☒ None	☐ Drizzle	☐ Freezing Rain
☐ Rain	☐ Ice Pellets	☐ Snow Shower
☐ Snow	☐ Snow Pellets	☐ Ice Pellets Shower
☐ Hail	☐ Snow Grains	☐ Freezing Drizzle
☐ Rain Showers	☐ Ice Crystals	

Restriction to Visibility (Check all that apply)

☒ None	☐ Fog
☐ Blowing Dust	☐ Ground Fog
☐ Blowing Sand	☐ Haze
☐ Blowing Snow	☐ Ice Fog
☐ Blowing Spray	☐ Smoke
☐ Dust	☐ Unknown

Icing Forecast

Amount	Type
☒ None	☐ N/A
☐ Trace	☐ Rime
☐ Light	☐ Clear
☐ Moderate	☐ Mixed
☐ Severe	☐ Unknown
☐ Unknown	

Icing Actual

Amount	Type
☒ None	☐ N/A
☐ Trace	☐ Rime
☐ Light	☐ Clear
☐ Moderate	☐ Mixed
☐ Severe	☐ Unknown
☐ Unknown	

Turbulence

Type (Check all that apply)	Severity
☐ None	☐ Light
☐ Clear Air	☒ Moderate
☒ Terrain-Induced	☒ Severe
☒ Convective Turbulence	☐ Extreme

NOTAMs (D and FDC), AIRMETs, SIGMETs, PIREPs in effect at the time of the accident/incident:

DAMAGE TO AIRCRAFT AND OTHER PROPERTY**Aircraft Damage**

- ☐ None ☐ Substantial
☒ Minor ☐ Destroyed
 ☐ Unknown

Aircraft Fire

- ☒ None ☐ Both Ground and In-Flight
☐ In-Flight ☐ Fire at Unknown Time
☐ On-Ground ☐ Unknown

Aircraft Explosion

- ☒ None ☐ Both Ground and In-Flight
☐ In-Flight ☐ Explosion at Unknown Time
☐ On-Ground ☐ Unknown

Description of Damage to Aircraft and Other Property *(Use additional sheet if necessary)*

Prop destroyed, sudden stoppage to engine, scraping to bottom of aircraft and inboard portion of flaps

NARRATIVE HISTORY OF FLIGHT *(Please type or print in ink)*

Describe what occurred in chronological order, including circumstances leading to and nature of accident/incident. Describe terrain and include wreckage distribution sketch if pertinent. Attach extra sheets if needed. State departure time and location, services obtained, and intended destination. Provide as much detail as possible.

I was hired to ferry the Lancair IV-P aircraft N451M from KTGC to KMAF. The person who hired me was considering buying the plane and had previously hired another pilot to move the plane to KTGC for a pre-buy inspection. Based on the inspection results, they decided not to buy the plane. I am a current CFI and military-trained test pilot, and I regularly teach, ferry and perform tests in this type.

Prior to the flight, I reviewed the mechanic's report as well as notes from the previous ferry pilot, and I spoke with the mechanic and the owner on the phone about areas of concern, which were many. I performed over three hours of inspection and ground test. Based largely on reassurances from the owner, I determined that the aircraft appeared to be in a condition for safe flight. The aircraft could not be pressurized for several reasons, and there were concerns about cabin door security, engine controls, and prop and fuel indications which it appeared would be manageable, but later were a factor. Each of these experimental-AB aircraft is unique, and it's not possible to fully understand the specifics of a given airframe without spending days getting to know it, but I did the best I could with the time available.

Prior to the flight, I noted that the cabin door was warped, and the door latches were poor and took multiple tries to get aligned properly. I cycled the door several times to evaluate this. When closed, the latches appeared adequate, but the over-center locks were very soft, so I determined this needed to be monitored closely. On my second engine start during ground testing, the hydraulic pump appeared to cavitate for about 20 seconds at power on prior to recovering. I evaluated the hydraulic system by repeatedly cycling the flaps, and it appeared to be functioning normally after the initial cavitation. This did not reoccur on subsequent starts. In flight, I could not pressurize the cockpit, and the door seal had a large leak and would not remain inflated. Because of this, the cockpit was very loud. I was also concerned about CO intrusion into the cockpit without a functioning door seal. The airplane had no CO monitoring capability, so I used my watch to monitor my blood oxygen concentrations and stayed vigilant for symptoms. There was also a fault in the air conditioner which led to a very hot cockpit. Control forces were higher than usual, and engine temps were difficult to manage, as noted by the previous pilot. These deficiencies added to my workload. Gear indications were very dim and difficult to read in bright sunlight. I had to shade the lights with my hand in order to see if they were on. The left fuel quantity indication was erratic, and the hydraulic pump had no indication of when it was running and no pressure gauge, so it was impossible for me to tell if the system was working normally. The previous pilot had noted problems with the prop indications, so I spent time before takeoff evaluating the system and watched it closely during flight.

As I descended into the Midland area, turbulence became severe. Twice, my head hit the ceiling of the cockpit, even with my lap belt tightened. Winds were strong and gusty from the left, and the flight controls were heavy. Overall, the aircraft was difficult to control. During the approach checks, I lowered the flaps to 10 degrees, and then advanced the mixture and prop smoothly to full forward. As I did this, cabin noise increased dramatically and abruptly, which alarmed me to a potential engine problem. I scanned the instruments and found left main fuel drop to zero with a red annunciation. Based on what the owner had told me, I suspected this was a false indication, but I checked the left wing visually for leaks, found none, and then ensured I was feeding from the right tank. Another concerning item I noted during my instrument scan were indications of prop oscillations of about 400 RPM, which stabilized after about a minute. The prop did not appear to be surging, so I concluded this was probably a false indication as well as had been noted by the previous ferry pilot as well as the owner as an intermittent indication problem. I had not heard this abrupt noise level change on the previous approach and after eliminating engine problems as the source, I became concerned that the increase in noise may have been due to the door latches starting to come loose in the heavy turbulence. I spent some time checking the door latches visually and they appeared secure. Without being able to find an explanation for the sound, I returned my attention to the approach, with a desire to land as soon as possible.

RECOMMENDATION (How could this accident/incident have been prevented?)

Operator/Owner Safety Recommendation

I'm not sure if the incident occurred because the gear handle was not correctly placed in the fully-down position, or if there was some other system failure. If the former, then it could have been prevented by prioritizing the before landing checks or by taking the aircraft around to allow more time to diagnose the other concerns I had. I allowed my apprehension about the prop, fuel and door to distract me during a critical phase of flight, and that may have prevented me from ensuring the landing gear was down and locked.

In any case, there are several discrepancies that contributed and should be corrected, including heavy flight controls, erratic prop and fuel indications, poor landing gear indications, lack of landing gear warning system, lack of hydraulic system health indications, inability to pressurize, non-functional door seal, faulty air conditioning, lack of CO monitoring, and cabin door fitment / latches.

MECHANICAL MALFUNCTION/FAILURE (If more space is needed, continue on separate sheet)Was there Mechanical Malfunction/Failure? ☐ Yes ☐ No

(If yes, list the name of the part, manufacturer, part no., serial no., and describe the failure.)

Unknown. It is possible that there was a malfunction with the hydraulic system. The inspection report indicated that the hydraulic accumulator was weak, and I did note an unusual cavitation of the hydraulic pump prior to the first flight, followed by apparent normal operation of the system. I have been told by other Lancair pilots that this sometimes happens, but I've never experienced it myself. This aircraft was not equipped with the normal means of verifying proper operation of these systems. The hydraulic pump normally has an annunciation when running, and the landing gear normally have gear unsafe lights and a landing configuration warning, and some aircraft have hydraulic pressure gauges. This aircraft had none of those systems working. Also, the landing gear lights were very dim and hard to verify in bright sunlight without shading the lights with my hand.

Total Time/Cycles
On Part

_____ Hours

_____ Cycles

Time Since This Part
Inspected/Overhauled

_____ Hours

FUEL & SERVICES INFORMATION

Fuel on Board at Last Takeoff

(Convert from pounds, as necessary)

100 Gallons

Fuel Type

☐ 80/87☐ 115/145☐ Jet B☐ Other, specify _____☒ 100 Low Lead☐ Jet A☐ JP8☐ 100/130☐ Jet A-1☐ Automotive

Other Services, if Any, Prior to Departure

EVACUATION OF AIRCRAFTWas an emergency evacuation of the aircraft performed? ☒ Yes ☐ No

Method of Exit – Describe how the occupants exited and how many occupants evacuated each location

Both occupants exited through the cabin door on the left side of the aircraft.

OTHER AIRCRAFT – COLLISION (If air or ground collision occurred, complete this section for other aircraft)

Aircraft Registration Number

Manufacturer: _____

Model: _____

Damage to Other Aircraft

☐ Destroyed☐ Minor☐ Substantial☐ None

Registered Owner of Other Aircraft

Name: _____

City: _____

State: _____ ZIP: _____

Country: _____

Pilot of Other Aircraft

Name: _____

City: _____

State: _____ ZIP: _____

Country: _____

ADDITIONAL INFORMATION (Please type or print in ink)

Use this space if additional space is needed for any answers.

Continued from "NARRATIVE HISTORY OF FLIGHT"

I was flying a visual approach, but had loaded an instrument approach as a backup. I noted that I had become high while looking at the door latches, so I corrected the glide path. As I did this, I checked speed and lowered flaps to full and then reached for the gear handle. This was all done in severe turbulence, and the aircraft bounced quite violently several times while performing these before landing checks. I looked out the window to verify the flaps were full, the door was still closed and latched, and there was no sign of a fuel leak, and I think I looked at the gear lights, but I don't clearly remember doing this, and I don't remember shading the lights with my hand as I had previously done. I don't think I would have taken a hand off the controls with all the bouncing around. I believed that the before landing checks were complete. I verified no cautions or warnings on the panel, then I focused on completing the approach and landing in difficult conditions. In addition to the severe turbulence, winds were about 20 gusting to 30 from the southeast (left quartering crosswind).

At landing, it felt as though the aircraft touched normally and then slowly settled further down. I felt and heard the prop strike the runway, and then realized the landing gear were not supporting the aircraft. It was too late to initiate a go-around, so I focused on keeping the airplane straight using the rudder and ailerons. We came to a stop, and I made a radio call to tower. Then I noted some smoke seeping into the cockpit from under the instrument panels, so I initiated an emergency egress, in which I was focused mostly on getting the door open and the two of us out of the airplane. I pulled the mixture to cutoff and flipped off the master switch and we hustled out. When it became clear that there wasn't going to be a fire, I went back to the cockpit to remove personal items and I noted that both the gear and flap handles were in intermediate positions, neither up nor down. I asked my passenger if he might have bumped them climbing over them in a hurry and he said it was certainly possible.

After careful consideration, I'm not sure if the heavy controls, turbulence and crosswinds combined with my distraction over fuel and prop indications and my concern about the cabin door prevented me from getting the handle fully down. I thought I did, and it felt like a normal landing that settled to the belly, but I'm not sure if the gear had never gone down or if it was partly down and then slowly collapsed. I believe this is what would happen if either the hydraulic system had malfunctioned or the gear handle was not fully down, either of which is possible. There were several findings in the inspection report about a weak hydraulic system and landing gear discrepancies, which might have been a factor. The owner told me he had never had a gear problem, and I know there were no warning lights or configuration warnings, and I didn't hear any call from the tower about gear, which could be indications that the landing gear were at least partially down prior to landing.

I HEREBY CERTIFY THAT THE ABOVE INFORMATION IS COMPLETE AND ACCURATE TO THE BEST OF MY KNOWLEDGE

Date of this Report

07/02/2024

mm/dd/yyyy

Name of Pilot/Operator: Leonard C. Kearn, III

Signature: _____

-- or -- ☐ Check here to electronically sign this document

If a Person Other than Pilot/Operator is Filing Report

Name: _____

Title: _____

Signature: _____

-- or -- ☐ Check here to electronically sign this document

FOR NTSB USE ONLY

NTSB Accident/Incident No.

CEN24LA247

Reviewed by NTSB Regional Office

CEN

Name of Investigator

J.Brannen

Date Report Received

8/19/2024