

NATIONAL TRANSPORTATION SAFETY BOARD

NTSB Form 6120.1

PILOT/OPERATOR AIRCRAFT ACCIDENT/INCIDENT REPORT

Email the pilot/operator aircraft accident/incident report to the investigator-in-charge of your accident/incident. If email is not available, mail the report per the instructions below.

If your accident/incident occurred in Maine, Vermont, New Hampshire, Massachusetts, Connecticut, Rhode Island, New York, New Jersey, Pennsylvania, Maryland, Delaware, Virginia, West Virginia, Kentucky, Tennessee, North Carolina, South Carolina, Mississippi, Alabama, Georgia, Florida, the District of Columbia, Puerto Rico, or the US Virgin Islands, send the form to: NTSB, ERA, 45065 Riverside Parkway, Ashburn, VA 20147.

If your accident/incident occurred in Ohio, Michigan, Indiana, Wisconsin, Illinois, Minnesota, Iowa, Missouri, Arkansas, Louisiana, North Dakota, South Dakota, Nebraska, Kansas, Oklahoma, Texas, Colorado, or New Mexico, send the form to: NTSB, CEN, 4760 Oakland Street, Suite 500, Denver, CO 80239.

If your accident/incident occurred in Montana, Wyoming, Idaho, Utah, Arizona, Nevada, Washington, Oregon, California, Hawaii, or the territories of Guam or American Samoa, send the form to: NTSB, WPR, 505 South 336th Street, Suite 540, Federal Way, WA 98003.

If your accident/incident occurred in Alaska, send the form to: NTSB, ANC, 222 West 7th Avenue, Room 216, Box 11, Anchorage, AK 99513.

Rules pertaining to notification of aircraft accidents and incidents, as well as overdue aircraft are found in 49 *Code of Federal Regulations* (CFR) Part 830 http://www.ecfr.gov/cgi-bin/text-idx?c=ecfr&tpl=/ecfrbrowse/Title49/49cfr830_main_02.tpl. These rules state the authority of the NTSB, define accidents, incidents, injuries, and other terms, and provide procedures for initial and immediate notification of accidents and incidents by aircraft pilots/operators.

A. APPLICABILITY

The pilot/operator of an aircraft shall send a report to the office listed above, based on accident/incident location; immediate notification is required by 49 CFR 830.5(a). **The report shall be filed within 10 days after an accident for which notification is required by Section 830.5, or after 7 days if an overdue aircraft is still missing.**

An aircraft accident, as defined in 49 CFR 830.2, is determined as an occurrence that involves a fatality or serious injury, or substantial damage to the aircraft. For occurrences that do not involve a fatality, the determination that the occurrence is an accident can be appealed by writing to the Director, Office of Aviation Safety, NTSB, 490 L'Enfant Plaza, S.W., Washington, D.C. 20594.

INSTRUCTIONS TO PILOTS/OPERATORS FOR COMPLETING THIS FORM

It is necessary that ALL questions on this report be answered completely and accurately.

If more space is needed, continue on a blank sheet of paper.

Nearest City/Place: Use the name of the nearest community in the state where the accident/incident occurred.

Date/Time: Indicate the date and local time of the event. Be sure to indicate the time zone.

Phase of Operation: Indicate the phase of operation during which the accident/incident occurred.

Aircraft Information: Enter aircraft make and model information as indicated on the aircraft registration certificate, including series. If the involved aircraft is certified as "amateur-built," include the name of the producer of the kit or plans, unless an NTSB employee instructs otherwise.

Maximum Gross Weight: Enter the certificated maximum gross weight for the aircraft involved in the occurrence. This should be the same as the maximum gross weight indicated on the aircraft weight and balance documents.

Engine: Enter engine make and model information as indicated on the engine data plate.

The NTSB uses this form for aircraft accident prevention activities and for statistical purposes. NTSB regulations (49 CFR Part 830) require that **ALL** questions be answered completely and accurately. Completion of this form will take approximately 60 minutes. The NTSB does not guarantee the privacy of any information provided in this form. You need not complete this form unless it displays a valid OMB control number, in accordance with 5 C.F.R. § 1320.5(b), which applies to this collection of information.

B. DEFINITIONS

1. "Aircraft Accident" means an occurrence associated with the operation of an aircraft that takes place between the time any person boards the aircraft with the intention of flight and all such persons have disembarked, and in which any person suffers death, or serious injury, or in which the aircraft receives substantial damage. For purposes of this form, the definition of "aircraft accident" includes "unmanned aircraft accident," as defined at 49 CFR 830.2.

2. "Substantial Damage" means damage or failure that adversely affects the structural strength, performance or flight characteristics of the aircraft, and that would normally require major repair or replacement of the affected component. NOTE: Engine failure or damage limited to an engine if only one engine fails or is damaged, bent fairing or cowlings, dented skin, small puncture holes in the skin or fabric, ground damage to rotor or propeller blades, and damage to landing gear, wheels, tires, flaps, engine accessories, brakes, or wing tips are not considered "substantial damage" for purposes of this report.

3. "Operator" means any person who causes or authorizes the operation of an aircraft, such as the owner, lessee, or bailee of an aircraft.

4. "Fatal Injury" means any injury that results in death within thirty (30) days of the accident.

5. "Serious Injury" means any injury that (1) requires hospitalization for more than 48 hours, commencing within 7 days from the date the injury was received; (2) results in a fracture of any bone (except simple fracture of fingers, toes, or nose); (3) causes severe hemorrhages, nerve, muscle, or tendon damage; (4) involves injury to any internal organ; or (5) involves second- or third-degree burns, or any burns affecting more than 5 percent of the body surface.

Type of Fire Extinguishing System: If a fire extinguishing system was used to fight an aircraft fire, specify the type(s) of extinguishing system(s) used. Examples include handheld extinguisher, engine fire bottle, cargo/baggage compartment fire suppression system, or airport emergency ground equipment.

Owner/Operator Information: Enter the owner information as shown on the registration certificate. Commercial operators, enter the operator information, including "doing business as" when applicable, as shown on the operator certificate.

Revenue Sightseeing Flight: Indicate whether the accident aircraft was conducting **revenue** sightseeing operations under 14 CFR Part 91 at the time of the accident.

Air Medical Flight: Indicate whether the accident flight was being conducted for the purpose of carrying medical personnel, patient(s), or organs.

Public Aircraft: Federal, state or local government flight operations such as official travel, law-enforcement, low-level observation, aerial application, firefighting, search and rescue, biological or geological resource management, or aeronautical research. Indicate whether the flight was conducted by the armed forces, federal, state, or local government.

Purpose of Flight: 14 CFR Parts 91, 103, 133, 136, and 137: Indicate the type of operation that was being conducted at the time of the occurrence using the following definitions:

AERIAL APPLICATION--Operations using an aircraft to perform aerial application or dispersion of any substance. Examples include agricultural, health, forestry, cloud seeding, firefighting, insect control, etc.

AERIAL OBSERVATION--These flights include aerial mapping/photography, patrol, search and rescue, hunting, highway traffic advisory, ranching, surveillance, oil and mineral exploration, criminal pursuit, fish spotting, etc.

AIR DROP--Aerial operations, other than aerial application, that are intended to release items in flight.

AIR RACE/SHOW--Includes any flight operations conducted as part of an organized air race or public demonstration.

BUSINESS--includes all personal flying without a paid professional crew for reasons associated with furthering a business, including transportation to and from business meetings or work. This does not include corporate/executive operations, air taxi, or commuter operations.

EXECUTIVE/CORPORATE--Company flying with a paid, professional crew.

FERRY--Non-revenue flight under a special flight or "ferry" permit. Refer to 14 CFR 21.197 for details of special flight permit issuance.

FLIGHT TEST--Flight for the purpose of investigating the flight characteristics of an aircraft/aircraft component or evaluating an applicant for a pilot certificate or rating.

INSTRUCTIONAL--Flying while under the supervision of a flight instructor or receiving air carrier training. Personal proficiency flight operations and personal flight reviews, as required by federal air regulations, are excluded.

OTHER WORK USE--Miscellaneous flight operations conducted for compensation or hire such as construction work (not 14 CFR Part 135 operation), parachuting, aerial advertising, towing gliders, etc.

PERSONAL--Flying for personal reasons (excludes business transportation) including pleasure or personal transportation. This also includes practice or proficiency flights performed under flight instructor supervision and not part of an approved flight training program.

POSITIONING--Non-revenue flight conducted for the primary purpose of relocating the aircraft. Examples include moving the aircraft to a maintenance facility or to load passengers or cargo etc.

UNKNOWN--Use only if the primary purpose of flight is not known.

Other Aircraft--Collision: For all accidents involving a collision with another aircraft, including parked aircraft, check "Collision with other aircraft" under Basic Information and complete this section indicating details about the OTHER aircraft involved in the collision.

Airport Information: Complete this section if the accident/incident occurred on approach, landing, takeoff, departure, or within 3 statute miles of an airport. Please refer to the FAA Airport/Facility Directory or other official source for airport information.

Airport Identifier: Provide the official 3 or 4 character airport identifier number.

Runway: Indicate the number of the runway used, including L, R, or C if applicable.

Runway/Landing Surface: Indicate the type of intended runway/landing surface (do not indicate surface conditions). If the surface type was mixed, check all that apply.

Condition of Runway/Landing Surface: Indicate the condition of the intended runway/landing surface. If multiple conditions existed at the time of the accident, check all that apply.

Weather Information at the Accident/Incident Site: Indicate the weather conditions reported at the accident/incident site at the time of occurrence. If no weather reporting was available for the accident/incident site, indicate the reported conditions at the nearest reporting site. Specify the weather reporting site identifier, the observation time, and distance from the accident/incident.

Sky/Lowest Cloud Condition: Indicate the height above ground level of the lowest cloud condition present at the time of the accident/incident and whether coverage was reported as few, scattered, broken or overcast. Also indicate the height above ground level and coverage of the lowest cloud ceiling present at the time of the accident/incident (reported as broken or overcast).

NOTAMs (D and FDC), AIRMETs, SIGMETs, PIREPs: Describe all NOTAMs (distant (D) or Flight Data Center (FDC), if known), AIRMETs, SIGMETs, and PIREPs in effect near the accident/incident.

Flight Crewmember Information: Indicate the category that best describes the capacity served by this flight crewmember at the time of the accident. The designators "Flight Crewmember 1" and "Flight Crewmember 2" do not refer to a specific pilot position or responsibility. If more than one pilot is aboard, they may be entered in any order and their capacity entered as appropriate.

Degree of Injury: See Definitions on the top half of Page 1 of the instructions. Minor injury is not defined. If an injury does not meet the criteria for another injury category, select Minor.

Date of Last Flight Review or Equivalent: Enter the date of the most recent flight review, or equivalent, completed by this pilot. Refer to 14 CFR 61.56 for accepted equivalents.

Type Ratings: List all type ratings on the pilot certificate. If the pilot holds no type ratings indicate "none." If the pilot holds a pilot certificate other than student and was flying an aircraft requiring an endorsement, enter the type and date of any logbook endorsement(s) for that aircraft. See 14 CFR 61 for examples of required endorsements.

Student Endorsements: If the pilot holds a student pilot certificate, enter all solo endorsements and dates on the student pilot certificate.

Flight Time: Complete the flight time matrix. Solo flight time should be included as "Pilot-in-Command (PIC)" and all dual flight instruction given should be included as "Time as Instructor."

Additional Flight Crewmembers: Complete this section if there were more than two required flight crewmembers on the aircraft. This also includes a check airman performing official duties but does not include cabin crew. State the capacity served by each included crewmember at the time of the accident.

Passenger(s)/Other Personnel: Enter identification and injury severity information for all passengers, cabin crew, and other personnel involved in the accident. See Page 1 of the instructions for the official definition of injury levels.

Several questions throughout the form allow for multiple responses; when appropriate, choose all responses that apply.

These instructions only pertain to major issue areas covered by NTSB Form 6120.1 Pilot/Operator Aircraft Accident/Incident Report. For additional definitions of questions and responses, please refer to www.nts.gov.

NATIONAL TRANSPORTATION SAFETY BOARD PILOT/OPERATOR AIRCRAFT ACCIDENT/INCIDENT REPORT

This form to be used for reporting civil and public aircraft accidents and incidents

BASIC INFORMATION

Accident/Incident Location

Nearest City/Place: Dulles State: VA

ZIP: 20166 Country: USA

Latitude: 38.9531N Longitude: 77.4565W

(Enter in decimal degrees or degrees:minutes:seconds)

Accident/Incident Date/Time

Date: 09/24/2016 Local Time: 2214
mm/dd/yyyy

Time Zone: EDT

Collision with Other Aircraft: ☐ Midair ☐ On-ground ☒ None

AIRCRAFT INFORMATION

Registration Number: N366PH

Manufacturer: Bombardier/DeHavilland

Model: DHC-8-202

Serial Number: 510

Year of Manufacture: 1998

Amateur-Built: ☐ Yes ☒ No If Yes: ☐ Kit/Plans ☐ Original Design Make: _____

☒ IFR-Equipped and Certified

☐ Commercial Space Flight

☐ Unmanned Aircraft

Maximum Gross Weight: 36,300 lbs

Weight at Time of Accident/Incident: 28,700 lbs

Number of Seats: 41 Flight Crew Seats: 3

Cabin Crew Seats: 1 Passenger Seats: 37

Number of Engines: 2

Category of Aircraft

- ☒ Airplane
- ☐ Balloon
- ☐ Blimp/Dirigible
- ☐ Glider
- ☐ Gyroplane
- ☐ Helicopter
- ☐ Powered Lift
- ☐ Rocket
- ☐ Ultralight
- ☐ Unknown

Type of Airworthiness Certificate

(Check all that apply)

Standard

- ☐ Normal
- ☐ Aerobatic
- ☐ Balloon
- ☐ Commuter
- ☒ Transport
- ☐ Utility

Special

- ☐ Restricted
- ☐ Limited
- ☐ Provisional
- ☐ Special Flight
- ☐ Experimental
- ☐ Special Light-Sport
- ☐ Experimental Light-Sport

- ☐ Certificate of Authorization or Waiver (COA)
- ☐ None
- ☐ Unknown

Landing Gear

(Check all that apply)

☒ Retractable

- ☒ Tricycle
- ☐ Amphibian
- ☐ Emergency Float
- ☐ Float
- ☐ Hull
- ☐ Tailwheel
- ☐ High Skid
- ☐ Skid
- ☐ Ski
- ☐ Ski/Wheel
- ☐ Other Launch/Recovery System
- ☐ None
- ☐ Unknown

Engine Type (Select one)

- ☐ Reciprocating
- ☐ Turbo Shaft
- ☒ Turbo Prop
- ☐ Turbo Jet
- ☐ Turbo Fan
- ☐ Electric
- ☐ Liquid Rocket
- ☐ Solid Rocket
- ☐ Hybrid Rocket
- ☐ None
- ☐ Unknown

Fuel System Type (Reciprocating)

- ☐ Carburetor
- ☐ Fuel-Injected

Engine	Engine Manufacturer	Engine Model/Series	Manufacturer's Serial Number	Date of Mfg. mm/dd/yyyy	Rated Power ☒ Horsepower or ☐ lbs of Thrust	Total Time (hours)	Time Since: Inspection (hours)	Overhaul (hours)
Eng. 1	<u>Pratt & Whitney</u>	<u>PW-123D</u>	<u>PCE-AG0057</u>	<u>02/1997</u>	<u>2054</u>	<u>33964.6</u>	<u>NA</u>	<u>11928.6</u>
Eng. 2	<u>Pratt & Whitney</u>	<u>PW-123D</u>	<u>PCE-AG0088</u>	<u>12/1997</u>	<u>2054</u>	<u>33504.4</u>	<u>NA</u>	<u>235.1</u>
Eng. 3								
Eng. 4								

Last Inspection Type

- ☐ 100-Hour
- ☐ AAIP
- ☐ Annual
- ☒ Continuous Airworthiness
- ☐ Conditional Inspection
- ☐ Unknown

Date Last Inspection: 09/24/2016
mm/dd/yyyy

Airframe Total Time: 36309.55 hrs

hours measured at (Select one)

- ☒ Last Inspection
- ☐ Time of Accident/Incident

Type of Maintenance Program (Select one)

- ☐ Annual
- ☐ Conditional (Amateur-built only)
- ☐ Manufacturer's Inspection Program
- ☐ Other Approved Inspection Program (AAIP)
- ☐ Continuous Airworthiness
- ☒ Other, specify: CAMP

Description of Fire Extinguishing System

- ☐ None
- ☒ Specify: The engine fire extinguishing system has two independent fire

Propeller 1

- ☐ Fixed Pitch
- ☐ Controllable Pitch
- ☐ Ground Adjustable

Manufacturer: Hamilton Sundstrand

Model: 14SF-23

Propeller 2

- ☐ Fixed Pitch
- ☐ Controllable Pitch
- ☐ Ground Adjustable

Manufacturer: Hamilton Sundstrand

Model: 14SF-23

ELT Installed: ☒ Yes ☐ No

If Yes:

ELT Manufacturer: Artex

Model or Part No.: 406-2

TSO No.: ☐ C91 (121.5 MHz) ☐ C91a (121.5 MHz) ☒ C126 (406 MHz)

Was ELT still mounted in aircraft? ☒ Yes ☐ No

Was ELT still connected to antenna? ☒ Yes ☐ No

Did ELT Activate? ☐ Yes ☒ No

If activated:

Did ELT Aid in Locating Aircraft: ☐ Yes ☒ No

If not activated:

- Indicate Reason:
- ☐ Impact Damage
 - ☐ Fire Damage
 - ☐ Battery Expired/Damaged
 - ☐ Unknown

Additional Equipment (Check all that apply)

- ☐ ADS-B
- ☐ Airframe Parachute
- ☐ Angle of Attack Indicator
- ☒ Autopilot
- ☒ Data Recorder
- ☐ Electronic Flight Bag or Handheld Device
- ☒ Electronic Multifunction Display
- ☒ Electronic Primary Flight Display
- ☐ Handheld GPS
- ☒ Heads Up Display
- ☐ Onboard Weather
- ☐ Satellite Tracking Device
- ☒ Stall Warning System
- ☐ Video Recording Device
- ☐ Other, Specify:

OWNER/OPERATOR INFORMATION**Registered Aircraft Owner**Name: WELLS FARGO BANK NORTHWEST NA TRUSTEECity: SALT LAKE CITYState: UTZIP: 84111Fractional Ownership Aircraft: ☐ Yes ☒ NoCountry: United States of America**Operator of Aircraft**☐ Same As Registered Owner☐ Same Address as Registered OwnerName: Champlain Enterprises, LLCCity: North OlmstedDoing Business As: CommutAir - United ExpressState: OHZIP: 44070Air Carrier/Operator Designator (4 Character Code): JJBACountry: United States of America**Operating Certificates Held**

(Check all that apply)

- ☐ None
☒ Flag Carrier Operating Certificate (FAR 121)
☒ Supplemental
☐ Air Cargo
☐ Foreign Air Carriers (FAR 129)
☐ Rotorcraft External Load (FAR 133)
☐ Commuter Air Carrier (FAR 135)
☐ On-Demand Air Taxi (FAR 135)
☐ Commercial Air Tour (FAR 136)
☐ Agricultural Aircraft (FAR 137)
☐ Pilot School (FAR 141)
☐ Certificate of Authorization or Waiver (COA)
☐ Commercial Space Transportation
Experimental Permit
☐ Commercial Space Transportation License
☐ Other Operator of Large Aircraft

Regulation Flight Conducted Under

- ☐ FAR 91 ☐ FAR 129 ☐ FAR 415
☐ FAR 103 ☐ FAR 133 ☐ FAR 431
☒ FAR 121 ☐ FAR 135 ☐ FAR 435
☐ FAR 125 ☐ FAR 137 ☐ FAR 437

- ☐ FAR 91 Special Flight
☐ Non-US, Commercial
☐ Non-US, Non-commercial

☐ Public Aircraft (Select one)

- ☐ Armed Forces
☐ Federal
☐ State
☐ Local

☐ Unknown**Revenue Operation for FAR 121, 125, 129, 135**

(Select one for each group)

- ☒ Scheduled or Commuter ☒ Domestic
☐ Non-Scheduled or Air Taxi ☐ International

- ☒ Passenger
☐ Cargo
☐ Mail Contract Only

Purpose of Flight for FAR 91, 103, 133, 137

(Select one)

- ☐ Aerial Application ☐ Firefighting ☐ Unknown
☐ Aerial Observation ☐ Flight Test
☐ Air Drop ☐ Glider Tow
☐ Air Race/Show ☐ Instructional
☐ Banner Tow ☐ Other Work Use
☐ Business ☐ Personal
☐ Executive/Corporate ☐ Positioning
☐ External Load ☐ Skydiving
☐ Ferry

Revenue Sightseeing Flight☐ Yes ☒ No**Air Medical Flight**☐ Yes ☒ No**AIRPORT INFORMATION (Fill in if accident/incident occurred on approach, landing, takeoff, departure, or within 3 miles of an airport)**Airport Name: Washington Dulles International AirportDistance From Airport Center: NA smAirport Identifier: KIADDirection From Airport: NA degrees trueProximity to Airport: ☐ Off Airport/Airstrip ☒ On Airport/Airstrip ☐ N/AAirport Elevation: 311.7 ft. msl**Runway Information**Runway ID: 1R (L/R/C) Length: 11,500 ft Width: 150 ft**Runway/Landing Surface (Check all that apply)**

- ☐ Asphalt ☐ Grass/Turf ☐ Macadam ☐ Water
☒ Concrete ☐ Gravel ☐ Metal/Wood
☐ Dirt ☐ Ice ☐ Snow ☐ Unknown

Condition of Runway/Landing Surface (Check all that apply)

- ☒ Dry ☐ Snow-Compacted ☐ Water-Calm
☐ Holes ☐ Snow-Crusted ☐ Water-Choppy
☐ Ice Covered ☐ Snow-Dry ☐ Water-Glassy
☐ Rough ☐ Snow-Wet ☐ Wet
☐ Rubber Deposits ☐ Soft
☐ Slush-Covered ☐ Vegetation ☐ Unknown

Approach/Departure Segment (Select one)

- ☐ Taxi ☐ VFR Departure ☐ On Instrument Approach ☐ Downwind ☐ Low Approach
☐ Takeoff ☐ IFR Departure Procedure/Clearance ☒ Landing ☐ Base ☐ Go Around
☐ Initial Climb ☐ Aborted Landing (after touchdown)
☐ Crosswind ☐ Unknown

IFR Approach (Check all that apply)

- ☐ None
☐ ADF/NDB ☐ PAR ☐ MLS ☐ Practice
☐ SDF ☐ Sidestep ☐ LDA ☐ GPS
☐ VOR/TVOR ☒ ILS ☐ ASR ☐ Visual
☐ VOR/DME ☐ Localizer Only ☐ Contact
☐ TACAN ☐ LOC-back course ☐ Circling
☐ RNAV ☐ Unknown

VFR Approach (Check all that apply)

- ☒ None
☐ Traffic Pattern ☐ Stop and Go
☐ Straight-In ☐ Touch and Go
☐ Valley/Terrain Following ☐ Simulated Forced Landing
☐ Go Around ☐ Forced Landing
☐ Full Stop ☐ Precautionary Landing
☐ Unknown

"FLIGHT CREWMEMBER 1" INFORMATION

"Flight Crewmember 1" Responsibilities at the Time of Accident/Incident

☒ Pilot
 ☐ Co-Pilot
 ☐ Student Pilot
 ☐ Flight Instructor
 ☐ Check Pilot
 ☐ Flight Engineer
 ☐ Other Flight Crew

"Flight Crewmember 1" was pilot flying ☒ Yes ☐ No

"Flight Crewmember 1" Identification

First Name: Danos

City of Residence: [REDACTED]

Middle Initial: C

State: NY ZIP: [REDACTED]

Last Name: Ettrick

Country: USA

Age at time of Accident/Incident: 43 Date of Birth: [REDACTED] mm/dd/yyyy

Certificate Number: [REDACTED]

Degree of Injury ☒ None ☐ Fatal ☐ Minor ☐ Unknown ☐ Serious	Seat Occupied ☒ Left ☐ Front ☐ Unknown ☐ Right ☐ Rear ☐ Center ☐ Single	Restraint Type <table style="width: 100%;"> <tr> <th style="text-align: left;">Available</th> <th style="text-align: left;">Used</th> </tr> <tr> <td>☐ None</td> <td>☐ None</td> </tr> <tr> <td>☐ Lap only</td> <td>☐ Lap only</td> </tr> <tr> <td>☐ 3-point</td> <td>☐ 3-point</td> </tr> <tr> <td>☐ 4-point</td> <td>☐ 4-point</td> </tr> <tr> <td>☒ 5-point</td> <td>☒ 5-point</td> </tr> <tr> <td>☐ Unknown</td> <td>☐ Unknown</td> </tr> </table>	Available	Used	☐ None	☐ None	☐ Lap only	☐ Lap only	☐ 3-point	☐ 3-point	☐ 4-point	☐ 4-point	☒ 5-point	☒ 5-point	☐ Unknown	☐ Unknown	Inflatable Restraints ☒ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown
Available	Used																
☐ None	☐ None																
☐ Lap only	☐ Lap only																
☐ 3-point	☐ 3-point																
☐ 4-point	☐ 4-point																
☒ 5-point	☒ 5-point																
☐ Unknown	☐ Unknown																
Pilot Certificate(s) (Check all that apply) ☐ None ☐ Flight Instructor ☐ Commercial ☐ US Military ☐ Private ☐ Recreational ☒ Airline Transport ☐ Foreign ☐ Student ☐ Sport ☐ Flight Engineer		Medical Certificate Validity ☐ Without limitations/waivers ☐ Unknown ☐ With limitations/waivers ☐ N/A ☐ Special Issuance															
Principal Occupation ☒ Pilot ☐ Other ☐ Unknown	Medical Certificate ☐ None ☐ Class 3 ☒ Class 1 ☐ Driver's License (Sport Pilot only) ☐ Class 2 ☐ Unknown		Date of Last Medical <u>05/31/2016</u> mm/dd/yyyy														

Medical Certificate Limitations

None

Medical Certificate Special Issuance

None

Date of Last Flight Review or Equivalent, Including FAR 121/135 Checks:

06/16/2016
mm/dd/yyyy

Flight Review Aircraft

Make: Bombardier/DeHavilland

Model: DHC-8

Airplane Rating(s) (Check all that apply) ☐ None ☒ Single-Engine Land ☐ Single-Engine Sea ☒ Multiengine Land ☐ Multiengine Sea	Other Aircraft Rating(s) (Check all that apply) ☐ None ☐ Airship ☐ Balloon ☐ Glider ☐ Gyroplane ☐ Helicopter ☐ Powered Lift	Instrument Rating(s) (Check all that apply) ☐ None ☒ Airplane ☐ Helicopter ☐ Powered Lift	Instructor Rating(s) (Check all that apply) ☐ None ☐ Airplane Single-Engine ☐ Airplane Multi-Engine ☐ Gyroplane ☐ Powered Lift ☐ Instrument Airplane ☐ Instrument Helicopter ☐ Helicopter ☐ Glider ☐ Sport
--	---	--	---

Type Ratings

DHC-8
LR-JET

Student Endorsements (Include dates)

Flight Time (Enter appropriate number of hours in each box)	All Aircraft	This Make & Model	Airplane Single Engine	Airplane Multiengine	Night	Instrument		Rotorcraft	Glider	Lighter Than Air
						Actual	Simulated			
Total Time	3,676	2,633								
Pilot in Command (PIC)		1,118								
Time as Instructor										
This Make/Model										
Last 90 Days		189								
Last 30 Days		75								
Last 24 Hours		7								

"FLIGHT CREWMEMBER 2" INFORMATION

"Flight Crewmember 2" Responsibilities at the Time of Accident/Incident

☐ Pilot
 ☒ Co-Pilot
 ☐ Student Pilot
 ☐ Flight Instructor
 ☐ Check Pilot
 ☐ Flight Engineer
 ☐ Other Flight Crew

"Flight Crewmember 2" was pilot flying ☐ Yes ☒ No

"Flight Crewmember 2" Identification

First Name: Neil

City of Residence: [REDACTED]

Middle Initial: S

State: MN ZIP: [REDACTED]

Last Name: St. Hill

Country: USA

Age at time of Accident/Incident: 47 Date of Birth: [REDACTED] mm/dd/yyyy

Certificate Number: [REDACTED]

Degree of Injury

☒ None
 ☐ Fatal
☐ Minor
 ☐ Unknown
☐ Serious

Seat Occupied

☐ Left
 ☐ Front
 ☐ Unknown
☒ Right
 ☐ Rear
☐ Center
 ☐ Single

Restraint Type

Available

☐ None
☐ Lap only
☐ 3-point
☐ 4-point
☒ 5-point
☐ Unknown

Used

☐ None
☐ Lap only
☐ 3-point
☐ 4-point
☒ 5-point
☐ Unknown

Inflatable Restraints

☒ Not Installed
☐ Installed
☐ Not Deployed
☐ Deployed
☐ Unknown

Pilot Certificate(s) (Check all that apply)

☐ None
 ☐ Flight Instructor
 ☐ Commercial
 ☐ US Military
☐ Private
 ☐ Recreational
 ☒ Airline Transport
 ☐ Foreign
☐ Student
 ☐ Sport
 ☐ Flight Engineer

Principal Occupation

☒ Pilot
☐ Other
☐ Unknown

Medical Certificate

☐ None
 ☐ Class 3
☒ Class 1
 ☐ Driver's License (Sport Pilot only)
☐ Class 2
 ☐ Unknown

Medical Certificate Validity

☐ Without limitations/waivers
 ☐ Unknown
☐ With limitations/waivers
 ☐ N/A
☐ Special Issuance

Date of Last Medical

mm/dd/yyyy

Medical Certificate Limitations

Must wear corrective lenses

Medical Certificate Special Issuance

None

Date of Last Flight Review or Equivalent, Including FAR 121/135 Checks:

07/08/2016
mm/dd/yyyy

Flight Review Aircraft

Make: Bombardier/DeHavilland

Model: DHC-8

Airplane Rating(s) (Check all that apply)

☐ None
☒ Single-Engine Land
☐ Single-Engine Sea
☒ Multiengine Land
☐ Multiengine Sea

Other Aircraft Rating(s) (Check all that apply)

☒ None
☐ Airship
☐ Balloon
☐ Glider
☐ Gyroplane
☐ Helicopter
☐ Powered Lift

Instrument Rating(s) (Check all that apply)

☐ None
☒ Airplane
☐ Helicopter
☐ Powered Lift

Instructor Rating(s) (Check all that apply)

☒ None
 ☐ Instrument Airplane
☐ Airplane Single-Engine
 ☐ Instrument Helicopter
☐ Airplane Multi-Engine
 ☐ Helicopter
☐ Gyroplane
 ☐ Glider
☐ Powered Lift
 ☐ Sport

Type Ratings

DC-9
DHC-8
SF-340

Student Endorsements (Include dates)

Flight Time (Enter appropriate number of hours in each box)	All Aircraft	This Make & Model	Airplane Single Engine	Airplane Multiengine	Night	Instrument		Rotorcraft	Glider	Lighter Than Air
						Actual	Simulated			
Total Time	7,754	6,215								
Pilot in Command (PIC)										
Time as Instructor										
This Make/Model										
Last 90 Days		151								
Last 30 Days		49								
Last 24 Hours		7								

ADDITIONAL FLIGHT CREWMEMBERS (Exclusive of cabin crew, complete the following information)									
Crew Name and Address					Seat Occupied		Injury		
First Name: _____ City of Residence: _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____					☐ Left ☐ Front ☐ Center ☐ Rear ☐ Right ☐ Single ☐ Unknown		☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown		
Pilot Certificate(s) (Check all that apply) ☐ None ☐ Private ☐ Student ☐ Flight Instructor ☐ Recreational ☐ Sport ☐ Commercial ☐ Airline Transport ☐ Flight Engineer ☐ US Military ☐ Foreign					Restraint Type: Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		Inflatable Restraints ☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown		
Type Rating/Endorsement for Accident/Incident Aircraft? ☐ Yes ☐ No			Total Flight Time at the Time of this Accident/Incident: _____ hrs						
Crew Name and Address					Seat Occupied		Injury		
First Name: _____ City of Residence: _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____					☐ Left ☐ Front ☐ Center ☐ Rear ☐ Right ☐ Single ☐ Unknown		☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown		
Pilot Certificate(s) (Check all that apply) ☐ None ☐ Private ☐ Student ☐ Flight Instructor ☐ Recreational ☐ Sport ☐ Commercial ☐ Airline Transport ☐ Flight Engineer ☐ US Military ☐ Foreign					Restraint Type: Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		Inflatable Restraints ☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown		
Type Rating/Endorsement for Accident/Incident Aircraft? ☐ Yes ☐ No			Total Flight Time at the Time of this Accident/Incident: _____ hrs						
PASSENGER(S) / OTHER PERSONNEL (Include cabin crew; continue on separate sheet if necessary)									
Name and Address			Seat	Injury	Restraint Type		Inflatable Restraints	Age	
First Name: <u>Jeremy</u> City : XXXXXXXXXX Middle Initial: _____ State: <u>NJ</u> ZIP: XXXXXX Last Name: <u>Tolbert</u> Country: <u>USA</u> ☒ Crew ☐ Passenger ☐ Other			☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	☒ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☒ 5-point ☐ Unknown	Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☒ 5-point ☐ Unknown	☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	☐ Under 5 years <i>If Under 5,</i> ☐ Child Restraint ☐ Lap-Held ☐ Unknown	
First Name: _____ City : _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other			☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	☐ Under 5 years <i>If Under 5,</i> ☐ Child Restraint ☐ Lap-Held ☐ Unknown	
First Name: _____ City : _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other			☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	☐ Under 5 years <i>If Under 5,</i> ☐ Child Restraint ☐ Lap-Held ☐ Unknown	
First Name: _____ City : _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other			☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	☐ Under 5 years <i>If Under 5,</i> ☐ Child Restraint ☐ Lap-Held ☐ Unknown	

FLIGHT ITINERARY INFORMATION

Last Departure Point

Airport ID: KALB
 City: Albany
 State: New York
 Country: USA

Time of Departure

Time: 1925
 Time Zone: EDT

Destination

Airport ID: KIAD
 City: Dulles
 State: Virginia
 Country: USA

Type Flight Plan Filed

☐ None ☐ VFR/IFR
☐ Company VFR ☒ IFR
☐ Military VFR ☐ Unknown
☐ VFR
 Activated? ☒ Yes ☐ No ☐ Unknown

Type of ATC Clearance/Service (Check all that apply)

☐ None ☐ Special VFR ☐ Special IFR ☐ VFR Flight Following ☐ Cruise
☐ VFR ☒ IFR ☐ VFR On Top ☐ Traffic Advisory ☐ Unknown / NA

Airspace where the accident/incident occurred (Check all that apply)

☐ Class A ☐ Class G ☐ Military Operations Area (MOA) ☐ Special
☒ Class B ☐ Demo Area ☐ Airport Advisory Area ☐ Air Traffic Control Area
☐ Class C ☐ Warning Area ☐ Jet Training Area ☐ Unknown
☐ Class D ☐ Prohibited Area ☐ TRSA
☐ Class E ☐ Restricted Area ☐ FAR 93

Altitude of In-Flight Occurrence:

_____ ft msl

WEATHER INFORMATION AT THE ACCIDENT/INCIDENT SITE

Source of Pilot Weather Information

(Check all that apply)

☐ National Weather Service ☒ Company
☐ Flight Service Station ☐ Military
☐ TV/Radio ☐ Internet
☐ Automated Report ☐ None
☒ Commercial Weather Service (DUATS) ☐ Unknown
☐ On-Board Weather

Weather Observation Facility

Facility ID: KIAD ASOS
 Observation Time: 2252
 Time Zone: EDT
 Distance from Accident Site: 0 nm
 Direction from Accident Site: _____ degrees true

Basic Conditions

☒ VMC
☐ IMC
☐ Unknown

Light Condition

☐ Dawn ☐ Dusk ☐ Dark Night ☐ Unknown
☐ Day ☒ Night ☐ Bright Night

Sky/Lowest Cloud Condition

☐ Clear ☐ Thin Broken
☐ Few ☐ Thin Overcast
☐ Partial Obscuration ☐ Unknown
☒ Scattered

Lowest Cloud Condition Height

_____ ft agl

Ceiling

☒ None (Clear) ☐ Obscured
☐ Broken ☐ Indefinite
☐ Overcast ☐ Unknown

Ceiling Height

_____ ft agl

Temperature: 17 (C) or _____ (F)

Dew Point: 14 (C) or _____ (F)

Altimeter Setting: 30.16 in. Hg
 or _____ MB

Wind Direction

☐ Variable

-or-
 Direction: 100 degrees true

Wind Speed

☐ Calm
☐ Light and Variable

-or-
 Speed: 4 kts

Wind Gusts

☒ Not Gusting

-or-
 Speed: _____ kts

Visibility 10 miles

RVR: _____ feet

RVV: _____ miles

Density Altitude: _____ ft

Intensity of Precipitation

☐ Light
☐ Moderate
☐ Heavy
☒ N/A
☐ Unknown

Type of Precipitation (Check all that apply)

☐ None ☐ Drizzle ☐ Freezing Rain
☐ Rain ☐ Ice Pellets ☐ Snow Shower
☐ Snow ☐ Snow Pellets ☐ Ice Pellets Shower
☐ Hail ☐ Snow Grains ☐ Freezing Drizzle
☐ Rain Showers ☐ Ice Crystals

Restriction to Visibility (Check all that apply)

☒ None ☐ Fog
☐ Blowing Dust ☐ Ground Fog
☐ Blowing Sand ☐ Haze
☐ Blowing Snow ☐ Ice Fog
☐ Blowing Spray ☐ Smoke
☐ Dust ☐ Unknown

Icing Forecast

Amount Type
☒ None ☐ N/A
☐ Trace ☐ Rime
☐ Light ☐ Clear
☐ Moderate ☐ Mixed
☐ Severe ☐ Unknown
☐ Unknown

Icing Actual

Amount Type
☒ None ☐ N/A
☐ Trace ☐ Rime
☐ Light ☐ Clear
☐ Moderate ☐ Mixed
☐ Severe ☐ Unknown
☐ Unknown

Turbulence

Type (Check all that apply) Severity
☒ None ☐ Light
☐ Clear Air ☐ Moderate
☐ Terrain-Induced ☐ Severe
☐ Convective Turbulence ☐ Extreme

NOTAMs (D and FDC), AIRMETs, SIGMETs, PIREPs in effect at the time of the accident/incident:

NOTAMs (D and FDC) as well as AIRMETS and SIGMETs attached to the Dispatch release.

DAMAGE TO AIRCRAFT AND OTHER PROPERTY**Aircraft Damage**

- ☐ None ☒ Substantial
☐ Minor ☐ Destroyed
☐ Unknown

Aircraft Fire

- ☒ None ☐ Both Ground and In-Flight
☐ In-Flight ☐ Fire at Unknown Time
☐ On-Ground ☐ Unknown

Aircraft Explosion

- ☒ None ☐ Both Ground and In-Flight
☐ In-Flight ☐ Explosion at Unknown Time
☐ On-Ground ☐ Unknown

Description of Damage to Aircraft and Other Property (Use additional sheet if necessary)

The crew of N366PH, S/N 510 were unable to extend the nose landing gear on approach to IAD. Attempts to lower the nose gear were unsuccessful which resulted in the crew landing with the nose gear retracted. As a result, the Lower Front Fuselage area of the aircraft (between the Nose and approximately X136.8, stringers 32P – 32S), suffered significant damage from runway abrasion. The aircraft sustained damage to the radome bulkhead, nose wheel well door support structure and front pressure bulkhead. In addition, the lower forward fuselage skin and corresponding underlying structure (including stringers and frames) were severely damaged between stringers 31S-31P between the front pressure bulkhead and X136.80. The Forward and Aft Nose gear doors were destroyed with all hinges either damaged or destroyed.

NARRATIVE HISTORY OF FLIGHT (Please type or print in ink)

Describe what occurred in chronological order, including circumstances leading to and nature of accident/incident. Describe terrain and include wreckage distribution sketch if pertinent. Attach extra sheets if needed. State departure time and location, services obtained, and intended destination. Provide as much detail as possible.

The aircraft, N366PH, a Bombardier DHC-8-202, was scheduled for RON maintenance. On Friday evening, 9/23/2016, the scheduled maintenance inspections and actions were begun at the Albany Maintenance Hangar Facility at ALB International Airport. A frangible towing fuse in the nose landing gear mechanism was removed and replaced as part of the maintenance.

The aircraft was released from maintenance and signed off for revenue service on 9/24/2016. It subsequently departed ALB for IAD, Washington Dulles International Airport, on a scheduled Part 121 passenger flight the evening of 9/24/2016.

According to the flight crew, the flight was uneventful until the final approach phase when they were configuring for landing on runway 1 R. The pilot flying slowed below gear extension speed and called for "gear down". Both pilots realized that there was an abnormality when they heard an unusual wind-like sound in the front by the nose gear. They watched for the extension sequence to complete, and while both main gears indicated down and locked, with green lights, the nose gear indicated an amber light (gear doors open) and a red light (gear unsafe). They opted to abort the landing and perform the alternate gear extension as per the Emergency and Abnormal Checklist. They retracted the landing gear and began a climb to 3000 feet. Dulles tower transferred them to departure and they were vectored to the south. They attempted to contact the dispatcher on the company frequency but could not reach him. They tried relaying through other company aircraft, which failed as well. They contacted Dulles operations and were able to speak with dispatch and open communications through relaying messages. The crew briefly assessed the situation; they had ample fuel and, therefore, a lot of time. There was no reason to rush so they worked through the problem systematically while discussing options. While the first officer found the proper checklist, the Captain informed the flight attendant of the situation and told the passengers that we had a situation that required a checklist and we would have them safely on the ground as soon as possible. The flight attendant began to brief the passengers. The pilots performed the manual gear extension, which required them to pull a cable that releases the nose gear. It still failed to extend. It was suggested to the crew that they do a low pass so that ground personnel could see how the gear was configured. They were vectored to runway 1C where they flew a low approach. With the flaps set to 15° the gear warning horn and EGPWS sounded which further indicated the abnormality. It was confirmed by the ground personnel that the two main landing gear were down, but the nose gear was retracted with the doors open as the gear lights indicated in the cockpit. They climbed back to 3000 feet without retracting the gear and were again vectored to the south. An emergency was declared and fire trucks were requested. Dulles operations designated the frequency for them and gave all other aircraft an alternate frequency. The flight attendant called at this point to tell the Captain that the passengers were becoming anxious about the situation, which the Captain thought may have been from them hearing the gear horn on the approach. This concerned the Captain since he knew that he would command an evacuation and he didn't want the passengers to be in a panicked state for the evacuation. He attempted to calm them with another announcement stressing that they would be making a safe landing. He checked back with the flight attendant several minutes later and he was advised that they had calmed down. Operations began to relay ideas from the company for troubleshooting. They asked the crew to check that all of the circuit breakers were in, confirm that the main gear was pumped fully down and to try pulling the release cable for the nose gear, yaw the aircraft while pulling the cable, and recycle the landing gear. After recycling the gear they performed the emergency extension checklist again. The final suggestion was to touch down hard on the main gear and go around in an attempt to jar the gear loose. They decided against this since they didn't feel it was a safe maneuver. They made sure that there were no more suggestions from the company and decided to land with the landing gear in the abnormal configuration. The company agreed and directed us to move passengers to the back of the airplane for a rearward center of gravity. They also directed us to use a flaps 35° configuration, hold the nose off of the runway for as long as possible and offset the landing from the centerline to reduce damage from the centerline lighting. The Captain instructed the flight attendant to move passengers from section A to section D and advise him when this was accomplished. He also told him to prepare for a brace and that he would further advise him when to begin bracing. The flight attendant prepared the cabin and informed the Captain that he was ready. Approach control vectored them for runway 1R and they began to discuss any final preparation concerns. The First Officer brought to the Captain's attention that the main cabin door would not fully open. This was likely to create a dangerous situation with the stairs not being at an angle that would allow for a safe egress. The Captain relayed this to the flight attendant and instructed him to only use the emergency exits. He told the First Officer that he would not use ground beta until the nose touched down. This would allow him to fly the nose down in a more controlled manner since ground beta rapidly slows the airplane and creates a very noticeable amount of yaw from the drastic change in

RECOMMENDATION (How could this accident/incident have been prevented?)

Operator/Owner Safety Recommendation

- Requiring the frangible fuse to be a Required Inspection Item. This was accomplished, and is now in the General Maintenance Manual as Temporary Revision.
- Creating a CommutAir work card to clarify removal and installation of the frangible towing fuse.
- Recommend to Bombardier that a task be placed in the AMM for removal and replacement of the frangible towing fuse, which includes a functional test of the landing gear retraction/extension system.

MECHANICAL MALFUNCTION/FAILURE (If more space is needed, continue on separate sheet)Was there Mechanical Malfunction/Failure? ☐ Yes ☐ No

(If yes, list the name of the part, manufacturer, part no., serial no., and describe the failure.)

The Nose Landing Gear could not extend due to the incorrect installation of the Frangible Towing Fuse.

Total Time/Cycles
On Part2 Hours1 CyclesTime Since This Part
Inspected/OverhauledNA Hours**FUEL & SERVICES INFORMATION**

Fuel on Board at Last Takeoff

(Convert from pounds, as necessary)

656.7 Gallons

Fuel Type

☐ 80/87☐ 115/145☐ Jet B☐ Other, specify _____☐ 100 Low Lead☒ Jet A☐ JP8☐ 100/130☐ Jet A-1☐ Automotive

Other Services, if Any, Prior to Departure

Lavatory was serviced and aircraft cleaned after arrival into ALB on the night of 09/23/2016.

EVACUATION OF AIRCRAFTWas an emergency evacuation of the aircraft performed? ☒ Yes ☐ No

Method of Exit – Describe how the occupants exited and how many occupants evacuated each location

Per SOP with the First Officer exiting the aircraft after the propellers stop and assisting the passengers out through the emergency exits.
All passengers exited the aircraft through the under wing emergency exits.

OTHER AIRCRAFT – COLLISION (If air or ground collision occurred, complete this section for other aircraft)

Aircraft Registration Number

NA

Manufacturer: _____

Model: _____

Damage to Other Aircraft

☐ Destroyed☐ Minor☐ Substantial☐ None

Registered Owner of Other Aircraft

Name: NA

City: _____

State: _____ ZIP: _____

Country: _____

Pilot of Other Aircraft

Name: _____

City: _____

State: _____ ZIP: _____

Country: _____

ADDITIONAL INFORMATION (Please type or print in ink)

Use this space if additional space is needed for any answers.

I HEREBY CERTIFY THAT THE ABOVE INFORMATION IS COMPLETE AND ACCURATE TO THE BEST OF MY KNOWLEDGE

Date of this Report

10/05/2016

mm/dd/yyyy

Name of Pilot/Operator: _____

Signature: _____

-- or --

☐

Check here to electronically sign this document

If a Person Other than Pilot/Operator is Filing Report

Name: John Darke for Champlain Enterprises, LLC d/b/a CommutAir

Title: Director of Safety

Signature: _____

-- or --

☐

Check here to electronically sign this document

FOR NTSB USE ONLY

NTSB Accident/Incident No.

Reviewed by NTSB Regional Office

Name of Investigator

Date Report Received