

FORM CD-64
(REVISED)
Prescribed By
D.A.O. 201-17

U. S. DEPARTMENT OF COMMERCE
Asheville, N.C.

I CERTIFY that the attached are authentic and true copies of meteorological records on file in the NATIONAL CLIMATIC DATA CENTER, ASHEVILLE, NORTH CAROLINA.


THOMAS F. ROSS
RECORDS CUSTODIAN
DATA ADMINISTRATOR
(Official Title)

I HEREBY CERTIFY that THOMAS F. ROSS, RECORDS CUSTODIAN, who signed the foregoing certificate, is now, and was at the time of signing, DATA ADMINISTRATOR, NATIONAL CLIMATIC DATA CENTER, and that full faith and credit should be given his certificate as such. I further state that I am the person to whom the said custodian reports.

IN WITNESS WHEREOF, I have hereunto
subscribed my name and caused the
seal of the Department of Commerce
to be affixed
on this date: APR 28 2011

For the SECRETARY OF COMMERCE:


THOMAS R. KARL
DIRECTOR
NATIONAL CLIMATIC DATA CENTER
(Certifying Officer)

ROA-ATCT-0079
N3963Y

ROA-ATCT-0079
N3963Y

HOURLY Local Climatological Data: LYNCHBURG, KENTUCKY, KANSAS, FLORIDA

United States
Department of Commerce
National Oceanic & Atmospheric Administration

QUALITY CONTROLLED LOCAL
CLIMATOLOGICAL DATA
(may be updated)
HOURLY OBSERVATIONS TABLE
LYNCHBURG RGNL/PRESTON GLENN FLD AP
(13733)
LYNCHBURG, VA
(04/2011)

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28603

Elevation: 897 ft. above sea level
Latitude: 37.338
Longitude: -79.207
Data Version: VER.2

Date	Time (LST)		Station Type	Sky Conditions	Visibility (SM)	Weather Type	Dry Bulb Temp. (F)		Wet Bulb Temp. (F)	Rel. Humid. (%)	Wind Speed (MPH)	Wind Dir.	Wind Gusts (MPH)	Station Pressure (in. Hg)	Press. Tend.	Sea Level Pressure (in. Hg)	Report Type	Pres. Tm. (in. Hg)	Alt. (in. Hg)				
	1	2					3	4												5	6	7	8
22	0054	11	CLR	10.00			51	10.6	45	74	39	3	04	0	000		29.32	3	007	30.32	AA		30.35
22	0154	11	OVC035	10.00			50	10.0	46	78	42	5	04	0	000		29.31	3	007	30.31	AA		30.32
22	0254	11	BKN080 OVC100	10.00			49	9	4	45	73	41	5	04	0	000		002	30.31	AA		30.32	
22	0354	11	FEW075 BKN080 OVC100	10.00			46	8	4	45	73	40	4	4	0	000		002	30.31	AA		30.32	
22	0454	11	OVC075	10.00			46	8	4	45	73	40	4	4	0	000		002	30.31	AA		30.32	
22	0554	11	BKN070 OVC085	10.00			50	10.0	45	71	38	3	05	5	000		008	30.34	AA		30.34		
22	0654	11	OVC085	10.00			50	10.0	45	73	40	4	4	5	000		008	30.35	AA		30.35		
22	0754	11	BKN080 OVC095	10.00			50	10.0	44	69	38	3	04	5	000		008	30.35	AA		30.35		
22	0854	11	OVC095	10.00			52	11	4	45	74	38	3	05	0	000		002	30.35	AA		30.35	
22	0954	11	OVC095	10.00		RA	53	11	7	46	77	38	3	05	0	000		002	30.35	AA		30.35	
22	1054	11	OVC095	10.00			53	11	7	47	81	40	4	02	0	000		002	30.35	AA		30.35	
22	1154	11	OVC095	10.00			53	11	7	47	84	41	5	04	0	000		002	30.35	AA		30.35	
22	1254	11	OVC095	10.00			53	11	7	46	79	39	3	09	0	000		002	30.35	AA		30.35	
22	1354	11	OVC095	10.00			52	11	1	46	79	40	4	04	7	150		002	30.35	AA		30.35	
22	1454	11	BKN028 OVC044	10.00			52	11	1	46	79	40	4	04	7	150		002	30.35	AA		30.35	
22	1552	11	BKN028 OVC037	10.00			52	11	1	46	79	40	4	04	7	150		002	30.35	AA		30.35	
22	1644	11	BKN090 OVC035	10.00			50	10.0	46	76	38	4	03	1	0	000		002	30.35	AA		30.35	
22	1752	11	SC1022 OVC028	10.00			50	10.0	46	76	38	4	03	1	0	000		002	30.35	AA		30.35	
22	1854	11	BKN022 OVC028	10.00			50	10.0	46	76	38	4	03	1	0	000		002	30.35	AA		30.35	
22	1952	11	FEW011 BKN039 OVC045	3.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	2052	11	FEW011 BKN039 OVC045	3.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	2152	11	FEW011 BKN039 OVC042	3.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	2252	11	SC1093 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	2352	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	2452	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	2552	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	2652	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	2752	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	2852	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	2952	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	3052	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	3152	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	3252	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	3352	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	3452	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	3552	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	3652	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	3752	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	3852	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	3952	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	4052	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	4152	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	4252	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	4352	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	4452	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	4552	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	4652	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	4752	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	4852	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	4952	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	5052	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	5152	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	5252	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	5352	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	5452	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	5552	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	5652	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	5752	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	5852	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	5952	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	6052	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	6152	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	6252	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	6352	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	6452	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	6552	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP		30.31	
22	6652	11	BKN028 OVC029	6.00		RA, BR	48	9	0	47	63	45	8	03	3	000		008	30.31	SP			

ROA-ATCT-0079
N3963Y

22	2137	11	GVC004	RA BR	4.00	46	8.0	46	7.7	46	8.0	100	5	090	29.28	1	005	M	30.29	SP	30.29
22	2154	11	GVC004	BR	5.00	47	8.3	47	8.3	47	8.3	100	5	010	29.28			M	30.28	AA	30.28
22	2216	11	GVC005	RA BR	3.00	46	8.0	46	7.7	46	8.0	100	5	010	29.29			M	30.29	SP	30.29
22	2226	11	GVC004	RA BR	3.00	46	8.0	46	7.7	46	8.0	100	5	010	29.28			M	30.27	SP	30.27
22	2254	11	GVC004	RA BR	4.00	47	8.3	47	8.3	47	8.3	100	7	040	29.26			AA	30.27	AA	30.27
22	2254	11	GVC004	BR	5.00	47	8.3	47	8.3	47	8.3	100	5	020	29.25			AA	30.26	T	30.26

Dynamically generated Tue Apr 26 11:42:08 EDT 2011 via <http://xdr.msc.ncsl.gov/gc/qc/QC1CD>

ROA-ATCT-0079
N3963Y

NATIONAL LOCAL Climatological Data

U.S. Department of Commerce
National Oceanic and Atmospheric Administration

QUALITY CONTROLLED LOCAL
CLIMATOLOGICAL DATA
(may be updated)
HOURLY REMARKS OBSERVATIONS TABLE
LYNCHBURG RGNL/PRESTON GLENN FLD AP (13733)
LYNCHBURG, VA
(04/2011)

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28803

Elevation: 897 ft. above sea level
Latitude: 37.338
Longitude: -79.207
Data Version: VER2

Date	Time	Remarks
22	0054	A02 SLP26: T0600089 101627 20105 52002
22	0104	A02 SLP26: T0600089 101627 20105 52002
22	0154	A02 SLP26: T0600089 101627 20105 52002
22	0254	A02 SLP26: T0600089 101627 20105 52002
22	0354	A02 SLP26: T0600089 101627 20105 52002
22	0454	A02 SLP26: T0600089 101627 20105 52002
22	0554	A02 SLP26: T0600089 101627 20105 52002
22	0654	A02 SLP26: T0600089 101627 20105 52002
22	0754	A02 SLP26: T0600089 101627 20105 52002
22	0854	A02 SLP26: T0600089 101627 20105 52002
22	0954	A02 SLP26: T0600089 101627 20105 52002
22	1054	A02 SLP26: T0600089 101627 20105 52002
22	1154	A02 SLP26: T0600089 101627 20105 52002
22	1254	A02 SLP26: T0600089 101627 20105 52002
22	1354	A02 SLP26: T0600089 101627 20105 52002
22	1454	A02 SLP26: T0600089 101627 20105 52002
22	1554	A02 SLP26: T0600089 101627 20105 52002
22	1654	A02 SLP26: T0600089 101627 20105 52002
22	1754	A02 SLP26: T0600089 101627 20105 52002
22	1854	A02 SLP26: T0600089 101627 20105 52002
22	1954	A02 SLP26: T0600089 101627 20105 52002
22	2054	A02 SLP26: T0600089 101627 20105 52002
22	2154	A02 SLP26: T0600089 101627 20105 52002
22	2254	A02 SLP26: T0600089 101627 20105 52002
22	2354	A02 SLP26: T0600089 101627 20105 52002

Hourly Remarks generated from Apr 26 11:42:19 EDT 2011 via <http://cdo.ncdc.noaa.gov/qc/qc1a1d>

<http://cdo.ncdc.noaa.gov/qc/qc1a1d>

ROA-ATCT-0079
N3963Y

ROLLED Local Climatological Data

Page 1 of 1

U.S. Department of Commerce
National Oceanic & Atmospheric Administration
Form VER2

QUALITY CONTROLLED LOCAL
CLIMATOLOGICAL DATA
(may be updated)
HOURLY PRECIPITATION TABLE
LYNCHBURG RGNL/PRESTON GLENN FLD AP
(13733)
LYNCHBURG, VA
(04/2011)

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801

	A.M. HOUR(L.S.T) ENDING AT													P.M. HOUR(L.S.T) ENDING AT												
01	--1--	--2--	--3--	--4--	--5--	--6--	--7--	--8--	--9--	--10--	--11--	--12--	--DT--	--1--	--2--	--3--	--4--	--5--	--6--	--7--	--8--	--9--	--10--	--11--	--12--	--DT--
22								1				T	22	1			T	0.09	0.03	0.09	T	0.02	0.01	0.02	T	22

