

Time interval: from 08/27/2013 13:00 to 08/27/2013 17:59 UTC

KMTN, Baltimore / Martin (United States).
WMO index: -----, Latitude 39-20N, Longitude 076-25W, Altitude 7 m.

METAR/SPECI from KMTN, Baltimore / Martin (United States).

SA 27/08/2013 17:45-> METAR KMTN 271745Z 33007KT 10SM SCT038 32/21 A2993=
SA 27/08/2013 16:45-> METAR KMTN 271645Z 36003KT 10SM SCT038 31/21 A2994=
SA 27/08/2013 15:45-> METAR KMTN 271545Z 33006KT 10SM SCT038 29/22 A2995=
SA 27/08/2013 14:54-> METAR KMTN 271454Z 33010KT 10SM SCT033 29/21 A2995=
SA 27/08/2013 13:45-> METAR KMTN 271345Z 30007KT 10SM SKC 28/21 A2994=

No short TAF reports from KMTN during solicited interval in the database.

large TAF from KMTN, Baltimore / Martin (United States).

FT 27/08/2013 17:40->
TAF KMTN 271740Z 2718/2818 34007KT P6SM SCT035 BKN090
FM272300
06005KT P6SM SCT050 BKN090 FM280100 VRB03KT P6SM
VCTS
SCT050CB BKN090 FM280500 00000KT P6SM SCT050
BKN090=
TAF AMD KMTN 271429Z 2714/2812 30006KT P6SM SCT090 BKN250
FM272300
FT 27/08/2013 14:29->
00000KT P6SM BKN050 FM280000 00000KT P6SM VCTS
BKN050CB
FM280200 00000KT P6SM BKN050=

U.S. Department of Commerce
National Oceanic & Atmospheric Administration

**QUALITY CONTROLLED LOCAL
CLIMATOLOGICAL DATA
(final)
HOURLY OBSERVATIONS TABLE
MARTIN STATE AIRPORT (93744)
BALTIMORE, MD
(08/2013)**

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801

Elevation: 21 ft. above sea level
Latitude: 39.333
Longitude: -76.416
Data Version: VER2

Date	Time (LST)	Station Type	Sky Conditions	Visibility (SM)	Weather Type	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Humd %	Wind Speed (MPH)	Wind Dir	Wind Gusts (MPH)	Station Pressure (in. hg)	Press Tend	Net 3-hr Chg (mb)	Sea Level Pressure (in. hg)	Report Type	Precip. Total (in)	Alti-meter (in. hg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
27	0009	0	CLR	10.00		79	26.0	69	20.7	64	18.0	60	6	230		29.96			M	AA		29.98
27	0030	0	CLR	10.00		77	25.0	69	20.3	64	18.0	64	7	230		29.96			M	AA		29.98
27	0048	0	CLR	10.00		77	25.0	69	20.3	64	18.0	64	5	240		29.95			M	AA		29.97
27	0109	0	CLR	10.00		77	25.0	69	20.3	64	18.0	64	5	240		29.95			M	AA		29.97
27	0130	0	CLR	10.00		77	25.0	69	20.3	64	18.0	64	5	240		29.95			M	AA		29.97
27	0148	0	CLR	10.00	-RA	77	25.0	69	20.3	64	18.0	64	5	250		29.95			M	AA		29.97
27	0209	0	CLR	10.00		77	25.0	69	20.3	64	18.0	64	5	230		29.95			M	AA		29.97
27	0230	0	SCT075	10.00		77	25.0	69	20.3	64	18.0	64	5	230		29.93			M	AA		29.96
27	0248	0	CLR	10.00		77	25.0	69	20.3	64	18.0	64	5	230		29.93			M	AA		29.95
27	0309	0	SCT065 SCT075	10.00		77	25.0	70	21.0	66	19.0	69	5	220		29.93			M	AA		29.95
27	0330	0	SCT065 SCT075	10.00		77	25.0	70	21.0	66	19.0	69	3	220		29.91			M	AA		29.94
27	0348	0	SCT065 SCT080	10.00		77	25.0	69	20.3	64	18.0	64	5	220		29.91			M	AA		29.94
27	0409	0	SCT065 SCT080	10.00		77	25.0	69	20.3	64	18.0	64	3	220		29.91			M	AA		29.94
27	0430	0	SCT065 SCT010	10.00	-RA	75	24.0	69	20.6	66	19.0	74	3	230		29.91			M	AA		29.94
27	0433	0	SCT006	10.00	-RA	75	24.0	69	20.6	66	19.0	74	3	230		29.91			M	AA		29.94
27	0450	0	BKN075 BKN150	10.00		75	24.0	69	20.6	66	19.0	74	0	000		29.91			M	AA		29.94
27	0555	0	SCT080 BKN150	10.00		77	25.0	70	21.0	66	19.0	69	0	000		29.93			M	AA		29.95
27	0645	0	SCT150	10.00		77	25.0	72	22.4	70	21.0	79	8	270		29.93			M	AA		29.95
27	0745	0	CLRs	10.00		81	27.0	74	23.0	70	21.0	69	8	250		29.91			M	AA		29.94
27	0845	0	CLRs	10.00		82	28.0	74	23.2	70	21.0	67	8	300		29.91			M	AA		29.94
27	0954	0	SCT033	10.00		84	29.0	74	23.5	70	21.0	63	11	330		29.93			M	AA		29.95
27	1045	0	SCT038	10.00		84	29.0	76	24.2	72	22.0	67	7	330		29.93			M	AA		29.95
27	1145	0	SCT038	10.00		88	31.0	76	24.2	70	21.0	55	3	360		29.91			M	AA		29.94
27	1245	0	SCT038	10.00		90	32.0	76	24.5	70	21.0	52	8	330		29.91			M	AA		29.93
27	1445	0	SCT060	10.00		88	31.0	77	25.2	73	23.0	61	6	140		29.88			M	AA		29.90
27	1545	0	SCT060 SCT150	10.00		84	29.0	76	24.6	73	23.0	70	5	130		29.87			M	AA		29.89
27	1650	0	FEW060 SCT150	10.00		84	29.0	76	24.2	72	22.0	67	5	130		29.87			M	AA		29.89
27	1755	0	SCT150	10.00		82	28.0	76	24.3	73	23.0	74	6	140		29.85			M	AA		29.88
27	1855	0	SCT150	10.00		81	27.0	77	24.8	75	24.0	82	0	000		29.88			M	AA		29.90
27	1955	0	SCT150 SCT200	10.00		81	27.0	75	24.1	73	23.0	77	0	000		29.88			M	AA		29.90
27	2045	0	SCT150 SCT200	10.00		81	27.0	75	24.1	73	23.0	77	0	000		29.90			M	AA		29.92
27	2112	0	CLR	10.00		81	27.0	75	23.7	72	22.0	74	0	000		29.90			M	AA		29.92
27	2130	0	CLR	10.00		77	25.0	74	23.1	72	22.0	85	0	000		29.90			M	AA		29.92
27	2151	0	CLR	7.00		79	26.0	75	23.8	73	23.0	82	0	000		29.90			M	AA		29.92
27	2212	0	CLR	7.00		77	25.0	74	23.4	73	23.0	88	0	000		29.90			M	AA		29.92
27	2230	0	SCT041	7.00		77	25.0	74	23.4	73	23.0	88	0	000		29.90			M	AA		29.92
27	2251	0	SCT041	7.00		77	25.0	74	23.1	72	22.0	85	0	000		29.90			M	AA		29.92
27	2312	0	CLR	7.00		77	25.0	74	23.1	72	22.0	85	0	000		29.90			M	AA		29.92
27	2330	0	CLR	7.00		77	25.0	74	23.1	72	22.0	85	0	000		29.88			M	AA		29.91
27	2351	0	CLR	5.00	BR	75	24.0	74	23.1	73	23.0	94	0	000		29.88			M	AA		29.91

Dynamically generated Wed Oct 23 22:24:34 EDT 2013 via <http://cdo.ncdc.noaa.gov/qcld/QCLCD>

U.S. Department of Commerce
National Oceanic & Atmospheric Administration

**QUALITY CONTROLLED LOCAL
CLIMATOLOGICAL DATA
(final)
HOURLY OBSERVATIONS TABLE
PHILLIPS ARMY AIRFIELD (13701)
ABERDEEN PROVING GROUNDS, MD
(08/2013)**

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801

Elevation: 57 ft. above sea level
Latitude: 39.471
Longitude: -76.169
Data Version: VER2

Date	Time (LST)	Station Type	Sky Conditions	Visibility (SM)	Weather Type	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Humd %	Wind Speed (MPH)	Wind Dir	Wind Gusts (MPH)	Station Pressure (in. hg)	Press Tend	Net 3-hr Chg (mb)	Sea Level Pressure (in. hg)	Report Type	Precip. Total (in)	Alti- meter (in. hg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
27	0452	0	BKN060 OVC090	7.00		72	22.0	69	20.7	68	20.0	87	0	000		29.87			M	AA		29.93
27	0555	0	SCT060	7.00		72	22.0	69	20.7	68	20.0	87	0	000		29.87			M	AA		29.93
27	0656	0	CLRs	7.00		73	23.0	70	20.9	68	20.0	84	0	000		29.87			M	AA		29.93
27	0756	0	CLRs	7.00		79	26.0	73	22.7	70	21.0	74	0	000		29.87			M	AA		29.93
27	1255	0	SCT050	7.00		88	31.0	76	24.2	70	21.0	55	8	340		29.88			M	AA		29.94
27	1355	0	SCT050 BKN200	7.00		88	31.0	76	24.2	70	21.0	55	9	320		29.85			M	AA		29.91
27	1455	0	SCT050 BKN200	7.00		90	32.0	76	24.5	70	21.0	52	6	350		29.85			M	AA		29.91
27	1550	0	SCT050 BKN200	7.00		90	32.0	76	24.5	70	21.0	52	6	340		29.85			M	AA		29.91
27	1755	0	BKN150	7.00		86	30.0	75	23.9	70	21.0	59	0	000		29.84			M	AA		29.90

Dynamically generated Thu Oct 24 17:41:30 EDT 2013 via <http://cdo.ncdc.noaa.gov/qcled/QCLCD>

U.S. Department of Commerce
National Oceanic & Atmospheric Administration

**QUALITY CONTROLLED LOCAL
CLIMATOLOGICAL DATA
(final)
HOURLY OBSERVATIONS TABLE
U.S. NAVAL ACADEMY (13752)
ANNAPOLIS, MD
(08/2013)**

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801

Elevation: 8 ft. above sea level
Latitude: 38.983
Longitude: -76.466
Data Version: VER2

Date	Time (LST)	Station Type	Sky Conditions	Visibility (SM)	Weather Type	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Humd %	Wind Speed (MPH)	Wind Dir	Wind Gusts (MPH)	Station Pressure (in. hg)	Press Tend	Net 3-hr Chg (mb)	Sea Level Pressure (in. hg)	Report Type	Precip. Total (in)	Alti-meter (in. hg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
27	0054	0	CLR	10.00		73	22.8	69	20.2	66	18.9	79	7	250		29.96			29.97	AA		29.97
27	0154	0	CLR	10.00		73	22.8	69	20.2	66	18.9	79	5	260		29.95			29.96	AA		29.96
27	0254	0	FEW075	10.00		73	22.8	69	20.2	66	18.9	79	3	270		29.94			29.96	AA	0.01	29.95
27	0354	0	BKN085	10.00		73	22.8	69	20.2	66	18.9	79	6	260		29.93			29.94	AA		29.94
27	0454	0	BKN070 OVC080	7.00	-RA	72	22.2	69	20.4	67	19.4	84	5	330		29.93			29.94	AA	T	29.94
27	0554	0	SCT095	10.00		72	22.2	69	20.4	67	19.4	84	3	290		29.94			29.95	AA	0.01	29.95
27	0654	0	FEW080 OVC110	10.00		72	22.2	69	20.4	67	19.4	84	5	260		29.94			29.96	AA		29.95
27	0754	0	FEW045 FEW085 SCT110	9.00		75	23.9	70	21.0	67	19.4	76	0	000		29.93			29.94	AA		29.94
27	0854	0	CLR	9.00		79	26.1	72	22.0	68	20.0	69	6	300		29.92			29.94	AA		29.93
27	0954	0	CLR	8.00		82	27.8	74	23.2	70	21.1	67	8	320		29.92			29.93	AA		29.93
27	1054	0	FEW044	7.00		83	28.3	74	23.4	70	21.1	65	8	340		29.93			29.94	AA		29.94
27	1154	0	BKN045	7.00		82	27.8	74	23.2	70	21.1	67	8	050		29.92			29.94	AA		29.93
27	1254	0	FEW060	7.00		85	29.4	76	24.4	72	22.2	65	0	000		29.91			29.92	AA		29.92
27	1354	0	CLR	7.00		83	28.3	76	24.4	73	22.8	72	7	120		29.89			29.90	AA		29.90
27	1454	0	FEW050 SCT070	7.00		83	28.3	75	24.1	72	22.2	70	7	140		29.89			29.90	AA		29.90
27	1554	0	SCT055	7.00		83	28.3	75	23.7	71	21.7	67	5	110		29.88			29.89	AA		29.89
27	1654	0	CLR	7.00		83	28.3	75	24.1	72	22.2	70	5	120		29.88			29.89	AA		29.89
27	1754	0	CLR	6.00	HZ	81	27.2	76	24.5	74	23.3	79	6	130		29.87			29.88	AA		29.88
27	1854	0	CLR	6.00	HZ	80	26.7	75	23.9	73	22.8	79	6	180		29.88			29.89	AA		29.89
27	1954	0	CLR	6.00	HZ	80	26.7	75	23.6	72	22.2	77	3	220		29.89			29.91	AA		29.90
27	2054	0	CLR	5.00	HZ	78	25.6	75	23.6	73	22.8	85	3	290		29.90			29.92	AA		29.91
27	2154	0	CLR	5.00	BR	77	25.0	75	23.8	74	23.3	91	0	000		29.91			29.92	AA		29.92
27	2254	0	CLR	5.00	BR	76	24.4	75	23.6	74	23.3	94	0	000		29.90			29.91	AA		29.91
27	2354	0	CLR	4.00	BR	76	24.4	75	23.6	74	23.3	94	0	000		29.89			29.91	AA		29.90

Dynamically generated Thu Oct 24 17:43:47 EDT 2013 via <http://cdo.ncdc.noaa.gov/qclcd/QCLCD>