

NATIONAL TRANSPORTATION SAFETY BOARD

NTSB Form 6120.1

PILOT/OPERATOR AIRCRAFT ACCIDENT/INCIDENT REPORT

Email the pilot/operator aircraft accident/incident report to the investigator-in-charge of your accident/incident. If email is not available, mail the report per the instructions below.

If your accident/incident occurred in Maine, Vermont, New Hampshire, Massachusetts, Connecticut, Rhode Island, New York, New Jersey, Pennsylvania, Maryland, Delaware, Virginia, West Virginia, Kentucky, Tennessee, North Carolina, South Carolina, Mississippi, Alabama, Georgia, Florida, the District of Columbia, Puerto Rico, or the US Virgin Islands, send the form to: NTSB, ERA, 45065 Riverside Parkway, Ashburn, VA 20147.

If your accident/incident occurred in Ohio, Michigan, Indiana, Wisconsin, Illinois, Minnesota, Iowa, Missouri, Arkansas, Louisiana, North Dakota, South Dakota, Nebraska, Kansas, Oklahoma, Texas, Colorado, or New Mexico, send the form to: NTSB, CEN, 4760 Oakland Street, Suite 500, Denver, CO 80239.

If your accident/incident occurred in Montana, Wyoming, Idaho, Utah, Arizona, Nevada, Washington, Oregon, California, Hawaii, or the territories of Guam or American Samoa, send the form to: NTSB, WPR, 505 South 336th Street, Suite 540, Federal Way, WA 98003.

If your accident/incident occurred in Alaska, send the form to: NTSB, ANC, 222 West 7th Avenue, Room 216, Box 11, Anchorage, AK 99513.

Rules pertaining to notification of aircraft accidents and incidents, as well as overdue aircraft are found in 49 Code of Federal Regulations (CFR) Part 830 http://www.ecfr.gov/cgi-bin/text-idx?c=ecfr&tpl=/ecfrbrowse/Title49/49cfr830_main_02.tpl. These rules state the authority of the NTSB, define accidents, incidents, injuries, and other terms, and provide procedures for initial and immediate notification of accidents and incidents by aircraft pilots/operators.

A. APPLICABILITY

The pilot/operator of an aircraft shall send a report to the office listed above, based on accident/incident location; immediate notification is required by 49 CFR 830.5(a). **The report shall be filed within 10 days after an accident for which notification is required by Section 830.5, or after 7 days if an overdue aircraft is still missing.**

An aircraft accident, as defined in 49 CFR 830.2, is determined as an occurrence that involves a fatality or serious injury, or substantial damage to the aircraft. For occurrences that do not involve a fatality, the determination that the occurrence is an accident can be appealed by writing to the Director, Office of Aviation Safety, NTSB, 490 L'Enfant Plaza, S.W., Washington, D.C. 20594.

INSTRUCTIONS TO PILOTS/OPERATORS FOR COMPLETING THIS FORM

It is necessary that ALL questions on this report be answered completely and accurately.

If more space is needed, continue on a blank sheet of paper.

Nearest City/Place: Use the name of the nearest community in the state where the accident/incident occurred.

Date/Time: Indicate the date and local time of the event. Be sure to indicate the time zone.

Phase of Operation: Indicate the phase of operation during which the accident/incident occurred.

Aircraft Information: Enter aircraft make and model information as indicated on the aircraft registration certificate, including series. If the involved aircraft is certified as "amateur-built," include the name of the producer of the kit or plans, unless an NTSB employee instructs otherwise.

Maximum Gross Weight: Enter the certificated maximum gross weight for the aircraft involved in the occurrence. This should be the same as the maximum gross weight indicated on the aircraft weight and balance documents.

Engine: Enter engine make and model information as indicated on the engine data plate.

The NTSB uses this form for aircraft accident prevention activities and for statistical purposes. NTSB regulations (49 CFR Part 830) require that ALL questions be answered completely and accurately. Completion of this form will take approximately 60 minutes. The NTSB does not guarantee the privacy of any information provided in this form. You need not complete this form unless it displays a valid OMB control number, in accordance with 5 C.F.R. § 1320.5(b), which applies to this collection of information.

B. DEFINITIONS

1. "Aircraft Accident" means an occurrence associated with the operation of an aircraft that takes place between the time any person boards the aircraft with the intention of flight and all such persons have disembarked, and in which any person suffers death, or serious injury, or in which the aircraft receives substantial damage. For purposes of this form, the definition of "aircraft accident" includes "unmanned aircraft accident," as defined at 49 CFR 830.2.

2. "Substantial Damage" means damage or failure that adversely affects the structural strength, performance or flight characteristics of the aircraft, and that would normally require major repair or replacement of the affected component. NOTE: Engine failure or damage limited to an engine if only one engine fails or is damaged, bent fairing or cowling, dented skin, small puncture holes in the skin or fabric, ground damage to rotor or propeller blades, and damage to landing gear, wheels, tires, flaps, engine accessories, brakes, or wing tips are not considered "substantial damage" for purposes of this report.

3. "Operator" means any person who causes or authorizes the operation of an aircraft, such as the owner, lessee, or bailee of an aircraft.

4. "Fatal Injury" means any injury that results in death within thirty (30) days of the accident.

5. "Serious Injury" means any injury that (1) requires hospitalization for more than 48 hours, commencing within 7 days from the date the injury was received; (2) results in a fracture of any bone (except simple fracture of fingers, toes, or nose); (3) causes severe hemorrhages, nerve, muscle, or tendon damage; (4) involves injury to any internal organ; or (5) involves second- or third-degree burns, or any burns affecting more than 5 percent of the body surface.

Type of Fire Extinguishing System: If a fire extinguishing system was used to fight an aircraft fire, specify the type(s) of extinguishing system(s) used. Examples include handheld extinguisher, engine fire bottle, cargo/baggage compartment fire suppression system, or airport emergency ground equipment.

Owner/Operator Information: Enter the owner information as shown on the registration certificate. Commercial operators, enter the operator information, including "doing business as" when applicable, as shown on the operator certificate.

Revenue Sightseeing Flight: Indicate whether the accident aircraft was conducting revenue sightseeing operations under 14 CFR Part 91 at the time of the accident.

Air Medical Flight: Indicate whether the accident flight was being conducted for the purpose of carrying medical personnel, patient(s), or organs.

Public Aircraft: Federal, state or local government flight operations such as official travel, law-enforcement, low-level observation, aerial application, firefighting, search and rescue, biological or geological resource management, or aeronautical research. Indicate whether the flight was conducted by the armed forces, federal, state, or local government.

Purpose of Flight: 14 CFR Parts 91, 103, 133, 136, and 137: Indicate the type of operation that was being conducted at the time of the occurrence using the following definitions:

AERIAL APPLICATION--Operations using an aircraft to perform aerial application or dispersion of any substance. Examples include agricultural, health, forestry, cloud seeding, firefighting, insect control, etc.

AERIAL OBSERVATION--These flights include aerial mapping/photography, patrol, search and rescue, hunting, highway traffic advisory, ranching, surveillance, oil and mineral exploration, criminal pursuit, fish spotting, etc.

AIR DROP--Aerial operations, other than aerial application, that are intended to release items in flight.

AIR RACE/SHOW--Includes any flight operations conducted as part of an organized air race or public demonstration.

BUSINESS--includes all personal flying without a paid professional crew for reasons associated with furthering a business, including transportation to and from business meetings or work. This does not include corporate/executive operations, air taxi, or commuter operations.

EXECUTIVE/CORPORATE--Company flying with a paid, professional crew.

FERRY--Non-revenue flight under a special flight or "ferry" permit. Refer to 14 CFR 21.197 for details of special flight permit issuance.

FLIGHT TEST--Flight for the purpose of investigating the flight characteristics of an aircraft/aircraft component or evaluating an applicant for a pilot certificate or rating.

INSTRUCTIONAL--Flying while under the supervision of a flight instructor or receiving air carrier training. Personal proficiency flight operations and personal flight reviews, as required by federal air regulations, are excluded.

OTHER WORK USE--Miscellaneous flight operations conducted for compensation or hire such as construction work (not 14 CFR Part 135 operation), parachuting, aerial advertising, towing gliders, etc.

PERSONAL--Flying for personal reasons (excludes business transportation) including pleasure or personal transportation. This also includes practice or proficiency flights performed under flight instructor supervision and not part of an approved flight training program.

POSITIONING--Non-revenue flight conducted for the primary purpose of relocating the aircraft. Examples include moving the aircraft to a maintenance facility or to load passengers or cargo etc.

UNKNOWN--Use only if the primary purpose of flight is not known.

Other Aircraft--Collision: For all accidents involving a collision with another aircraft, including parked aircraft, check "Collision with other aircraft" under Basic Information and complete this section indicating details about the OTHER aircraft involved in the collision.

Airport Information: Complete this section if the accident/incident occurred on approach, landing, takeoff, departure, or within 3 statute miles of an airport. Please refer to the FAA Airport/Facility Directory or other official source for airport information.

Airport Identifier: Provide the official 3 or 4 character airport identifier number.

Runway: Indicate the number of the runway used, including L, R, or C if applicable.

Runway/Landing Surface: Indicate the type of intended runway/landing surface (do not indicate surface conditions). If the surface type was mixed, check all that apply.

Condition of Runway/Landing Surface: Indicate the condition of the intended runway/landing surface. If multiple conditions existed at the time of the accident, check all that apply.

Weather Information at the Accident/Incident Site: Indicate the weather conditions reported at the accident/incident site at the time of occurrence. If no weather reporting was available for the accident/incident site, indicate the reported conditions at the nearest reporting site. Specify the weather reporting site identifier, the observation time, and distance from the accident/incident.

Sky/Lowest Cloud Condition: Indicate the height above ground level of the lowest cloud condition present at the time of the accident/incident and whether coverage was reported as few, scattered, broken or overcast. Also indicate the height above ground level and coverage of the lowest cloud ceiling present at the time of the accident/incident (reported as broken or overcast).

NOTAMs (D and FDC), AIRMETs, SIGMETs, PIREPs: Describe all NOTAMs (distant (D) or Flight Data Center (FDC), if known), AIRMETs, SIGMETs, and PIREPs in effect near the accident/incident.

Flight Crewmember Information: Indicate the category that best describes the capacity served by this flight crewmember at the time of the accident. The designators "Flight Crewmember 1" and "Flight Crewmember 2" do not refer to a specific pilot position or responsibility. If more than one pilot is aboard, they may be entered in any order and their capacity entered as appropriate.

Degree of Injury: See Definitions on the top half of Page 1 of the instructions. Minor injury is not defined. If an injury does not meet the criteria for another injury category, select Minor.

Date of Last Flight Review or Equivalent: Enter the date of the most recent flight review, or equivalent, completed by this pilot. Refer to 14 CFR 61.56 for accepted equivalents.

Type Ratings: List all type ratings on the pilot certificate. If the pilot holds no type ratings indicate "none." If the pilot holds a pilot certificate other than student and was flying an aircraft requiring an endorsement, enter the type and date of any logbook endorsement(s) for that aircraft. See 14 CFR 61 for examples of required endorsements.

Student Endorsements: If the pilot holds a student pilot certificate, enter all solo endorsements and dates on the student pilot certificate.

Flight Time: Complete the flight time matrix. Solo flight time should be included as "Pilot-in-Command (PIC)" and all dual flight instruction given should be included as "Time as Instructor."

Additional Flight Crewmembers: Complete this section if there were more than two required flight crewmembers on the aircraft. This also includes a check airman performing official duties but does not include cabin crew. State the capacity served by each included crewmember at the time of the accident.

Passenger(s)/Other Personnel: Enter identification and injury severity information for all passengers, cabin crew, and other personnel involved in the accident. See Page 1 of the instructions for the official definition of injury levels.

Several questions throughout the form allow for multiple responses; when appropriate, choose all responses that apply.

These instructions only pertain to major issue areas covered by NTSB Form 6120.1 *Pilot/Operator Aircraft Accident/Incident Report*. For additional definitions of questions and responses, please refer to www.nts.gov.

NATIONAL TRANSPORTATION SAFETY BOARD PILOT/OPERATOR AIRCRAFT ACCIDENT/INCIDENT REPORT

This form to be used for reporting civil and public aircraft accidents and incidents

BASIC INFORMATION

Accident/Incident Location

Nearest City/Place: Franklin State: NC

ZIP: 28734 Country: United States of America

Latitude: 35.10091 Longitude: -83.38610

(Enter in decimal degrees or degrees:minutes:seconds)

Accident/Incident Date/Time

Date: 11/16/2018 Local Time: 10:03

mm/dd/yyyy

Time Zone: EST

Collision with Other Aircraft: ☐ Midair ☐ On-ground ☒ None

AIRCRAFT INFORMATION

Registration Number: N70252

Manufacturer: Cessna

Model: 162

Serial Number: 16200071

Year of Manufacture: 2011

Amateur-Built: ☐ Yes ☒ No If Yes: ☐ Kit/Plans Make:
☐ Original Design

☐ IFR-Equipped and Certified

☐ Commercial Space Flight

☐ Unmanned Aircraft

Maximum Gross Weight: 1320 lbs

Weight at Time of Accident/Incident: 1190 lbs

Number of Seats: 2 Flight Crew Seats: 2

Cabin Crew Seats: 0 Passenger Seats: 0

Number of Engines: 1

Category of Aircraft

- ☒ Airplane
- ☐ Balloon
- ☐ Blimp/Dirigible
- ☐ Glider
- ☐ Gyroplane
- ☐ Helicopter
- ☐ Powered Lift
- ☐ Rocket
- ☐ Ultralight
- ☐ Unknown

Type of Airworthiness Certificate

(Check all that apply)

Standard

- ☐ Normal
- ☐ Aerobatic
- ☐ Balloon
- ☐ Commuter
- ☐ Transport
- ☐ Utility

Special

- ☐ Restricted
- ☐ Limited
- ☐ Provisional
- ☐ Special Flight
- ☐ Experimental
- ☒ Special Light-Sport
- ☐ Experimental Light-Sport

☐ Certificate of Authorization or Waiver (COA)
☐ None ☐ Unknown

Landing Gear

(Check all that apply)

☐ Retractable

- ☒ Tricycle
- ☐ Amphibian
- ☐ Emergency Float
- ☐ Float
- ☐ Hull
- ☐ Other Launch/Recovery System
- ☐ None
- ☐ Tailwheel
- ☐ High Skid
- ☐ Skid
- ☐ Ski
- ☐ Ski/Wheel
- ☐ Unknown

Engine Type (Select one)

- ☒ Reciprocating
- ☐ Turbo Shaft
- ☐ Turbo Prop
- ☐ Turbo Jet
- ☐ Turbo Fan
- ☐ Electric
- ☐ Liquid Rocket
- ☐ Solid Rocket
- ☐ Hybrid Rocket
- ☐ None
- ☐ Unknown

Fuel System Type (Reciprocating)

- ☒ Carburetor
- ☐ Fuel-Injected

Engine	Engine Manufacturer	Engine Model/Serial	Manufacturer's Serial Number	Date of Mfg. mm/dd/yyyy	Rated Power ☒ Horsepower or ☐ lbs of Thrust	Total Time (hours)	Time Since: Inspection (hours)	Overhaul (hours)
Eng. 1	TCM	O200D	1002302	06/07/2011	100	1360.5	32.8	new
Eng. 2								
Eng. 3								
Eng. 4								

Last Inspection Type

- ☐ 100-Hour
- ☐ AAIP
- ☐ Annual
- ☐ Continuous Airworthiness
- ☒ Conditional Inspection
- ☐ Unknown

Date Last Inspection: 09/26/2018

mm/dd/yyyy

Airframe Total Time: 1360.5 hrs

hours measured at (Select one)

☐ Last Inspection ☒ Time of Accident/Incident

Type of Maintenance Program (Select one)

- ☐ Annual
- ☐ Conditional (Amateur-built only)
- ☐ Manufacturer's Inspection Program
- ☐ Other Approved Inspection Program (AAIP)
- ☐ Continuous Airworthiness
- ☒ Other, specify: Annual Conditional LSA

Description of Fire Extinguishing System

- ☒ None
- ☐ Specify:

Propeller 1

- ☒ Fixed Pitch
- ☐ Controllable Pitch
- ☐ Ground Adjustable

Manufacturer: McCaughey

Model: 1L100LSA6754

Propeller 2

- ☐ Fixed Pitch
- ☐ Controllable Pitch
- ☐ Ground Adjustable

Manufacturer:

Model:

ELT Installed: ☒ Yes ☐ No

If Yes:

ELT Manufacturer: Ameri-King

Model or Part No.: AK-450

TSO No.: ☐ C91 (121.5 MHz) ☒ C91a (121.5 MHz)
☐ C126 (406 MHz)

Was ELT still mounted in aircraft? ☒ Yes ☐ No

Was ELT still connected to antenna? ☒ Yes ☐ No

Did ELT Activate? ☐ Yes ☒ No

If activated:

Did ELT Aid in Locating Aircraft: ☐ Yes ☒ No

If not activated:

- Indicate Reason:
- ☐ Impact Damage
 - ☐ Fire Damage
 - ☐ Battery Expired/Damaged
 - ☒ Unknown

Additional Equipment (Check all that apply)

- ☐ ADS-B
- ☐ Airframe Parachute
- ☐ Angle of Attack Indicator
- ☐ Autopilot
- ☐ Data Recorder
- ☒ Electronic Flight Bag or Handheld Device
- ☐ Electronic Multifunction Display
- ☐ Electronic Primary Flight Display
- ☐ Handheld GPS
- ☐ Heads Up Display
- ☐ Onboard Weather
- ☐ Satellite Tracking Device
- ☐ Stall Warning System
- ☐ Video Recording Device
- ☒ Other, Specify: Garmin G300 EFIS

OWNER/OPERATOR INFORMATION**Registered Aircraft Owner**Name: Lanier Equipment LeasingCity: [REDACTED]State: Gainesville ZIP: 30501Fractional Ownership Aircraft: ☐ Yes ☒ NoCountry: USA**Operator of Aircraft**☒ Same As Registered Owner☒ Same Address as Registered Owner

Name: _____

City: _____

Doing Business As: _____

State: _____ ZIP: _____

Air Carrier/Operator Designator (4 Character Code): _____

Country: _____

Operating Certificates Held

(Check all that apply)

- ☐ None
☐ Flag Carrier Operating Certificate (FAR 121)
☐ Supplemental
☐ Air Cargo
☐ Foreign Air Carriers (FAR 129)
☐ Rotorcraft External Load (FAR 133)
☐ Commuter Air Carrier (FAR 135)
☐ On-Demand Air Taxi (FAR 135)
☐ Commercial Air Tour (FAR 136)
☐ Agricultural Aircraft (FAR 137)
☒ Pilot School (FAR 141)
☐ Certificate of Authorization or Waiver (COA)
☐ Commercial Space Transportation
Experimental Permit
☐ Commercial Space Transportation License
☐ Other Operator of Large Aircraft

Regulation Flight Conducted Under

- ☒ FAR 91 ☐ FAR 129 ☐ FAR 415
☐ FAR 103 ☐ FAR 133 ☐ FAR 431
☐ FAR 121 ☐ FAR 135 ☐ FAR 435
☐ FAR 125 ☐ FAR 137 ☐ FAR 437
- ☐ FAR 91 Special Flight
☐ Non-US, Commercial
☐ Non-US, Non-commercial
- ☐ Public Aircraft (Select one)
☐ Armed Forces
☐ Federal
☐ State
☐ Local
☐ Unknown

Revenue Operation for FAR 121, 125, 129, 135

(Select one for each group)

- ☐ Scheduled or Commuter ☐ Domestic
☐ Non-Scheduled or Air Taxi ☐ International
- ☐ Passenger
☐ Cargo
☐ Mail Contract Only

Purpose of Flight for FAR 91, 103, 133, 137

(Select one)

- ☐ Aerial Application ☐ Firefighting ☐ Unknown
☐ Aerial Observation ☐ Flight Test
☐ Air Drop ☐ Glider Tow
☐ Air Race/Show ☐ Instructional
☐ Banner Tow ☐ Other Work Use
☐ Business ☒ Personal
☐ Executive/Corporate ☐ Positioning
☐ External Load ☐ Skydiving
☐ Ferry

Revenue Sightseeing Flight☐ Yes ☒ No**Air Medical Flight**☐ Yes ☒ No**AIRPORT INFORMATION** (Fill in if accident/incident occurred on approach, landing, takeoff, departure, or within 3 miles of an airport)

Airport Name: _____

Distance From Airport Center: _____ sm

Airport Identifier: _____

Direction From Airport: _____ degrees true

Proximity to Airport: ☐ Off Airport/Airstrip ☐ On Airport/Airstrip ☐ N/A

Airport Elevation: _____ ft. msl

Runway Information

Runway ID: _____ (L/R/C) Length: _____ ft Width: _____ ft

Runway/Landing Surface (Check all that apply)

- ☐ Asphalt ☐ Grass/Turf ☐ Macadam ☐ Water
☐ Concrete ☐ Gravel ☐ Metal/Wood
☐ Dirt ☐ Ice ☐ Snow ☐ Unknown

Condition of Runway/Landing Surface (Check all that apply)

- ☐ Dry ☐ Snow-Compacted ☐ Water-Calm
☐ Holes ☐ Snow-Crusted ☐ Water-Choppy
☐ Ice Covered ☐ Snow-Dry ☐ Water-Glassy
☐ Rough ☐ Snow-Wet ☐ Wet
☐ Rubber Deposits ☐ Soft
☐ Slush-Covered ☐ Vegetation ☐ Unknown

Approach/Departure Segment (Select one)

- ☐ Taxi ☐ VFR Departure ☐ On Instrument Approach ☐ Downwind ☐ Low Approach
☐ Takeoff ☐ IFR Departure Procedure/Clearance ☐ Landing ☐ Base ☐ Go Around
☐ Initial Climb ☐ Final ☐ Aborted Landing (after touchdown)
☐ Crosswind ☐ Unknown

IFR Approach (Check all that apply)

- ☐ None
- ☐ ADF/NDB ☐ PAR ☐ MLS ☐ Practice
☐ SDF ☐ Sidestep ☐ LDA ☐ GPS
☐ VOR/TVOR ☐ ILS ☐ ASR
☐ VOR/DME ☐ Localizer Only ☐ Visual
☐ TACAN ☐ LOC-back course ☐ Contact
☐ RNAV ☐ Circling
☐ Unknown

VFR Approach (Check all that apply)

- ☐ None
- ☐ Traffic Pattern ☐ Stop and Go
☐ Straight-In ☐ Touch and Go
☐ Valley/Terrain Following ☐ Simulated Forced Landing
☐ Go Around ☐ Forced Landing
☐ Full Stop ☐ Precautionary Landing
☐ Unknown

"FLIGHT CREWMEMBER 1" INFORMATION

"Flight Crewmember 1" Responsibilities at the Time of Accident/Incident

☒ Pilot
 ☐ Co-Pilot
 ☐ Student Pilot
 ☐ Flight Instructor
 ☐ Check Pilot
 ☐ Flight Engineer
 ☐ Other Flight Crew

"Flight Crewmember 1" was pilot flying ☐ Yes ☐ No

"Flight Crewmember 1" Identification

First Name: Douglas City of Residence: Cleveland
 Middle Initial: G State: GA ZIP: 30528
 Last Name: Finner Country: United States of America
 Age at time of Accident/Incident: 64 Date of Birth: 1954 mm/dd/yyyy
 Certificate Number:

Degree of Injury

☐ None ☐ Fatal
☒ Minor ☐ Unknown
☐ Serious

Seat Occupied

☒ Left ☐ Front ☐ Unknown
☐ Right ☐ Rear
☐ Center ☐ Single

Restraint Type

Available

☐ None
☐ Lap only
☒ 3-point
☐ 4-point
☐ 5-point
☐ Unknown

Used

☐ None
☐ Lap only
☒ 3-point
☐ 4-point
☐ 5-point
☐ Unknown

Inflatable Restraints

☒ Not Installed
☐ Installed
☐ Not Deployed
☐ Deployed
☐ Unknown

Pilot Certificate(s) (Check all that apply)

☐ None ☐ Flight Instructor ☐ Commercial ☐ US Military
☐ Private ☐ Recreational ☐ Airline Transport ☐ Foreign
☐ Student ☒ Sport ☐ Flight Engineer

Principal Occupation

☐ Pilot
☒ Other
☐ Unknown

Medical Certificate

☐ None ☐ Class 3
☐ Class 1 ☒ Driver's License (Sport Pilot only)
☐ Class 2 ☐ Unknown

Medical Certificate Validity

☐ Without limitations/waivers ☐ Unknown
☐ With limitations/waivers ☒ N/A
☐ Special Issuance

Date of Last Medical

Sport Pilot
 mm/dd/yyyy

Medical Certificate Limitations

NA

Medical Certificate Special Issuance

Date of Last Flight Review or Equivalent, Including FAR 121/135 Checks:

06/13/2018
 mm/dd/yyyy

Flight Review Aircraft

Make: Cessna
 Model: Skycatcher C-162

Airplane Rating(s)

(Check all that apply)

☐ None
☒ Single-Engine Land
☐ Single-Engine Sea
☐ Multiengine Land
☐ Multiengine Sea

Other Aircraft Rating(s)

(Check all that apply)

☒ None
☐ Airship
☐ Balloon
☐ Glider
☐ Gyroplane
☐ Helicopter
☐ Powered Lift

Instrument Rating(s)

(Check all that apply)

☒ None
☐ Airplane
☐ Helicopter
☐ Powered Lift

Instructor Rating(s)

(Check all that apply)

☒ None
☐ Airplane Single-Engine
☐ Airplane Multi-Engine
☐ Gyroplane
☐ Powered Lift

☐ Instrument Airplane
☐ Instrument Helicopter
☐ Helicopter
☐ Glider
☐ Sport

Type Ratings

None

Student Endorsements (Include dates)

Flight Time (Enter appropriate number of hours in each box)

	All Aircraft	This Make & Model	Airplane Single Engine	Airplane Multiengine	Night	Instrument		Rotorcraft	Glider	Lighter Than Air
						Actual	Simulated			
Total Time	159	159	159							
Pilot in Command (PIC)	159	159	159							
Time as Instructor	0	0	0							
This Make/Model										
Last 90 Days	22	22	22							
Last 30 Days	6	6	6							
Last 24 Hours	1	1	1							

"FLIGHT CREWMEMBER 2" INFORMATION

"Flight Crewmember 2" Responsibilities at the Time of Accident/Incident

☐ Pilot
 ☐ Co-Pilot
 ☐ Student Pilot
 ☐ Flight Instructor
 ☐ Check Pilot
 ☐ Flight Engineer
 ☐ Other Flight Crew

"Flight Crewmember 2" was pilot flying ☐ Yes ☐ No

"Flight Crewmember 2" Identification

First Name: _____ City of Residence: _____
 Middle Initial: _____ State: _____ ZIP: _____
 Last Name: _____ Country: _____
 Age at time of Accident/Incident: _____ Date of Birth: _____ mm/dd/yyyy
 Certificate Number: _____

Degree of Injury

☐ None ☐ Fatal
☐ Minor ☐ Unknown
☐ Serious

Seat Occupied

☐ Left ☐ Front ☐ Unknown
☐ Right ☐ Rear
☐ Center ☐ Single

Restraint Type

Available

☐ None
☐ Lap only
☐ 3-point
☐ 4-point
☐ 5-point
☐ Unknown

Used

☐ None
☐ Lap only
☐ 3-point
☐ 4-point
☐ 5-point
☐ Unknown

Inflatable Restraints

☐ Not Installed
☐ Installed
☐ Not Deployed
☐ Deployed
☐ Unknown

Pilot Certificate(s) (Check all that apply)

☐ None ☐ Flight Instructor ☐ Commercial ☐ US Military
☐ Private ☐ Recreational ☐ Airline Transport ☐ Foreign
☐ Student ☐ Sport ☐ Flight Engineer

Principal Occupation

☐ Pilot
☐ Other
☐ Unknown

Medical Certificate

☐ None ☐ Class 3
☐ Class 1 ☐ Driver's License (Sport Pilot only)
☐ Class 2 ☐ Unknown

Medical Certificate Validity

☐ Without limitations/waivers ☐ Unknown
☐ With limitations/waivers ☐ N/A
☐ Special Issuance

Date of Last Medical

_____ mm/dd/yyyy

Medical Certificate Limitations

Medical Certificate Special Issuance

Date of Last Flight Review
 or Equivalent, Including
 FAR 121/135 Checks: _____
 mm/dd/yyyy

Flight Review Aircraft

Make: _____
 Model: _____

Airplane Rating(s)

(Check all that apply)

☐ None
☐ Single-Engine Land
☐ Single-Engine Sea
☐ Multiengine Land
☐ Multiengine Sea

Other Aircraft Rating(s)

(Check all that apply)

☐ None
☐ Airship
☐ Balloon
☐ Glider
☐ Gyroplane
☐ Helicopter
☐ Powered Lift

Instrument Rating(s)

(Check all that apply)

☐ None
☐ Airplane
☐ Helicopter
☐ Powered Lift

Instructor Rating(s)

(Check all that apply)

☐ None ☐ Instrument Airplane
☐ Airplane Single-Engine ☐ Instrument Helicopter
☐ Airplane Multi-Engine ☐ Helicopter
☐ Gyroplane ☐ Glider
☐ Powered Lift ☐ Sport

Type Ratings

Student Endorsements (Include dates)

Flight Time (Enter appropriate
 number of hours in each box)

	All Aircraft	This Make & Model	Airplane Single Engine	Airplane Multiengine	Night	Instrument		Rotorcraft	Glider	Lighter Than Air
						Actual	Simulated			
Total Time										
Pilot in Command (PIC)										
Time as Instructor										
This Make/Model										
Last 90 Days										
Last 30 Days										
Last 24 Hours										

ADDITIONAL FLIGHT CREWMEMBERS (Exclusive of cabin crew, complete the following information)						
Crew Name and Address			Seat Occupied		Injury	
First Name: _____ City of Residence: _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____			☐ Left ☐ Front ☐ Center ☐ Rear ☐ Right ☐ Single ☐ Unknown		☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	
Pilot Certificate(s) (Check all that apply) ☐ None ☐ Flight Instructor ☐ Commercial ☐ US Military ☐ Private ☐ Recreational ☐ Airline Transport ☐ Foreign ☐ Student ☐ Sport ☐ Flight Engineer			Restraint Type: Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		Inflatable Restraints ☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	
Type Rating/Endorsement for Accident/Incident Aircraft? ☐ Yes ☐ No			Total Flight Time at the Time of this Accident/Incident: _____ hrs			
Crew Name and Address			Seat Occupied		Injury	
First Name: _____ City of Residence: _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____			☐ Left ☐ Front ☐ Center ☐ Rear ☐ Right ☐ Single ☐ Unknown		☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	
Pilot Certificate(s) (Check all that apply) ☐ None ☐ Flight Instructor ☐ Commercial ☐ US Military ☐ Private ☐ Recreational ☐ Airline Transport ☐ Foreign ☐ Student ☐ Sport ☐ Flight Engineer			Restraint Type: Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		Inflatable Restraints ☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	
Type Rating/Endorsement for Accident/Incident Aircraft? ☐ Yes ☐ No			Total Flight Time at the Time of this Accident/Incident: _____ hrs			
PASSENGER(S) / OTHER PERSONNEL (Include cabin crew; continue on separate sheet if necessary)						
Name and Address		Seat	Injury	Restraint Type		Inflatable Restraints
First Name: _____ City : _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other		☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown
First Name: _____ City : _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other		☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown
First Name: _____ City : _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other		☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown
First Name: _____ City : _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other		☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown

FLIGHT ITINERARY INFORMATION

Last Departure Point

Airport ID: KGVL
 City: Gainesville
 State: GA
 Country: United States of America

Time of Departure

Time: 09:02
 Time Zone: EST

Destination

Airport ID: K1A5
 City: Franklin
 State: NC
 Country: United States of America

Type Flight Plan Filed

☒ None ☐ VFR/IFR
☐ Company VFR ☐ IFR
☐ Military VFR ☐ Unknown
☐ VFR
 Activated? ☐ Yes ☒ No ☐ Unknown

Type of ATC Clearance/Service (Check all that apply)

☒ None ☐ Special VFR ☐ Special IFR ☐ VFR Flight Following ☐ Cruise
☐ VFR ☐ IFR ☐ VFR On Top ☐ Traffic Advisory ☐ Unknown / NA

Airspace where the accident/incident occurred (Check all that apply)

☐ Class A ☒ Class G ☐ Military Operations Area (MOA) ☐ Special
☐ Class B ☐ Demo Area ☐ Airport Advisory Area ☐ Air Traffic Control Area
☐ Class C ☐ Warning Area ☐ Jet Training Area ☐ Unknown
☐ Class D ☐ Prohibited Area ☐ TRSA
☐ Class E ☐ Restricted Area ☐ FAR 93

Altitude of In-Flight Occurrence:

_____ ft msl

WEATHER INFORMATION AT THE ACCIDENT/INCIDENT SITE

Source of Pilot Weather Information

(Check all that apply)

☒ National Weather Service ☐ Company
☐ Flight Service Station ☐ Military
☐ TV/Radio ☒ Internet
☒ Automated Report ☐ None
☒ Commercial Weather Service (DUATS) ☐ Unknown
☐ On-Board Weather

Weather Observation Facility

Facility ID: _____
 Observation Time: _____
 Time Zone: _____
 Distance from Accident Site: _____ nm
 Direction from Accident Site: _____ degrees true

Basic Conditions

☐ VMC
☐ IMC
☐ Unknown

Light Condition

☐ Dawn ☐ Dusk ☐ Dark Night ☐ Unknown
☐ Day ☐ Night ☐ Bright Night

Sky/Lowest Cloud Condition

☐ Clear ☐ Thin Broken
☐ Few ☐ Thin Overcast
☐ Partial Obscuration ☐ Unknown
☐ Scattered

Lowest Cloud Condition Height

_____ ft agl

Ceiling

☐ None (Clear) ☐ Obscured
☐ Broken ☐ Indefinite
☐ Overcast ☐ Unknown

Ceiling Height

_____ ft agl

Temperature: _____ (C) or _____ (F)

Dew Point: _____ (C) or _____ (F)

Altimeter Setting: _____ in. Hg
 or _____ MB

Wind Direction

☐ Variable

-or-
 Direction: _____ degrees true

Wind Speed

☐ Calm
☐ Light and Variable

-or-
 Speed: _____ kts

Wind Gusts

☐ Not Gusting

-or-
 Speed: _____ kts

Visibility _____ miles

RVR: _____ feet

RVV: _____ miles

Density Altitude: _____ ft

Intensity of Precipitation

☐ Light
☐ Moderate
☐ Heavy
☐ N/A
☐ Unknown

Type of Precipitation (Check all that apply)

☐ None ☐ Drizzle ☐ Freezing Rain
☐ Rain ☐ Ice Pellets ☐ Snow Shower
☐ Snow ☐ Snow Pellets ☐ Ice Pellets Shower
☐ Hail ☐ Snow Grains ☐ Freezing Drizzle
☐ Rain Showers ☐ Ice Crystals

Restriction to Visibility (Check all that apply)

☐ None ☐ Fog
☐ Blowing Dust ☐ Ground Fog
☐ Blowing Sand ☐ Haze
☐ Blowing Snow ☐ Ice Fog
☐ Blowing Spray ☐ Smoke
☐ Dust ☐ Unknown

Icing Forecast

Amount ☐ None ☐ N/A
☐ Trace ☐ Rime
☐ Light ☐ Clear
☐ Moderate ☐ Mixed
☐ Severe ☐ Unknown
☐ Unknown

Icing Actual

Amount ☐ None ☐ N/A
☐ Trace ☐ Rime
☐ Light ☐ Clear
☐ Moderate ☐ Mixed
☐ Severe ☐ Unknown
☐ Unknown

Turbulence

Type (Check all that apply)
☐ None ☐ Light
☐ Clear Air ☐ Moderate
☐ Terrain-Induced ☐ Severe
☐ Convective Turbulence ☐ Extreme

NOTAMs (D and FDC), AIRMETs, SIGMETs, PIREPs in effect at the time of the accident/incident:

DAMAGE TO AIRCRAFT AND OTHER PROPERTY**Aircraft Damage**

- ☐ None ☐ Substantial
☐ Minor ☒ Destroyed
 ☐ Unknown

Aircraft Fire

- ☒ None ☐ Both Ground and In-Flight
☐ In-Flight ☐ Fire at Unknown Time
☐ On-Ground ☐ Unknown

Aircraft Explosion

- ☒ None ☐ Both Ground and In-Flight
☐ In-Flight ☐ Explosion at Unknown Time
☐ On-Ground ☐ Unknown

Description of Damage to Aircraft and Other Property *(Use additional sheet if necessary)*

Refer to DFinner_N70252_16Nov2018_CrashSummary.PDF for a link to on-line images taken post-crash.

Outboard end of right wing struck metal fence post and was torn open. Numerous bends and crimps in the aircraft skin. Cowling torn by barb wire. Exhaust pipe bent by impact. Lower edge of cowl and air filter damaged by impact. Front gear may be bent.

NARRATIVE HISTORY OF FLIGHT *(Please type or print in ink)*

Describe what occurred in chronological order, including circumstances leading to and nature of accident/incident. Describe terrain and include wreckage distribution sketch if pertinent. Attach extra sheets if needed. State departure time and location, services obtained, and intended destination. Provide as much detail as possible.

Please see attached file: DFinner_N70252_16Nov2018_CrashSummary.pdf

This file includes links to post-crash images and a digital representation of the flight using ForeFlight data uploaded to Flight Ahoy. The accident portion of the flight begins at approximately 48 minutes into the flight.

RECOMMENDATION (How could this accident/incident have been prevented?)**Operator/Owner Safety Recommendation**

I do not believe I had a full understanding of the potentially subtle nature of carb ice. I've flown in similar weather, similar engine settings, and similar flight profiles and never had an issue with ice. If ice was an issue, I was expecting that there would be engine roughness prior to the engine stopping, that it most likely would happen at the point I decreased RPMs to 1500 or below, and that carb heat would fix the problem quickly. There was no roughness, my RPMs were approximately 2200, and carb heat didn't help. Perhaps more detailed carb ice/heat training would have helped.

MECHANICAL MALFUNCTION/FAILURE (If more space is needed, continue on separate sheet)

Was there Mechanical Malfunction/Failure? ☐ Yes ☒ No

(If yes, list the name of the part, manufacturer, part no., serial no., and describe the failure.)

After incident, inspected engine. No water found in fuel sump or carburetor bowl. Hooked up fuel supply to engine for test run. Engine started normally. Engine ran normally. No discrepancies, other than impact damage, noted on engine. Ground operational check of engine was normal.

Total Time/Cycles On Part

1360.5 Hours

Cycles

Time Since This Part Inspected/Overhauled

32.8 Hours

FUEL & SERVICES INFORMATION**Fuel on Board at Last Takeoff**

(Convert from pounds, as necessary)

24 Gallons

Fuel Type

☐ 80/87

☒ 100 Low Lead

☐ 100/130

☐ 115/145

☐ Jet A

☐ Jet A-1

☐ Jet B

☐ JP8

☐ Automotive

☐ Other, specify _____

Other Services, if Any, Prior to Departure

EVACUATION OF AIRCRAFT

Was an emergency evacuation of the aircraft performed? ☐ Yes ☐ No

Method of Exit – Describe how the occupants exited and how many occupants evacuated each location

OTHER AIRCRAFT – COLLISION (If air or ground collision occurred, complete this section for *other* aircraft)

Aircraft Registration Number

Manufacturer: _____

Model: _____

Damage to Other Aircraft

☐ Destroyed ☐ Minor

☐ Substantial ☐ None

Registered Owner of Other Aircraft

Name: _____

City: _____

State: _____ ZIP: _____

Country: _____

Pilot of Other Aircraft

Name: _____

City: _____

State: _____ ZIP: _____

Country: _____

ADDITIONAL INFORMATION (Please type or print in ink)

Use this space if additional space is needed for any answers.

I HEREBY CERTIFY THAT THE ABOVE INFORMATION IS COMPLETE AND ACCURATE TO THE BEST OF MY KNOWLEDGE

Date of this Report11/29/2018*mm/dd/yyyy***Name of Pilot/Operator:** Douglas G. Finner**Signature:** _____

-- or -- ☒ Check here to electronically sign this document

If a Person Other than Pilot/Operator is Filing Report

Name: _____**Title:** _____**Signature:** _____

-- or -- ☐ Check here to electronically sign this document

FOR NTSB USE ONLY**NTSB Accident/Incident No.**ERA19LA051**Reviewed by NTSB Regional Office**ERA**Name of Investigator**Gretz**Date Report Received**11/29/18

Accident Summary for Skycatcher N70252, Pilot: Douglas Finner

Date of Flight: 16.Nov.2018

VFR Light Sport flight planned.

Narrative:

Flight Planning:

Route: KGVL → south of KAJR → west of KTOC → 1A5. The northeast segment of the flight planned at 3500', the northwest segment planned at 4500' with a deviation to the east and up to approximately 4700' to avoid potential aerobatic activity near the Big Creek private airstrip. The reverse flight would follow the same route but at 5500' for the southeast leg and 4500' for the southwest leg.

The flight was intended to be flown by dead reckoning/pilotage with ForeFlight and the Garmin G300 as backups. Altitude and speed data were provided to ForeFlight by a Dual XGPS150A. The iPad and Dual receiver were powered from the auxiliary power port via a 2 port plug in power adapter and dedicated USB cables. The auxiliary port was not used until after the aircraft reached cruising altitude. There was no change in the amperage value when the power plug was installed.

The flight plan was to follow I-985 to KAJR, follow a power line toward KTOC, then north along US Route 441 to 1A5

Estimated flight time was approximately 50 minutes each way with an expected fuel use of 16 gallons; 11 gallons for taxi, climb-out, and flight plus 5 gallons for a one hour reserve. I intended to fly with full tanks (24 gallons).

Pre-flight

- A pre-flight brief was generated at 1800WXBrief.com with additional information taken from <http://www.usairnet.com>, <https://forecast.weather.gov>, and <https://www.windy.com>. Current ASOS summaries were received from both KGVL and 1A5 via phone on the drive to KGVL.
- Skies were clear to 12,000' and visibility greater than 6 miles for the entire flight duration.
- Surface winds were well within my personal limits with expected cross-wind components between 3 and 5 knots.
- Noted winds aloft were 20 – 30 knots with no indication of turbulence.
- I elected to take the flight with the intention to abort and return to KGVL if winds aloft were problematic.
- The plane was rented from Lanier Flight Center/Gainesville (LFC) from 9:00 am EST to 12:00 pm EST to provide me adequate time to get to 1A5 and back without rushing.
- I arrived at Lanier Flight Center a little before 9:00 am EST.
- The plane was in a LFC hanger. All standard pre-flight items were completed except sumping fuel before the plane was pulled out for fueling.

Accident Summary for Skycatcher N70252, Pilot: Douglas Finner

- The fuel level was initially a little below $\frac{3}{4}$ on each sight gauge. Tanks were fully fueled by LFC line staff.
- The tires were below specification (in the 20-25 psi range). The nose wheel is supposed to be 38 +/- 2 and mains at 30 +/- 2. All were inflated to within one psi of nominal.
- All 6 fuel ports were sumped. There was no indication of water, particulate contaminants, or non-LL100 fuel were noted (no odor of kerosene).
- The sumped fuel was added back to the left or right wing fill port and the filler caps inspected. The filler caps looked normal; clean gasket, no tears, no abrasions.
- The master switch was turned on. The PFD displays were normal. Amps were discharging and voltage was 11.8.
- Engine start was initiated. The mixture was set full rich, throttle set to 1/8" in from full off, and the starter was engaged. Engine start was normal. RPMs were set to 1000.
- The avionics switch turned on. MFD showed no alerts or annunciations, and all instruments were working.
- Amps showed charging.
- The brakes were tested and confirmed working.
- KGV L ASOS verified (winds 300 @12 knots) and set altimeter (I do not recall the setting).
- Ceiling was at least 12,000', clear below 12,000', with 10 mile visibility.
- The density altitude was quite low. I do not recall the exact number but 1/2 hour before arriving at the airport it was -400'
- I announced my intention to taxi from SW hangers to 29 and taxied to 29.
- Final checks were executed and the run-up performed.
 - Run-up was normal.
 - Carb Heat was tested and confirmed carb temp rose and RPMs decreased.
 - Carb heat disengaged and confirmed temp dropped and RPMs increased.
 - Confirmed oil temp and pressure were 'green'.
 - No alerts or annunciations were noted.
 - Confirmed fuel load was at least $\frac{3}{4}$ (float gauges were both pegged to the top of the gauge indicating at least $\frac{3}{4}$ tank).
- No flaps were used for take off.
- Take off roll, rotation, and climb out were normal.

Flight:

- Departure was straight out to the northwest.
- At approx 2800' I turned north east and continued the climbed to 3500'
- During the climb, I noted a small amount of fluid discharging from the lower wing fuel vent. The discharge was only momentary and was not noted again.
- Engine was leaned for cruise after reaching 3500'
- RPMs set to 2350 for cruise.
- The throttle was adjusted during the entire flight to maintain speed and altitude. RPMs settings ranged from approximately 2200 – 3000 throughout the entire flight.
- The flight path was executed as intended:
 - Intersected I-985.

Accident Summary for Skycatcher N70252, Pilot: Douglas Finner

- Announced intentions to pass KAJR to the south. No traffic noted near me.
- Turned north just west of KTOC and followed a power line until I intersected US 441.
- Up to this point the flight had been smooth with a cross-wind from my left.
- As I entered the valley around US 441 the air became a bit rough but not problematic.
- 10 miles out I called my intention to land Runway 25 based on expected winds from the north west.
- I was unable to get a weather report because the runway was hidden behind a hill.
- At approximately 45 minutes into the flight (between 5 and 10 miles from 1A5), I lowered engine RPMs from approximately 2350 to 2200 and began a slow descent to pattern altitude (2800'). The engine was running smooth. Carb heat was not engaged at this time; it is typically turned on when the RPMs are below 1000 or if the engine is running rough.

Crash:

- At approximately 47 minute, I was aware that the engine was no longer running. There had been no roughness or any sounds to indicate an impending problem. It was as if the throttle had been pulled to full idle.
- The propeller was windmilling.
- I set carb heat on, full rich, and confirmed the fuel shut-off was pushed fully in. The engine did not restart.
- I tried cycling the throttle from full off to full on. At one point the engine attempted to start but failed to catch after less than 10 seconds.
- I tried turning the starter motor on to no avail.
- I was very close to US 441 but the highway was busy so I elected to not land there.
- I evaluated 3 or 4 farm fields. Most were unacceptable because of the presence of livestock or power lines.
- I selected a property to the north of US 441 that had one metal building, a few small outbuildings, and a flat grassy landing area. The area was bordered by sparse trees on the south and dense trees with rising ground on the north.
- I elected to land south to north.
- I called a mayday. I learned later that the call was difficult to hear at the airport (there's a hill between me and the airport) but a helicopter heard the call and relayed it to the airport manager. The helicopter pilot also let me know he had heard the mayday and was enroute to my location.
- I cleared the trees on the south end but was too high and too fast. I set full flaps and attempted to expedite landing. The plane floated and by the time I was close enough to land I had very little room to stop before striking the trees at the north end of the property.
- I elected to bank right. One wheel struck a berm on the west side of US 441, the plane popped up, passed over the highway (I have no awareness of traffic on the highway as I was passing over but I stuck nothing and was not struck), and struck an embankment on the east side of the highway. The prop was trapped by the top two strands of wire on a

Accident Summary for Skycatcher N70252, Pilot: Douglas Finner

barb wire fence and the plane flipped over onto its back. There were cows in the field (who came to investigate); none were struck.

- I opened the pilot door, unfastened my seat belt, and exited the plane.
- By the time I'd exited the plane, people had stopped on the road to check on me.
- I returned to the cockpit and turned off the lights, avionics, and master switch, removed the key, set the fuel lever to off, and exited the plane again.
- Emergency vehicles began to arrive almost immediately (NC State Patrol, Macon County Sheriff, and the Otto Fire Department).
- The main and ancillary batteries were disconnected by the first responders.
- I refused medical treatment.
- I declined an interview from a news team that arrived on flight. They took drone and video footage and interviewed several people.
- I contacted Lanier Flight Center and my wife.
- Deputy Cody Mitchell contacted the NTSB and Lanier Flight Center contacted the FAA.
- The plane was released to LFC by both the NTSB and the FAA and arrangements were made to transfer the plane to 1A5 by the airport manager.
- Time from engine out to crash was less than 4 minutes (as derived from the time scale on the last two CloudAhoy segments).

I had minor injuries including:

- Scrapes on my left hand
- Swollen right hand between my index and middle finger
- Scraps on my left and right shins
- Sore knees
- A cut and bruise on the left side of my neck from the seat belt.
- A small cut on my left eyelid from my glasses.

Sheriffs Deputy Hodgins drove me back to LFC.

Data and Images:

ForeFlight data was uploaded to CloudAhoy. You can view the flight profile here:

Clicking any of the 'i' icons on the left side will pop up a chart with IAS and Altitude. Charts may be resized by grabbing the lower left or right corners and pulling down.

Checking the boxes causes that segment to be displayed on the overview graphic. CloudAhoy parses the data from ForeFlight and attempts to identify each segment of flight.

Images of the wreck may be found at the following link. I elected to put the files into a shared web location rather than trying to send them via email. You can download images from the site.

Accident Summary for Skycatcher N70252, Pilot: Douglas Finner

One of the images is a panorama that attempts to show the intended landing site as well as the final landing site. Please let me know if you need clarification on the image.

The long tire skid mark is about 11' long and is located on the berm on the west side of US 441.

The shorter/wider mark near the impact point is approximately 3' long.

There is also a short video that captures fuel leaking from the filling caps.

Eail attachments:

A KML file generated by ForeFlight. This file can be viewed in Google Earth or manually viewed for a more detailed listing of position, speed, and altitude.

A JPG scan of the map used during the flight. The map is derived from a screenshot of the route in ForeFlight and marked up with information to be used during the flight; direction, altitude, CTAF and ASOS frequencies, runway numbers, and potential pattern entry options for 1A5.