

Maintenance Transaction Record

CAMP MTR ID # [REDACTED]



This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng.#1
Serial No.

☐ Eng.#2
Serial No.

☐ APU
Serial No.

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Ttl Hrs	Engine 2 Ttl Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Fuel Hrs
560-6026	6026	N560AR	02-Jul-2021	KMEZ	2563.8	1891	2563.8	2563.8	1891	1891	1079.9	1379	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR	Material Costs	Man Hours
[REDACTED]	1	-	R&R THRUST REVERSERS									
			Comments: removed and re-installed right and left thrust reversers to facilitate engine HSI inspections.									
[REDACTED]	2	1	LEFT MAIN TIRE	LEFT	M13702		1016T146	UN	N	0 MTH 0 HRS		
			Comments: Removed part no: M13702 Removed serial no: 7357S255, installed new left MLG tire, p/n M13702, s/n 1016T146.									
32-41-00-2200	3	2	LEFT MAIN LANDING GEAR WHEEL AND TIRE DETAILED INSPECTION	LEFT	3-1571-6		3329					
			Comments: C/W IAW MM 32-41-2200.									
32-41-00-2200	4	2	RIGHT MAIN LANDING GEAR WHEEL AND TIRE DETAILED INSPECTION	RIGHT	3-157-6		2113					
			Comments: C/W IAW MM 32-41-2200.									
28-00-02-2200	5	2	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES NOT USING THE BIOCIDAL PREVENTATIVE TREATMENT)									
			Comments: N/A, AIRCRAFT IS USING BIOCIDAL PREVENTATIVE TREATMENT.									
49-70-01-2200	6	2	APU - REMOVE CHIP DETECTOR, CLEAN, EXAMINE AND INSTALL									
			Comments: C/W IAW HONEYWELL MM, 49-90-02.									
25-60-10-7203	7	2	ARTEX C406-N EMERGENCY LOCATOR TRANSMITTER SYSTEM DETAILED INSPECTION AND FUNCTIONAL CHECK (AIRPLANES -5565 AND ON)		453-5060		06385					
			Comments: C/W IAW MM 25-60-10-72-03.									

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility	R&C AVIATION	Certified Repair	[REDACTED]	Work Order No.	2014
Work Performed By	WESLEY BATES	Certificate No.	R38R898Y	Date	02-Jul-2021
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and WITH RESPECT TO THE WORK PERFORMED, IS APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	JEFFREY AUKES	Certificate No.	R38R898Y	Date	02-Jul-2021
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page

Maintenance Transaction Record

CAMP MTR ID # [REDACTED]



This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng.#1
Serial No.

☐ Eng.#2
Serial No.

☐ APU
Serial No.

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Ttl Hrs	Engine 2 Ttl Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Fuel Hrs
560-6026	6026	N560AR	02-Jul-2021	KMEZ	2563.8	1891	2563.8	2563.8	1891	1891	1079.9	1379	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR	Material Costs	Man Hours
26-22-00-2200	8	2	CABIN PORTABLE FIRE EXTINGUISHER DETAILED AND (WEIGHT) FUNCTIONAL CHECK	CABIN	C352TS		Y-362833					
Comments: C/W IAW MM 26-22-00-2200, WEIGHT IS 4.35 LBS.												
26-22-00-2200	9	2	COCKPIT PORTABLE FIRE EXTINGUISHER DETAILED AND (WEIGHT) FUNCTIONAL CHECK	COCKPIT	C352TS		Y-362642					
Comments: C/W IAW MM 26-22-00-2200, WEIGHT IS 4.56 LBS.												
5-12-01	10	2	INSPECTION DOCUMENT 1									
Comments: C/W DOC 1 IAW MM 5-12-01.												
49-40-00-2200	11	2	APU - REMOVE IGNITER PLUG , CLEAN, EXAMINE, AND INSTALL		304634-2		NSN					
Comments: C/W IAW HONEYWELL MM 49-40-02.												
SL560XL-34-29	12	3	NAVIGATION - IMPLEMENT AIRPLANE FLIGHT MANUAL (AFM) CHANGES, SERVICE LETTER									
MOC: COMPLIED WITH												
Comments: C/W, UPDATED AFM, SUPPLIMENT 1, REV 2, AND SUPPLIMENT 17, REV 2.												
FAA 2020-10-05	13	4	APPLIANCE AD - NAVIGATION - ROCKWELL COLLINS PRO LINE 4 AND PRO LINE 21 FLIGHT MANAGEMENT SYSTEMS									
MOC: COMPLIED WITH												
Comments: C/W BY COMPLETING SL 560XL-34-29.												

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - Mac.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility	R&C AVIATION	Certified Repair	[REDACTED]	R38R898Y	Work Order No.	2014
Work Performed By	WESLEY BATES	Certificate No.	R38R898Y	Date	02-Jul-2021	
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and WITH RESPECT TO THE WORK PERFORMED, IS APPROVED FOR RETURN TO SERVICE.						
Work Inspected By	JEFFREY AUKES	Certificate No.	R38R898Y	Date	02-Jul-2021	

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log	
Section	Page

Maintenance Transaction Record

CAMP MTR ID # [REDACTED]



This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng.#1
Serial No.

☐ Eng.#2
Serial No.

☐ APU
Serial No.

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Ttl Hrs	Engine 2 Ttl Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
560-6026	6026	N560AR	02-Jul-2021	KMEZ	2563.8	1891	2563.8	2563.8	1891	1891	1079.9	1379	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR	Material Costs	Man Hours
FAA 2021-07-13	14	4	APPLIANCE AD - EQUIPMENT AND FURNISHING - SEAT RESTRAINT SYSTEM PLASTIC ROTARY BUCKLE HANDLE - INSPECTION/REPLACEMENT MOC: NOT APPLICABLE Comments: DETERMINED AD TO BE N/A DUE TO P/N INSTALLED									
324006	15	1	NOSE TIRE Comments: Removed part no: 031-613-8 Removed serial no: 8075S00438. INSTALLED NEW NOSE TIRE, P/N 031-613-8, S/N 0127T00262.		031-613-8		0127T00262	UN	N	0 MTH 0 HRS		
FAA 2018-21-14	16	4	APPLIANCE AD - OXYGEN - OXYGEN MASK REGULATOR HARNESS INFLATION HOSES - INSPECTION / REPLACEMENT MOC: COMPLIED WITH Comments: AD HAS BEEN PREVIOUSLY COMPLIED WITH, MASKS HAVE A METAL BUSHING INSTALLED AND MARKED WITH AN "I".									
5-12-19	17	2	INSPECTION DOCUMENT 19 Comments: C/W DOC 19 IAW MM 5-12-19.									
5-12-13	18	2	INSPECTION DOCUMENT 13 Comments: C/W DOC 13 IAW MM 5-12-13.									
5-12-02	19	2	INSPECTION DOCUMENT 2 Comments: C/W DOC 2 INSPECTION IAW MM 5-12-02.									
24-32-00-7205	20	2	SECURAPLANE STANDBY BATTERY (ENERGY LEVEL TEST) FUNCTIONAL CHECK Comments: BATTERY FAILED TEST. INSTALLED REPAIRED BATTERY, P/N 100-2410-04, S/N 1161110.		100-2410-04		1161110					

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility	R&C AVIATION	Certified Repair	[REDACTED]	Work Order No.	2014
Work Performed By	WESLEY BATES	Certificate No.	R38R898Y	Date	02-Jul-2021
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and WITH RESPECT TO THE WORK PERFORMED, IS APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	JEFFREY AUKES	Certificate No.	R38R898Y	Date	02-Jul-2021
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page

Maintenance Transaction Record

CAMP MTR ID #


☒ Airframe
Entries

☐ Eng.#1
Serial No.

☐ Eng.#2
Serial No.

☐ APU
Serial No.

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Ttl Hrs	Engine 2 Ttl Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Fuel Hrs
560-6026	6026	N560AR	02-Jul-2021	KMEZ	2563.8	1891	2563.8	2563.8	1891	1891	1079.9	1379	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR	Material Costs	Man Hours
342064	21	1	NO. 1 STANDBY BATTERY PACK		100-2410-04		1161110	UN	R			
Comments: Removed part no: 100-2410-04 Removed serial no: 1019292. INSTALLED REPAIRED BATTERY, S/N 1161110.												
49-30-00-9800	22	2	AUXILIARY POWER UNIT FUEL FILTER ELEMENT DISCARD									
Comments: INSTALLED NEW APU FUEL FILTER IAW HONEYWELL MM 49-30-03.												
49-90-00-9600	23	2	AUXILIARY POWER UNIT OIL FILTER DISCARD AND OIL SERVICING									
Comments: INSTALLED NEW OIL FILTER IAW HONEYWELL MM 49-90-04												
5-12-03	24	2	INSPECTION DOCUMENT 3									
Comments: C/W DOC 3 INSPECTION IAW MM 5-12-03.												
5-12-11	25	2	INSPECTION DOCUMENT 11									
Comments: C/W DOC 11 INSPECTION IAW MM 5-12-11.												
3278104026	26	1	TOILET ASSY		15900-023		0207	UN	O			
Comments: REMOVED TOILET ASSY, INSTALLED O/H TOILET ASSY, P/N 15900-023, S/N 0207.												
PW500-72-30479 R06	27	3	NO. 1 ENGINE - REPLACEMENT OF NO. 4 BEARING FRONT COVER, HPT ROTOR SEAL, COLD START VALVE ASSEMBLY AND THE OIL TRANSFER TUBE, SERVICE BULLETIN									
MOC: COMPLIED WITH Comments: DETERMINED TO HAVE BEEN PREVIOUSLY COMPLIED WITH BY PWC, AT ENGINE TSN: 1914.15, SEE ENGINE LOG ENTRY DATED 10 JUN 2015.												

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility	R&C AVIATION	Certified Repair	R38R898Y	Work Order No.	2014
Work Performed By	WESLEY BATES	Certificate No.	R38R898Y	Date	02-Jul-2021
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
☒ Federal Aviation Administration ☐ Other (Specify) _____ and _____					
WITH RESPECT TO THE WORK PERFORMED, IS APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	JEFFREY AUKES	Certificate No.	R38R898Y	Date	02-Jul-2021
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page

Maintenance Transaction Record

CAMP MTR ID #


☒ Airframe
Entries

☐ Eng.#1
Serial No.

☐ Eng.#2
Serial No.

☐ APU
Serial No.

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Ttl Hrs	Engine 2 Ttl Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Fuel Hrs
560-6026	6026	N560AR	02-Jul-2021	KMEZ	2563.8	1891	2563.8	2563.8	1891	1891	1079.9	1379	0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR	Material Costs	Man Hours
PW500-72-30479 R06	28	3	NO. 2 ENGINE - REPLACEMENT OF NO. 4 BEARING FRONT COVER, HPT ROTOR SEAL, COLD START VALVE ASSEMBLY AND THE OIL TRANSFER TUBE, SERVICE BULLETIN									
MOC: COMPLIED WITH Comments: DETERMINED TO HAVE BEEN PREVIOUSLY COMPLIED WITH BY PWC, AT ENGINE TSN: 1914.15, SEE ENGINE LOG ENTRY DATED 23 JUN 2015.												
560XL-71-11 R01	29	3	POWER PLANT - ENGINE FUEL MANIFOLD DRAIN LINE INSTALLATION, SERVICE BULLETIN									
MOC: COMPLIED WITH Comments: C/W SB 560XL-71-11 BY INSTALLING SB KIT IAW SB 560XL-71-11.												
3278104030	30	-	ENGINE CALIBRATION RUNS									
Comments: RAN ENGINES, COMPLETED CALIBRATION RUN DATA SHEETS.												
3278104031	31	-	DETAILS									
Comments: FOR COMPLETE DETAILS OF ALL WORK ACCOMPLISHED AT THIS TIME, SEE R&C AVIATION WORK ORDER 2014.												

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility	R&C AVIATION	Certified Repair Order	R38R898Y	Work Order No.	2014
Work Performed By	WESLEY BATES	Certificate No.	R38R898Y	Date	02-Jul-2021
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
☒ Federal Aviation Administration ☐ Other (Specify) _____ and _____					
WITH RESPECT TO THE WORK PERFORMED, IS APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	JEFFREY AUKES	Certificate No.	R38R898Y	Date	02-Jul-2021
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page