

DATE	DAILY TOTAL		TOTAL AIR TIME SINCE MFG.		ENGINEERING RECORD NOTE: USE BOTH PAGES AND AS MANY LINES AS REQUIRED FOR EACH ENTRY
	HRS.	MIN.	HRS.	MIN.	
BROUGHT FORWARD					
6-18-20			2175.2		I Certify That this Aircraft has been Inspected in Accordance with FAR Part 43 - Appx D and I find it to be in Condition for Safe Flight. [Redacted Signature] APP
6-17-21			2179.8		I Certify that this Aircraft has been Inspected FAR Part 43 and I find it to be in Condition for Safe Flight. [Redacted Signature]

Photo 1 – Aircraft Logbook (FAA Photo)

Oil chgs - 2.5 gallons Phillips VC 25W60
Compression 70/80 71/80 72/80 71/80

Oil chg - 2.5 gallons Phillips 25W60
Cleaned Plugs - comp 70/80 70/80 71/80 71/80
Changed Load Mounts (J 3277-1)
Installed Fuel Pump Diaphragms (423
on both fuel pumps

Photo 2 - Engine Logbook (FAA Photo)

DATE		HRS.	MIN.	HRS.	MIN.	NOTE: USE BOTH PAGES
BROUGHT FORWARD		→		767	-6	
15-19				711	7	I Inspect this Engine and find it to be in Safe Condition for [REDACTED]
						[REDACTED] At P
7-21				725	11	I inspected this Engine and find it to be in Safe Condition Suggest [REDACTED]
						[REDACTED] - P

Photo 3 - Engine Logbook (FAA Photo)