

R

Manual No.: 115N Revision No.: 25

Hartzell Propeller Inc.
Product Registration

Company Name: _____

Name: _____

Address: _____

Address: _____

City: _____ State: _____

Postal Code: _____ Country: _____

Telephone: _____ Fax: _____

E-mail Address: _____

Propeller Assembly Model No.: _____

Propeller Serial No.: _____

Blade Serial No.'s: _____ / _____

_____ / _____ / _____

Aircraft Model: _____

Registration No.: _____

Date Propeller/Aircraft Placed in Service: _____

Is this a Top Prop conversion? Y _____ N _____

(Please type or print clearly)

Please register your product with Hartzell Propeller Inc.
to ensure efficient warranty claim consideration and processing.
You may register by returning this completed product registration card
by mail or fax at: 937.778.4391

NOTE:

As of January 1, 2009, Hartzell Propeller Inc. no longer offers continuing revision service in paper format for our Owners manuals.
All Hartzell Propeller Inc. Owners Manuals are now available in electronic format free of charge on our website at www.hartzellprop.com
Please visit the Hartzell Propeller Inc. website to view and download the most current version of the Owners Manual.

Introduction

Description and
Operation

Installation and
Maintenance

HARTZELL PROPELLER INC

INSPECTION

Item Number: E2L00090

Date: 3/17/2023

Work Order #: M713580

Model Number

HC-E2YL-2BSF/F7663D-4

Ass'y Ser No.
BG5410BHydr Unit No.
NABulkhead No.
NARod
NAPiston
230093Cylinder
230568Fork
224433

Blade 1: M26861

Blade 2: M26862

Blade 3:

Blade 4:

Blade 5:

Blade 6:

Clamp 1: NA

Clamp 2: NA

Clamp 3: NA

Clamp 4: NA

Clamp 5: NA

Reverse

Start Lock

Low Pitch

High Pitch

Feather

Position

Orient.

Qty: AI

St

Scrw

A-2424-1

Washer

NA

NA

12.0

17.5

78.0

2

L

0

1

0

0

0

Ref Radius (inches) for angles:

30

2

T

1

0

0

0

0

Comments:

Deice Kit: NA

Packing

Certified By:

Date:

Inspected By: Jason Harris

The approved design data for this propeller incorporates all changes required by applicable Airworthiness Directives.

The propeller covered by this certificate has passed a functional test as required by 14 CFR Part 21.137(e)(2).

HARTZELL PROPELLER INC

INSPECTION

Item Number: E2L00090

Date: 3/17/2023

Work Order #: M713580

Model Number

HC-E2YL-2BSF/F7663D-4

Ass'y Ser No.
BG5410BHydr Unit No.
NABulkhead No.
NARod
NAPiston
230093Cylinder
230568Fork
224433

Blade 1: M26861

Blade 2: M26862

Blade 3:

Blade 4:

Blade 5:

Blade 6:

Clamp 1: NA

Clamp 2: NA

Clamp 3: NA

Clamp 4: NA

Clamp 5: NA

Reverse

Start Lock

Low Pitch

High Pitch

Feather

Position

Orient.

Qty: AI

St

Scrw

A-2424-1

Washer

NA

NA

12.0

17.5

78.0

2

L

0

1

0

0

0

Ref Radius (inches) for angles:

30

2

T

1

0

0

0

0

Comments:

Deice Kit: NA

Packing

Certified By:

Date:

Inspected By: Jason Harris

The approved design data for this propeller incorporates all changes required by applicable Airworthiness Directives.

The propeller covered by this certificate has passed a functional test as required by 14 CFR Part 21.137(e)(2).

HARTZELL PROPELLER INC

INSPECTION

Item Number: E2L00090

Date: 3/17/2023

Work Order #: M713580

Model Number

HC-E2YL-2BSF/F7663D-4

Ass'y Ser No.
BG5410BHydr Unit No.
NABulkhead No.
NARod
NAPiston
230093Cylinder
230568Fork
224433

Blade 1: M26861

Blade 2: M26862

Blade 3:

Blade 4:

Blade 5:

Blade 6:

Clamp 1: NA

Clamp 2: NA

Clamp 3: NA

Clamp 4: NA

Clamp 5: NA

Reverse

Start Lock

Low Pitch

High Pitch

Feather

Position

Orient.

Qty: AI

St

Scrw

A-2424-1

Washer

NA

NA

12.0

17.5

78.0

2

L

0

1

0

0

0

Ref Radius (inches) for angles:

30

2

T

1

0

0

0

0

Comments:

Deice Kit: NA

Packing

Certified By:

Date:

Inspected By: Jason Harris

The approved design data for this propeller incorporates all changes required by applicable Airworthiness Directives.

The propeller covered by this certificate has passed a functional test as required by 14 CFR Part 21.137(e)(2).

Description of all operations pertaining to Airworthiness Directives, Service Documents, Overhaul, Major or Minor Repair, and Inspections.

[illegible]

HARTZELL DYNAMICALLY BALANCED
 HARTZELL PA-30 30-703 2112.3 Hrs.

— POLAR PLOT - 1.0 IN/S FS —

N7628Y PA-30 30-703 2112.3 Hrs.
HC-E2YL-2BSF BG5408B

MicroVib II SN:1841 Cal:07/14/2021
Init:0.068 IN/S @ 2207 RPM Final:0.068 IN/S @ 2207 RPM

Operator Comments:
PERFORMED BY: GULLWING AVIATION LLC
717-385-6710

Oper: ~~100-1-1~~
Date: 03/30/2023 MITCH HAUBERT