

ERA24FA308

EXCERPTS - AIRCRAFT LOGBOOK

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
19				Date: 12/17/2019 Hobbs: 1126.7 TTAF: 4536.1 C/W Annual Inspection in accordance with Beechcraft B60 MM, the scope and detail of FAR 43 App. D. C/W FAR 91.207 (d), battery due 11/2020. Installed 2 new GIL G-25 batteries S/N G03044156 and G03044164. C/W AD2004-25-16R1 heater fuel valve para (e) (1) re inspect next Annual Inspection. Installed new 2 D14-5-1 and new RA2J4-7 filters. removed nose baggage compartment door, repainted, re installed. I certify that this airframe has been inspected in accordance with an annual inspection and was determined to be airworthy. Russell E Remy A&P [REDACTED] [REDACTED]

© 1982 ASA

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations
19				Date: 08/03/2022 Hour Meter: 1136.4 Treated corrosion on both horizontal stabilizers, Rudder and vertical fin in accordance with the practices in AC43-4A. Applied Primer, and single stage polyurethane top coat. [Redacted Signature]
				Date: 08/28/2023 Hour Meter: 1138.1 TTAF: 4547.5 C/W Annual inspection in accordance with Beechcraft B60 MM P/N 60-590001-25A18, the scope and detail of FAR 43 App. D. C/W FAR 91.07 (c). ELT battery due 08/24. C/W AD2004-25-16R1 heater valve IAW para (e)(1), next due 8/31/2024. C/W AD 85-22-05 (11/12/85) in accordance with Para. (a), (b). Serviced propeller accumulators to 125 PSI. serviced O2 bottle. I certify that this airframe has been inspected in accordance with an annual inspection and determined to be airworthy. Russell E Remy A&P [Redacted Signature]

DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
2023	4066's			
09-05	1151.5		4,560.9	REMOVED AND REPLACED NOSE TIRE PN 156E66-4, TUBE P/N 302-246-401, CLEANED, INSPECTED & LUBED NOSE WHEEL BEARINGS. PERFORMED A PRECAUTIONARY NORMAL GEAR SWING. SERVICED ALL TIRES & LANDING GEAR STRUTS. AN MAINTENANCE PERFORMED FAN 3-60 MM. AIRCRAFT APPROVED FOR RETURN TO SERVICE. [REDACTED]
16-2-23	1157.7		4,560.9 1157.7	REMOVED & REPLACED LEFT ENGINE COWL FLAP ACTUATOR P/N 380021-15 SNIFF DIOF SINE 200 OPERATOR GOOD [REDACTED]
12-5-23	1157.7		4,560.9 1157.7	REMOVED & REPLACE #1 WHEEL TIRE REMOVED AND CLEANED WHEEL HOLE INSTALLED TUBE AND REASSEMBLED WHEEL AND REBOLDED WHEEL BOLT/NUTS REPAIR WHEEL BEARINGS SERVICE TO PROPER AIR PRESSURE [REDACTED]

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
3/27/24	1157.7		1157.7	Removed & Replace Battery Battery remove S/N UNK Battery Replaced G-25 S/N G-03158288
7/17/24	1168.2		1168.2	Serviced all Landing Gear Tire, Apply Edge Sealer To Left and Right wing De-ice Boots NEAR fuel filler caps Serviced Right Landing Gear Strut - Repaired Brake Wire at Glare Shield Horns disconnected Aircraft removed for Repair to Services