



Learjet 55


ILLUSTRATED PARTS CATALOG

PAGE INTENTIONALLY LEFT BLANK


ILLUSTRATED PARTS CATALOG




Detail A




Detail B



Detail C



Detail D



Detail E


P55-262040-000-01

FIRE EXTINGUISHING SYS INSTL-NACELLE
Figure 40 (Sheet 1 of 2)


EFFECTIVITY: ALL

26-20-00


FIG 40
PAGE 0
Feb 11/2026




Detail F




Detail G




Detail H



(897703 ASSEMBLY)



Detail J



Detail K

P55-262040-000-02

FIRE EXTINGUISHING SYS INSTL-NACELLE

Figure 40 (Sheet 2 of 2)

EFFECTIVITY: ALL

26-20-00

FIG 40
PAGE 1
Feb 11/2026

Learjet 55

ILLUSTRATED PARTS CATALOG

FIG. ITEM	PART NUMBER	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
		1234567		
40 - 1	LJBLANK	BLANK, PART NUMBER FOR LJ IPC (V24210)		1
5	30402102	FIRE EXTINGUISHING SYS INSTL NACELLE .FIRE BOTTLE ASSY (V05167) (CONTAINER ENGINE E25 AND E26) (ALT FOR: 30402102) (PRE SB 55-26-2)		2
6	897703	.CONTAINER ASSY, FIRE EXT ENGINE (V24210) (ALT FOR: 30402102) (PRE SB 55-26-2)		2
7	2395012-803	.CONTAINER ASSY, FIRE EXT ENG LH AND RH (V24210) (ENGINE E25 AND E26) (FOR SPARES USE: 30402102-1) (WHEN THIS PART IS INSTALLED A NO. 10 TERMINAL END (P/N 31883 OR PIN 320554) IS REQUIRED ON THE POSITIVE WIRE LEAD) (POST SB 55-26-2)		NP
8	30402102-1	.FIRE BOTTLE (V05167) (CONTAINER-FIRE EXT ENGINE E25 AND E26) (WHEN THIS PART IS INSTALLED A NO. 10 TERMINAL END (P/N 31883 OR PIN 320554) IS REQUIRED ON THE POSITIVE WIRE LEAD) (POST SB 55-26-2)		2
- 10	AN4-4A	ATTACHING PARTS .BOLT, MACHINE		6
- 12	AN960-416L	.WASHER		6
25	897899	*** ..CARTRIOGE, FIRE EXT (VMISCX) (REF KIDDE AEROSPACE AND DEFENSE COMPONENT MAINTENANCE MANUAL (CMM) 26-21-34) (POST SB 55-26-2)		2
27	214246	..WASHER, GROUND (VMISCX) (POST SB 55-26-2)		2
28	1686-0806	..SCREW (VMISCX) (POST SB 55-26-2)		2
29	1799-0800	..WASHER (VMISCX) (POST SB 55-26-2)		2
30	1350-0800	..NUT (VMISCX) (POST SB 55-26-2)		4
32	13083-5	..SQUIB ASSY (V05167) (REMOVABLE) (POST SB 55-26-2)		2
32C	30903823	..SQUIB ASSY, REMOVABLE (V05167) (WHEN THIS PART IS INSTALLED A NO. 10 TERMINAL END (P/N 31883 OR PIN 320554) IS REQUIRED ON THE POSITIVE WIRE LEAD)		2
33	MS28778-5	..PACKING, PREFORMED, O-RING		2
35	35201007-2	.VALVE (V05167) (TEE-DOUBLE CHECK)		2
38	2659000-33	.TUBE ASSY (V24210) (FIRE EXT ENG)		4
42	5459003-8	.TUBE ASSY, FIRE EXT LH ENG (V24210) (FOR SPARES USE: 5459003-11)		1
43	5459000L1030-1	.TUBE ASSY, FIRE EXT LH ENG (V24210) (FOR SPARES USE: 5459003-11)		1

(-ITEM NOT ILLUSTRATED)

EFFECTIVITY: ALL

26-20-00

FIG 40
PAGE 2
Feb 11/2026

Learjet 55

ILLUSTRATED PARTS CATALOG

FIG. ITEM	PART NUMBER	NOMENCLATURE	EFFECT FROM TO	UNITS PER ASSY
		1234567		
40 44	5459003-11	.TUBE ASSY, LH (V24210) (FIRE EXT ENG)		1
46	5459002-4	.TUBE ASSY (V24210) (FIRE EXT RH ENG)		1
50	5459004-2	.TUBE ASSY, FIRE EXT LH AND RH ENG (V24210)		2
53	LJBLANK	BLANK, PART NUMBER FOR LJ IPC (V24210)		4
- 57	W901B16DE	..CONNECTOR (V79326) (TRUE PN W901B-16DE)		4
- 57B	W991-16DE	..COUPLING ASSY (V79326) (CONNECTOR) (ALT FOR: W901B-16DE OR 14J02-16A)		4
- 57D	14J02-16A	..COUPLING ASSY (V24984) (CONNECTOR) (ALT FOR: W901B-16DE)		4
- 57F	14J34-16A	..COUPLING ASSY (V24984) (CONNECTOR) (ALT FOR: W901B-16DE OR W991-16DE OR 14J02-16A)		4
- 58	MS29513-214	..PACKING, PREFORMED, O RING (V81343)		8
62	2652081-56	.FITTING, FIRE EXT FIREWALL (V24210) ATTACHING PARTS		2
65	NAS220-7	.SCREW		8
66	AN960-8	.WASHER, FLAT		8
67	MS21042-08	.NUT, SELF-LKG, HEX, REDUCED ***		8
70	2659100-13	.TUBE, ASSY, FIRE EXTINGUISHER, LH (V24210)		1
73	2659100-14	.TUBE, ASSY, RH, FIRE EXTINGUISHER, NACEL (V24210) (ENG)	003108	1
73A	2659100L1501-1	.TUBE ASSY (V24210) (FIRE EXT RH ENG) (WHEN EXHTD USE: 2659100-23)	003143	1
74	2659100-23	.TUBE ASSY (V24210) (FIRE EXT RH ENG) ATTACHING PARTS	109147	1
76	AN3-6A	.BOLT, MACHINE		4
77	AN960-10L	.WASHER, FLAT		4
78	MS20364-1032C	.NUT, SELF-LKG, REDUCED ***		4
82	2659100-12	.TUBE ASSY, FIRE EXT ENG (V24210) (LH AND RH)		2
85	AN815-16J	.UNION		2
88	5414001-8	.TUBE ASSY, THERMAL DISCHARGE IND (V24210)		1
91	5414001-4	.TUBE ASSY, THERMAL DISCHARGE IND (V24210)		1
94	5414001-9	.TUBE ASSY, THERMAL DISCHARGE IND (V24210)	003116	1
94A	5414001-22	.TUBE ASSY, THERMAL DISCHARGE IND (V24210)	117147	1
95	5414001-23	.TUBE ASSY, THERMAL DISCHARGE IND (V24210)	135147	1
97	AN824-4D	.TEE, FLARED TUBE		1
99	922315	.THERMAL DISCHARGE (V05167) (INDICATOR RED)		1
- 100	18601	.INDICATOR, DISCHARGE, RED (V05167) (THERMAL) (ALT FOR: 922315)		1
- 105	17919	..DISC RED (V61423)		1
- 106	13159	..DISC, RED (V05167)		1

(-ITEM NOT ILLUSTRATED)

EFFECTIVITY: ALL

26-20-00

FIG 40
PAGE 3
Feb 11/2026

Learjet 55

ILLUSTRATED PARTS CATALOG

FIG. ITEM	PART NUMBER	NOMENCLATURE 1234567	EFFECT FROM TO	UNITS PER ASSY
40		ATTACHING PARTS		
- 107	17917	..RING, RETAINING (V61423) (DISC)		1
- 108	13157	..RING, SNAP (V05167) (RETAINING DISC) ***		1
111	AN816-4D	.ADAPTOR, STRAIGHT, PIPE TO TUBE (NIPPLE)		1
116	5414001-11	.TUBE ASSY, FIRE EXTINGUISHER (V24210) (PRESS DISCHARGE IND)		1
119	LJBLANK	BLANK, PART NUMBER FOR LJ IPC (V24210) (CONNECTING PARTS)		NP
- 120	MS28774-4	..PACKING (O RING)	003017	1
-120A	3-904	..PACKING, O RING (V24210)	018147	1
- 121	AN815-4D	..UNION, FLARED TUBE		1
124	5414001-6	.TUBE ASSY (V24210)	003086	1
124A	5414001-19	.TUBE ASSY, PRESS DISCHARGE IND (V24210)	087147	1
127	LJBLANK	BLANK, PART NUMBER FOR LJ IPC (V24210) (CONNECTING PARTS)		NP
- 128	MS28774-4	..PACKING (O RING)	003017	1
-128A	3-904	..PACKING, O RING (V24210)	018147	1
- 129	AN815-4D	..UNION, FLARED TUBE		1
132	5414001-7	.TUBE ASSY, PRESS DISCHARGE IND (V24210)	003116	1
132A	5414001-21	.TUBE ASSY, PRESS DISCHARGE IND (V24210)	117147	1
133	5414001-24	.TUBE ASSY, PRESS DISCHARGE IND (V24210)	135147	1
135	AN824-4D	.TEE, FLARED TUBE		1
137	18600	.INDICATOR, DISCHARGE, YELLOW (V05167) (PRESS)		1
- 138	800495	.INDICATOR (V61423) (PRESS DISCHARGE YELLOW) (ALT FOR: 18600)		1
- 143	13158	..DISC, YELLOW (V05167)		1
- 144	24429	..YELLOW DISC (V61423)		1
		ATTACHING PARTS		
- 145	13157	..RING, SNAP (V05167) (RETAINING DISC)		1
- 146	17917	..RING, RETAINING (V61423) (DISC) ***		1
150	AN816-4D	.ADAPTOR, STRAIGHT, PIPE TO TUBE (NIPPLE)		1
155	7277-2-7-5	.CIRCUIT BREAKER, 7.5 AMP (V82647) (L ENG FIRE EXT) (TRUE PN 7277-2-7.5)		1
156	7277-2-7-5	.CIRCUIT BREAKER, 7.5 AMP (V82647) (L FW SOV) (TRUE PN 7277-2-7.5)		1
157	7277-2-7-5	.CIRCUIT BREAKER, 7.5 AMP (V82647) (R ENG) (TRUE PN 7277-2-7.5)		1

(-ITEM NOT ILLUSTRATED)

EFFECTIVITY: ALL

26-20-00

FIG 40
PAGE 4
Feb 11/2026

Learjet 55

ILLUSTRATED PARTS CATALOG

FIG. ITEM	PART NUMBER	NOMENCLATURE 1234567	EFFECT FROM TO	UNITS PER ASSY
40 158	7277-2-7-5	.CIRCUIT BREAKER, 7.5 AMP (V82647) (R FW SOV) (TRUE PN 7277-2-7.5)		1
158B	FIT221-3-8	.TUBING, SHRINK, 3/8 INCH (V92194) (RED CB IDENT) (BRAZILIAN CERTIFIED A/C) (TRUE PN FIT-221-3/8)	135147	4
- 159	6608214-3	.SWITCH, FIRE PULL (V24210) (LIGHT AND ASSY-ENGINE FIRE LH AND RH) (RF VENDOR PIN: 865001-3)	003143 145146	2
160	865001-3	.LIGHT AND SWITCH ASSY (V99145) (ENGINE FIRE PULL LH RH S1 AND S1) (ORDER LJ PIN: 6608214-3)	003143 145146	RF
-160C	6608214-5	.EMERGENCY FIRE PULL SW (V24210) (LIGHT AND SWITCH ASSY-ENGINE) (RF VENDOR PN: 865001-5)	144144 147147	RF
160D	865001-5	.LIGHT AND SWITCH ASSY (V99145) (ORDER LJ PIN: 6608214-5)	144144 147147	1
-160G	6608214-4	.EMERGENCY FIRE PULL SW (V24210) (LIGHT AND SWITCH ASSY-ENGINE FIRE RH) (ORDER LJ PIN: 6608214-5)	144144 147147	1
160H	865001-4	.LIGHT AND SWITCH ASSY (V99145)	144144 147147	RF
- 161	865002-3	..HANDLE, FIRE PULL (V99145) (T-ASSY ENG RH)		1
162	327	...LAMP (V83803) (LAMP-FIRE WARN LT)		2
165	BBDREF001175923	.SWITCH, LIGHT, ASSY, ARMED, LH, RH, FIRE (V96182) (ENG EXT ARMED NO.1 BOTTLE S1 AND S1) (TRUE PN 90EA1C3F3J1AL1N1R38)	003126	2
168	BBDREF001175923	.SWITCH, LIGHT, ASSY, ARMED, LH, RH, FIRE (V96182) (ENG EXT ARMED NO.2 BOTTLE S3 AND S3) (TRUE PN 90EA1C3F3J1AL1N1R38)	003126	2
169	BBDREF001175923	.SWITCH, LIGHT, ASSY, ARMED, LH, RH, FIRE (V96182) (ENG FIRE EXT S2 AND S2) (TRUE PN 90EA1C3F3J1AL1N1R38)	127147	2
- 175	327	..LAMP (V83803) (LAMP-FIRE WARN LIGHT)		2
400	2395012-801	.FIRE BOTTLE/SQUIB REPLS'MT (V24210) (KIT-EXT REPLACEMENT SPEC SPARE)		2
- 451	LJNHA	..INSTALLATION DRAWING FOR NHA (V24210) LIGHT CONTROLS INSTL-CREW (REF 31-50-00 FIG 20 FOR NHA)		RF
- 452	LJNHA	..INSTALLATION DRAWING FOR NHA (V24210) LFUEL DISTRIBUTION ENGINE (REF 28-20-00 FIG 24 FOR NHA)		RF
453	LJNHA	..INSTALLATION DRAWING FOR NHA (V24210) LMAIN HYDRAULIC POWER (REF 29-10-00 FIG 30 FOR NHA)		RF

(-ITEM NOT ILLUSTRATED)

EFFECTIVITY: ALL

26-20-00

FIG 40
PAGE 5
Feb 11/2026

Learjet 55

ILLUSTRATED PARTS CATALOG

PAGE INTENTIONALLY LEFT BLANK