



U.S. Department
of Transportation
**Federal Aviation
Administration**

THESE RECORDS MAY BE RELEASABLE UNDER THE FOIA REQUEST 15
DAYS AFTER SIGNATURE DATE UNLESS WE HEAR OTHERWISE FROM
FAA NTSB COUNSEL

Mike Monroney
Aeronautical Center

P.O. Box 25082
Oklahoma City, Oklahoma 73125

Friday, August 28, 2015

National Transportation Safety Board
505 South 336th Street, Suite 540
Federal Way, WA 98003

ACCIDENT #	0130	INDIVIDUAL#:	001	NAME	[REDACTED]	MODE:	AVIATION
DATE OF ACCIDENT	07/03/2015	DATE RECEIVED	07/09/2015	PUTREFACTION:	Yes		
	N # 8195C	NTSB #	WPR15FA206	CAMI REF #	201500130001		
LOCATION OF ACCIDENT	Carey, ID						
SPECIMENS	Bile, Blood, Gastric, Heart, Kidney, Liver, Lung, Muscle						

FINAL FORENSIC TOXICOLOGY FATAL ACCIDENT REPORT

CARBON MONOXIDE: The carboxyhemoglobin (COHb) saturation is determined by spectrophotometry with a 10% cut off and confirmed by chromatography.

>> NO CARBON MONOXIDE detected in Blood

CYANIDE: The presence of cyanide is screened by Conway Diffusion, when the COHb level is equal to or greater than 10% or upon special request. Cyanides are quantitated by spectrophotometry and confirmed by chromatography. The reporting cutoff for cyanide is 0.25 ug/mL. Normal blood cyanide concentrations are less than 0.15 ug/mL, while lethal concentrations are greater than 3 ug/mL.

>> NOT PERFORMED

VOLATILES: The volatile concentrations are determined by headspace gas chromatography at a cut off of 10 mg/dL. Where possible, positive ethanol values are confirmed by Radiative Energy Attenuation.

>> 64 (mg/dL, mg/hg) Ethanol detected in Lung
>> 62 (mg/dL, mg/hg) Ethanol detected in Heart
>> 61 (mg/dL, mg/hg) Ethanol detected in Blood
>> N-Propanol detected in Heart
>> N-Propanol detected in Lung
>> N-Propanol detected in Blood

DRUGS: Specimens are analyzed using immunoassay, chromatography, GC/MS, HPLC/MS, or GC/FTIR. Concentrations (ug/mL) at or above those in () can be determined for, but not limited to, the following drugs: amphetamines (0.010), opiates (0.010), marihuana (0.001), cocaine (0.020), phencyclidine (0.002), benzodiazepines (0.030), barbiturates (0.060), antidepressants (0.100), and antihistamines (0.020). Drugs and/or their metabolites, that are not impairing or abused, may be reported from the initial tests. See the CAMI Drug Information Web Site for additional information (<http://fag.cami.jocbi.gov/toxicology/>).

>> NO DRUGS listed above detected in Blood

c=US, o=U.S. Government, ou=AMC, ou=AMC,
cn=RUSSELL J LEWIS
2015.08.31 15:11:57 -05'00'

[REDACTED]
[REDACTED]
[REDACTED] Ph.D.

TC, FAA, Forensic Toxicology
Research Team CAMI