

Beechcraft

Model G36 Bonanza **(Serials E-3630, E-3636 and After)**

Pilot's Operating Handbook and FAA Approved Airplane Flight Manual

FAA Approved in the Utility Category based on CAR Part 3. This document must be carried in the airplane at all times, and be kept within reach of the pilot during all flight operations. This handbook includes the material required to be furnished to the pilot by CAR Part 3.

Airplane Serial Number: _____

Airplane Registration Number: _____

FAA Approved by: _____

 Randolph Shields, ODA Lead administrator
Beechcraft Corporation
ODA-230339-CE

Copyright © 2014 Beechcraft Corporation. All rights reserved. Hawker and Beechcraft are trademarks of Beechcraft Corporation.

P/N 36-590002-71
Issued: October, 2005

P/N 36-590002-71A9
Revised: July, 2014

— NOTE —

Any Raytheon marks contained in this document are owned by Raytheon Company and are employed pursuant to a limited license granted by Raytheon Company. Prior to March 26, 2007, Beechcraft Corporation was owned by Raytheon Company but is no longer affiliated with Raytheon Company. Beechcraft Corporation was formerly named Hawker Beechcraft Corporation from March 26, 2007 until March 1, 2013.

Published by
Beechcraft Corporation
P.O. Box 85
Wichita, Kansas
67201-0085 USA

The export of these commodities, technology or software are subject to the US Export Administration Regulations. Diversion contrary to US law is prohibited. For guidance on export control requirements, contact the Commerce Department's Bureau of Export Administration at 202-482-4811 or visit the US Department of Commerce website.



Member of GAMA

General Aviation
Manufacturers Association

STALL SPEEDS – POWER IDLE

- Notes: 1. THE MAXIMUM ALTITUDE LOSS EXPERIENCED WHILE CONDUCTING STALLS IN ACCORDANCE WITH CAR 3.120 WAS 320 FEET.
2. THESE STALL SPEEDS WERE DETERMINED AT THE FORWARD CENTER OF GRAVITY LIMIT FOR EACH WEIGHT. AT SOME LOADINGS THE AIRPLANE IS ELEVATOR LIMITED, RESULTING IN A MINIMUM STEADY SPEED RATHER THAN A STALL.

EXAMPLE:

WEIGHT 3500 LBS
FLAPS UP
BANK ANGLE 20°
STALL SPEED 69.4 KTS INDICATED

