

NATIONAL TRANSPORTATION SAFETY BOARD

NTSB Form 6120.1

PILOT/OPERATOR AIRCRAFT ACCIDENT/INCIDENT REPORT

Email the pilot/operator aircraft accident/incident report to the investigator-in-charge of your accident/incident. If email is not available, mail the report per the instructions below.

If your accident/incident occurred in Maine, Vermont, New Hampshire, Massachusetts, Connecticut, Rhode Island, New York, New Jersey, Pennsylvania, Maryland, Delaware, Virginia, West Virginia, Kentucky, Tennessee, North Carolina, South Carolina, Mississippi, Alabama, Georgia, Florida, the District of Columbia, Puerto Rico, or the US Virgin Islands, send the form to: NTSB, ERA, 45065 Riverside Parkway, Ashburn, VA 20147.

If your accident/incident occurred in Ohio, Michigan, Indiana, Wisconsin, Illinois, Minnesota, Iowa, Missouri, Arkansas, Louisiana, North Dakota, South Dakota, Nebraska, Kansas, Oklahoma, Texas, Colorado, or New Mexico, send the form to: NTSB, CEN, 4760 Oakland Street, Suite 500, Denver, CO 80239.

If your accident/incident occurred in Montana, Wyoming, Idaho, Utah, Arizona, Nevada, Washington, Oregon, California, Hawaii, or the territories of Guam or American Samoa, send the form to: NTSB, WPR, 505 South 336th Street, Suite 540, Federal Way, WA 98003.

If your accident/incident occurred in Alaska, send the form to: NTSB, ANC, 222 West 7th Avenue, Room 216, Box 11, Anchorage, AK 99513.

Rules pertaining to notification of aircraft accidents and incidents, as well as overdue aircraft are found in 49 *Code of Federal Regulations* (CFR) Part 830 http://www.ecfr.gov/cgi-bin/text-idx?c=ecfr&tpl=/ecfrbrowse/Title49/49cfr830_main_02.tpl. These rules state the authority of the NTSB, define accidents, incidents, injuries, and other terms, and provide procedures for initial and immediate notification of accidents and incidents by aircraft pilots/operators.

A. APPLICABILITY

The pilot/operator of an aircraft shall send a report to the office listed above, based on accident/incident location; immediate notification is required by 49 CFR 830.5(a). **The report shall be filed within 10 days after an accident for which notification is required by Section 830.5, or after 7 days if an overdue aircraft is still missing.**

An aircraft accident, as defined in 49 CFR 830.2, is determined as an occurrence that involves a fatality or serious injury, or substantial damage to the aircraft. For occurrences that do not involve a fatality, the determination that the occurrence is an accident can be appealed by writing to the Director, Office of Aviation Safety, NTSB, 490 L'Enfant Plaza, S.W., Washington, D.C. 20594.

INSTRUCTIONS TO PILOTS/OPERATORS FOR COMPLETING THIS FORM

It is necessary that ALL questions on this report be answered completely and accurately.

If more space is needed, continue on a blank sheet of paper.

Nearest City/Place: Use the name of the nearest community in the state where the accident/incident occurred.

Date/Time: Indicate the date and local time of the event. Be sure to indicate the time zone.

Phase of Operation: Indicate the phase of operation during which the accident/incident occurred.

Aircraft Information: Enter aircraft make and model information as indicated on the aircraft registration certificate, including series. If the involved aircraft is certified as "amateur-built," include the name of the producer of the kit or plans, unless an NTSB employee instructs otherwise.

Maximum Gross Weight: Enter the certificated maximum gross weight for the aircraft involved in the occurrence. This should be the same as the maximum gross weight indicated on the aircraft weight and balance documents.

Engine: Enter engine make and model information as indicated on the engine data plate.

The NTSB uses this form for aircraft accident prevention activities and for statistical purposes. NTSB regulations (49 CFR Part 830) require that **ALL** questions be answered completely and accurately. Completion of this form will take approximately 60 minutes. The NTSB does not guarantee the privacy of any information provided in this form. You need not complete this form unless it displays a valid OMB control number, in accordance with 5 C.F.R. § 1320.5(b), which applies to this collection of information.

B. DEFINITIONS

1. "Aircraft Accident" means an occurrence associated with the operation of an aircraft that takes place between the time any person boards the aircraft with the intention of flight and all such persons have disembarked, and in which any person suffers death, or serious injury, or in which the aircraft receives substantial damage. For purposes of this form, the definition of "aircraft accident" includes "unmanned aircraft accident," as defined at 49 CFR 830.2.

2. "Substantial Damage" means damage or failure that adversely affects the structural strength, performance or flight characteristics of the aircraft, and that would normally require major repair or replacement of the affected component. **NOTE:** Engine failure or damage limited to an engine if only one engine fails or is damaged, bent fairing or cowlings, dented skin, small puncture holes in the skin or fabric, ground damage to rotor or propeller blades, and damage to landing gear, wheels, tires, flaps, engine accessories, brakes, or wing tips are not considered "substantial damage" for purposes of this report.

3. "Operator" means any person who causes or authorizes the operation of an aircraft, such as the owner, lessee, or bailee of an aircraft.

4. "Fatal Injury" means any injury that results in death within thirty (30) days of the accident.

5. "Serious Injury" means any injury that (1) requires hospitalization for more than 48 hours, commencing within 7 days from the date the injury was received; (2) results in a fracture of any bone (except simple fracture of fingers, toes, or nose); (3) causes severe hemorrhages, nerve, muscle, or tendon damage; (4) involves injury to any internal organ; or (5) involves second- or third-degree burns, or any burns affecting more than 5 percent of the body surface.

Type of Fire Extinguishing System: If a fire extinguishing system was used to fight an aircraft fire, specify the type(s) of extinguishing system(s) used. Examples include handheld extinguisher, engine fire bottle, cargo/baggage compartment fire suppression system, or airport emergency ground equipment.

Owner/Operator Information: Enter the owner information as shown on the registration certificate. Commercial operators, enter the operator information, including "doing business as" when applicable, as shown on the operator certificate.

Revenue Sightseeing Flight: Indicate whether the accident aircraft was conducting revenue sightseeing operations under 14 CFR Part 91 at the time of the accident.

Air Medical Flight: Indicate whether the accident flight was being conducted for the purpose of carrying medical personnel, patient(s), or organs.

Public Aircraft: Federal, state or local government flight operations such as official travel, law-enforcement, low-level observation, aerial application, firefighting, search and rescue, biological or geological resource management, or aeronautical research. Indicate whether the flight was conducted by the armed forces, federal, state, or local government.

Purpose of Flight: 14 CFR Parts 91, 103, 133, 136, and 137: Indicate the type of operation that was being conducted at the time of the occurrence using the following definitions:

AERIAL APPLICATION--Operations using an aircraft to perform aerial application or dispersion of any substance. Examples include agricultural, health, forestry, cloud seeding, firefighting, insect control, etc.

AERIAL OBSERVATION--These flights include aerial mapping/photography, patrol, search and rescue, hunting, highway traffic advisory, ranching, surveillance, oil and mineral exploration, criminal pursuit, fish spotting, etc.

AIR DROP--Aerial operations, other than aerial application, that are intended to release items in flight.

AIR RACE/SHOW--Includes any flight operations conducted as part of an organized air race or public demonstration.

BUSINESS--includes all personal flying without a paid professional crew for reasons associated with furthering a business, including transportation to and from business meetings or work. This does not include corporate/executive operations, air taxi, or commuter operations.

EXECUTIVE/CORPORATE--Company flying with a paid, professional crew.

FERRY--Non-revenue flight under a special flight or "ferry" permit. Refer to 14 CFR 21.197 for details of special flight permit issuance.

FLIGHT TEST--Flight for the purpose of investigating the flight characteristics of an aircraft/aircraft component or evaluating an applicant for a pilot certificate or rating.

INSTRUCTIONAL--Flying while under the supervision of a flight instructor or receiving air carrier training. Personal proficiency flight operations and personal flight reviews, as required by federal air regulations, are excluded.

OTHER WORK USE--Miscellaneous flight operations conducted for compensation or hire such as construction work (not 14 CFR Part 135 operation), parachuting, aerial advertising, towing gliders, etc.

PERSONAL--Flying for personal reasons (excludes business transportation) including pleasure or personal transportation. This also includes practice or proficiency flights performed under flight instructor supervision and not part of an approved flight training program.

POSITIONING--Non-revenue flight conducted for the primary purpose of relocating the aircraft. Examples include moving the aircraft to a maintenance facility or to load passengers or cargo etc.

UNKNOWN--Use only if the primary purpose of flight is not known.

Other Aircraft--Collision: For all accidents involving a collision with another aircraft, including parked aircraft, check "Collision with other aircraft" under Basic Information and complete this section indicating details about the OTHER aircraft involved in the collision.

Airport Information: Complete this section if the accident/incident occurred on approach, landing, takeoff, departure, or within 3 statute miles of an airport. Please refer to the FAA Airport/Facility Directory or other official source for airport information.

Airport Identifier: Provide the official 3 or 4 character airport identifier number.

Runway: Indicate the number of the runway used, including L, R, or C if applicable.

Runway/Landing Surface: Indicate the type of intended runway/landing surface (do not indicate surface conditions). If the surface type was mixed, check all that apply.

Condition of Runway/Landing Surface: Indicate the condition of the intended runway/landing surface. If multiple conditions existed at the time of the accident, check all that apply.

Weather Information at the Accident/Incident Site: Indicate the weather conditions reported at the accident/incident site at the time of occurrence. If no weather reporting was available for the accident/incident site, indicate the reported conditions at the nearest reporting site. Specify the weather reporting site identifier, the observation time, and distance from the accident/incident.

Sky/Lowest Cloud Condition: Indicate the height above ground level of the lowest cloud condition present at the time of the accident/incident and whether coverage was reported as few, scattered, broken or overcast. Also indicate the height above ground level and coverage of the lowest cloud ceiling present at the time of the accident/incident (reported as broken or overcast).

NOTAMs (D and FDC), AIRMETs, SIGMETs, PIREPs: Describe all NOTAMs (distant (D) or Flight Data Center (FDC), if known), AIRMETs, SIGMETs, and PIREPs in effect near the accident/incident.

Flight Crewmember Information: Indicate the category that best describes the capacity served by this flight crewmember at the time of the accident. The designators "Flight Crewmember 1" and "Flight Crewmember 2" do not refer to a specific pilot position or responsibility. If more than one pilot is aboard, they may be entered in any order and their capacity entered as appropriate.

Degree of Injury: See Definitions on the top half of Page 1 of the instructions. Minor injury is not defined. If an injury does not meet the criteria for another injury category, select Minor.

Date of Last Flight Review or Equivalent: Enter the date of the most recent flight review, or equivalent, completed by this pilot. Refer to 14 CFR 61.56 for accepted equivalents.

Type Ratings: List all type ratings on the pilot certificate. If the pilot holds no type ratings indicate "none." If the pilot holds a pilot certificate other than student and was flying an aircraft requiring an endorsement, enter the type and date of any logbook endorsement(s) for that aircraft. See 14 CFR 61 for examples of required endorsements.

Student Endorsements: If the pilot holds a student pilot certificate, enter all solo endorsements and dates on the student pilot certificate.

Flight Time: Complete the flight time matrix. Solo flight time should be included as "Pilot-in-Command (PIC)" and all dual flight instruction given should be included as "Time as Instructor."

Additional Flight Crewmembers: Complete this section if there were more than two required flight crewmembers on the aircraft. This also includes a check airman performing official duties but does not include cabin crew. State the capacity served by each included crewmember at the time of the accident.

Passenger(s)/Other Personnel: Enter identification and injury severity information for all passengers, cabin crew, and other personnel involved in the accident. See Page 1 of the instructions for the official definition of injury levels.

Several questions throughout the form allow for multiple responses; when appropriate, choose all responses that apply.

These instructions only pertain to major issue areas covered by NTSB Form 6120.1 Pilot/Operator Aircraft Accident/Incident Report. For additional definitions of questions and responses, please refer to www.ntsbgov.

NATIONAL TRANSPORTATION SAFETY BOARD PILOT/OPERATOR AIRCRAFT ACCIDENT/INCIDENT REPORT

This form to be used for reporting civil and public aircraft accidents and incidents

BASIC INFORMATION

Accident/Incident Location

Nearest City/Place: Los Alamos State: NM
 ZIP: 87544 Country: USA
 Latitude: 35.86N Longitude: 106.27W
(Enter in decimal degrees or degrees:minutes:seconds)

Accident/Incident Date/Time

Date: 10/23/2020 Local Time: 20:10
mm/dd/yyyy
 Time Zone: MDT

Collision with Other Aircraft: Midair On-ground ☒ None

AIRCRAFT INFORMATION

Registration Number: N8251M

Manufacturer: Cessna

Model: T210K

Serial Number: 21059251

Year of Manufacture: 1970

Amateur-Built: Yes If Yes: ☐ Kit/Plans Make: _____
☒ No ☐ Original Design

- ☒ IFR-Equipped and Certified
☐ Commercial Space Flight
☐ Unmanned Aircraft

Maximum Gross Weight: 3800 lbs

Weight at Time of Accident/Incident: 3162 lbs

Number of Seats: 6 Flight Crew Seats: 2

Cabin Crew Seats: _____ Passenger Seats: 4

Number of Engines: 1

Category of Aircraft

- ☒ Airplane
☐ Balloon
☐ Blimp/Dirigible
☐ Glider
☐ Gyroplane
☐ Helicopter
☐ Powered Lift
☐ Rocket
☐ Ultralight
☐ Unknown

Type of Airworthiness Certificate

(Check all that apply)

Standard

- ☒ Normal
☐ Aerobatic
☐ Balloon
☐ Commuter
☐ Transport
☐ Utility

Special

- ☐ Restricted
☐ Limited
☐ Provisional
☐ Special Flight
☐ Experimental
☐ Special Light-Sport
☐ Experimental Light-Sport

- ☐ Certificate of Authorization or Waiver (COA)
☐ None ☐ Unknown

Landing Gear

(Check all that apply)

- ☒ Retractable

- ☒ Tricycle ☐ Tailwheel
☐ Amphibian ☐ High Skid
☐ Emergency Float ☐ Skid
☐ Float ☐ Ski
☐ Hull ☐ Ski/Wheel
☐ Other Launch/Recovery System
☐ None ☐ Unknown

Engine Type *(Select one)*

- ☒ Reciprocating ☐ Liquid Rocket
☐ Turbo Shaft ☐ Solid Rocket
☐ Turbo Prop ☐ Hybrid Rocket
☐ Turbo Jet ☐ None
☐ Turbo Fan ☐ Unknown
☐ Electric

Fuel System Type *(Reciprocating)*

- Carburetor ☒ Fuel-Injected

Engine	Engine Manufacturer	Engine Model/Series	Manufacturer's Serial Number	Date of Mfg. <i>mm/dd/yyyy</i>	Rated Power ☒ Horsepower or lbs of Thrust	Total Time (hours)	Time Since: Inspection (hours) Overhaul (hours)
Eng. 1	Continental	TSIO-520H1B	217381-R	01/22/1997	285	3340.98	693.02
Eng. 2							
Eng. 3							
Eng. 4							

Last Inspection Type

- 100-Hour Continuous Airworthiness
 AAIP Conditional Inspection
☒ Annual Unknown

Date Last Inspection: 02/21/2020
mm/dd/yyyy

Airframe Total Time: 7165.08 hrs

hours measured at *(Select one)*

Last Inspection ☒ Time of Accident/Incident

Type of Maintenance Program *(Select one)*

- ☒ Annual
☐ Conditional (Amateur-built only)
☐ Manufacturer's Inspection Program
☐ Other Approved Inspection Program (AAIP)
☐ Continuous Airworthiness
 Other, specify: _____

Description of Fire Extinguishing System

- ☒ None
 Specify: _____

Propeller 1

Fixed Pitch

- ☒ Controllable Pitch
 Ground Adjustable

Manufacturer: McCauley

Model: D3A34C402-C

Propeller 2

☐ Fixed Pitch

- ☐ Controllable Pitch
☐ Ground Adjustable

Manufacturer: _____

Model: _____

ELT Installed: ☒ Yes ☐ No

If Yes:

ELT Manufacturer: Narco

Model or Part No.: ELT-10

TSO No.: ☒ C91 (121.5 MHz) ☐ C91a (121.5 MHz)
☐ C126 (406 MHz)

Was ELT still mounted in aircraft? ☒ Yes ☐ No

Was ELT still connected to antenna? ☒ Yes ☐ No

Did ELT Activate? Yes ☒ No

If activated:

Did ELT Aid in Locating Aircraft: ☐ Yes ☐ No

If not activated:

- Indicate Reason: ☐ Impact Damage
☐ Fire Damage
☐ Battery Expired/Damaged
☐ Unknown

Additional Equipment *(Check all that apply)*

- ☒ ADS-B
☐ Airframe Parachute
☐ Angle of Attack Indicator
☒ Autopilot
☐ Data Recorder
☒ Electronic Flight Bag or Handheld Device
☐ Electronic Multifunction Display
☐ Electronic Primary Flight Display
☐ Handheld GPS
☐ Heads Up Display
☐ Onboard Weather
☐ Satellite Tracking Device
☒ Stall Warning System
☐ Video Recording Device
☐ Other, Specify: _____

OWNER/OPERATOR INFORMATION			
Registered Aircraft Owner		City: <u>Santa Fe</u>	
Name: <u>Traveler Holdings, LLC</u>		State: <u>NM</u>	ZIP: <u>87506</u>
Fractional Ownership Aircraft: Yes ☐ No ☒		Country: <u>USA</u>	
Operator of Aircraft ☒ Same As Registered Owner		☒ Same Address as Registered Owner	
Name: _____		City: _____	
Doing Business As: _____		State: _____	ZIP: _____
Air Carrier/Operator Designator (4 Character Code): _____		Country: _____	
Operating Certificates Held <i>(Check all that apply)</i> ☒ None ☐ Flag Carrier Operating Certificate (FAR 121) ☐ Supplemental ☐ Air Cargo ☐ Foreign Air Carriers (FAR 129) ☐ Rotorcraft External Load (FAR 133) ☐ Commuter Air Carrier (FAR 135) ☐ On-Demand Air Taxi (FAR 135) ☐ Commercial Air Tour (FAR 136) ☐ Agricultural Aircraft (FAR 137) ☐ Pilot School (FAR 141) ☐ Certificate of Authorization or Waiver (COA) ☐ Commercial Space Transportation Experimental Permit ☐ Commercial Space Transportation License ☐ Other Operator of Large Aircraft	Regulation Flight Conducted Under ☒ FAR 91 ☐ FAR 103 ☐ FAR 121 ☐ FAR 125 ☐ FAR 129 ☐ FAR 133 ☐ FAR 135 ☐ FAR 137 ☐ FAR 415 ☐ FAR 431 ☐ FAR 435 ☐ FAR 437 ☐ FAR 91 Special Flight ☐ Non-US, Commercial ☐ Non-US, Non-commercial ☐ Public Aircraft <i>(Select one)</i> ☐ Armed Forces ☐ Federal ☐ State ☐ Local ☐ Unknown	Revenue Operation for FAR 121, 125, 129, 135 <i>(Select one for each group)</i> ☐ Scheduled or Commuter ☐ Non-Scheduled or Air Taxi ☐ Passenger ☐ Cargo ☐ Mail Contract Only ☐ Domestic ☐ International Purpose of Flight for FAR 91, 103, 133, 137 <i>(Select one)</i> Aerial Application Aerial Observation Air Drop Air Race/Show Banner Tow Business Executive/Corporate External Load Ferry Firefighting Flight Test Glider Tow Instructional Other Work Use ☒ Personal Positioning Skydiving Unknown	
Revenue Sightseeing Flight Yes ☐ No ☒	Air Medical Flight Yes ☐ No ☒		
AIRPORT INFORMATION <i>(Fill in if accident/incident occurred on approach, landing, takeoff, departure, or within 3 miles of an airport)</i>			
Airport Name: <u>Los Alamos County Airport</u> Airport Identifier: <u>KLAM</u> Proximity to Airport: Off Airport/Airstrip ☒ On Airport/Airstrip N/A		Distance From Airport Center: <u>0.5</u> sm Direction From Airport: <u>090</u> degrees true Airport Elevation: <u>7171</u> ft. msl	
Runway Information Runway ID: <u>27</u> (L/R/C) Length: <u>6000</u> ft Width: <u>120</u> ft		Condition of Runway/Landing Surface <i>(Check all that apply)</i> ☒ Dry ☐ Holes ☐ Ice Covered ☐ Rough ☐ Rubber Deposits ☐ Slush-Covered ☐ Snow-Compacted ☐ Snow-Crusted ☐ Snow-Dry ☐ Snow-Wet ☐ Soft ☐ Vegetation ☐ Water-Calm ☐ Water-Choppy ☐ Water-Glassy ☐ Wet ☐ Unknown	
Runway/Landing Surface <i>(Check all that apply)</i> ☒ Asphalt ☐ Concrete ☐ Dirt ☐ Grass/Turf ☐ Gravel ☐ Ice ☐ Macadam ☐ Metal/Wood ☐ Snow ☐ Water ☐ Unknown			
Approach/Departure Segment <i>(Select one)</i> Taxi Takeoff Initial Climb VFR Departure IFR Departure Procedure/Clearance On Instrument Approach ☒ Landing Downwind Base Final Crosswind Low Approach Go Around Aborted Landing (after touchdown) Unknown			
IFR Approach <i>(Check all that apply)</i> ☒ None ☐ ADF/NDB ☐ SDF ☐ VOR/TVOR ☐ VOR/DME ☐ TACAN ☐ PAR ☐ Sidestep ☐ ILS ☐ Localizer Only ☐ LOC-back course ☐ RNAV ☐ MLS ☐ LDA ☐ ASR ☐ Visual ☐ Contact ☐ Circling ☐ Practice ☐ GPS ☐ Unknown		VFR Approach <i>(Check all that apply)</i> ☐ None ☒ Traffic Pattern ☐ Straight-In ☐ Valley/Terrain Following ☐ Go Around ☐ Full Stop ☐ Stop and Go ☐ Touch and Go ☐ Simulated Forced Landing ☐ Forced Landing ☐ Precautionary Landing ☐ Unknown	

“FLIGHT CREWMEMBER 2” INFORMATION											
“Flight Crewmember 2” Responsibilities at the Time of Accident/Incident											
Pilot		Co-Pilot		Student Pilot		Flight Instructor		Check Pilot		Flight Engineer ☒ Other Flight Crew	
“Flight Crewmember 2” was pilot flying ☐ Yes ☒ No											
“Flight Crewmember 2” Identification											
First Name: <u>Brian</u>						City of Residence: <u>Los Alamos</u>					
Middle Initial: <u>G</u>						State: <u>NM</u>			ZIP: <u>87544</u>		
Last Name: <u>Smith</u>						Country: <u>USA</u>					
Age at time of Accident/Incident: <u>62</u>				Date of Birth: <u>[REDACTED] 58</u> mm/dd/yyyy							
Certificate Number: <u>[REDACTED]</u>											
Degree of Injury ☒ None ☐ Fatal ☐ Minor ☐ Unknown ☐ Serious			Seat Occupied ☒ Left ☐ Front ☐ Unknown ☐ Right ☐ Rear ☐ Center ☐ Single			Restraint Type Available ☐ None ☐ Lap only ☒ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used None Lap only ☒ 3-point 4-point 5-point Unknown			Inflatable Restraints ☒ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown		
Pilot Certificate(s) (<i>Check all that apply</i>) ☐ None ☒ Flight Instructor ☐ Commercial ☐ US Military ☐ Private ☐ Recreational ☒ Airline Transport ☐ Foreign ☐ Student ☐ Sport ☐ Flight Engineer											
Principal Occupation ☐ Pilot ☒ Other ☐ Unknown		Medical Certificate ☒ None ☐ Class 3 ☐ Class 1 ☐ Driver's License (Sport Pilot only) ☐ Class 2 ☐ Unknown				Medical Certificate Validity ☒ Without limitations/waivers ☐ Unknown ☐ With limitations/waivers ☐ N/A ☐ Special Issuance			Date of Last Medical <u>06/30/2019</u> mm/dd/yyyy		
Medical Certificate Limitations											
Basic Medical Certificate											
Medical Certificate Special Issuance											
Date of Last Flight Review or Equivalent, Including FAR 121/135 Checks: <u>05/16/2020</u> mm/dd/yyyy						Flight Review Aircraft Make: <u>Cessna</u> Model: <u>T210K</u>					
Airplane Rating(s) <i>(Check all that apply)</i> ☐ None ☒ Single-Engine Land ☐ Single-Engine Sea ☒ Multiengine Land ☐ Multiengine Sea		Other Aircraft Rating(s) <i>(Check all that apply)</i> ☐ None ☐ Airship ☐ Balloon ☐ Glider ☐ Gyroplane ☐ Helicopter ☐ Powered Lift		Instrument Rating(s) <i>(Check all that apply)</i> ☐ None ☒ Airplane ☐ Helicopter ☐ Powered Lift		Instructor Rating(s) <i>(Check all that apply)</i> ☐ None ☒ Instrument Airplane ☒ Airplane Single-Engine ☐ Instrument Helicopter ☒ Airplane Multi-Engine ☐ Helicopter ☐ Gyroplane ☐ Glider ☐ Powered Lift ☐ Sport					
Type Ratings						Student Endorsements (<i>Include dates</i>)					
Flight Time (<i>Enter appropriate number of hours in each box</i>)		All Aircraft	This Make & Model	Airplane Single Engine	Airplane Multiengine	Night	Instrument		Rotorcraft	Glider	Lighter Than Air
							Actual	Simulated			
Total Time	2,933	143	2,849	84	300		8	292	0	0	0
Pilot in Command (PIC)	2,616	133	2,532	64	260		6	292	0	0	0
Time as Instructor	1,626	39	1,626	0	250		3	0	0	0	0
This Make/Model					18		1	23			
Last 90 Days	27	12	27	0	1		0	4	0	0	0
Last 30 Days	17	5	17	0	1		0	4	0	0	0
Last 24 Hours	1	1	1	0	1		0	0	0	0	0

ADDITIONAL FLIGHT CREWMEMBERS (Exclusive of cabin crew, complete the following information)							
Crew Name and Address First Name: _____ City of Residence: _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____		Seat Occupied ☐ Left ☐ Center ☐ Right ☐ Front ☐ Rear ☐ Single ☐ Unknown		Injury ☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown			
Pilot Certificate(s) (Check all that apply) ☐ None ☐ Flight Instructor ☐ Commercial ☐ US Military ☐ Private ☐ Recreational ☐ Airline Transport ☐ Foreign ☐ Student ☐ Sport ☐ Flight Engineer		Restraint Type: Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		Inflatable Restraints ☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown			
Type Rating/Endorsement for Accident/Incident Aircraft? ☐ Yes ☐ No		Total Flight Time at the Time of this Accident/Incident: _____ hrs					
Crew Name and Address First Name: _____ City of Residence: _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____		Seat Occupied ☐ Left ☐ Center ☐ Right ☐ Front ☐ Rear ☐ Single ☐ Unknown		Injury ☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown			
Pilot Certificate(s) (Check all that apply) ☐ None ☐ Flight Instructor ☐ Commercial ☐ US Military ☐ Private ☐ Recreational ☐ Airline Transport ☐ Foreign ☐ Student ☐ Sport ☐ Flight Engineer		Restraint Type: Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		Inflatable Restraints ☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown			
Type Rating/Endorsement for Accident/Incident Aircraft? ☐ Yes ☐ No		Total Flight Time at the Time of this Accident/Incident: _____ hrs					
PASSENGER(S) / OTHER PERSONNEL (Include cabin crew; continue on separate sheet if necessary)							
Name and Address First Name: _____ City : _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other		Seat ☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	Injury ☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		Inflatable Restraints ☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	Age ☐ Under 5 years <i>If Under 5,</i> ☐ Child Restraint ☐ Lap-Held ☐ Unknown
Name and Address First Name: _____ City : _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other		Seat ☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	Injury ☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		Inflatable Restraints ☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	Age ☐ Under 5 years <i>If Under 5,</i> ☐ Child Restraint ☐ Lap-Held ☐ Unknown
Name and Address First Name: _____ City : _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other		Seat ☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	Injury ☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		Inflatable Restraints ☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	Age ☐ Under 5 years <i>If Under 5,</i> ☐ Child Restraint ☐ Lap-Held ☐ Unknown
Name and Address First Name: _____ City : _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other		Seat ☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	Injury ☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		Inflatable Restraints ☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	Age ☐ Under 5 years <i>If Under 5,</i> ☐ Child Restraint ☐ Lap-Held ☐ Unknown

FLIGHT ITINERARY INFORMATION						
Last Departure Point Airport ID: <u>KLAM</u> City: <u>Los Alamos</u> State: <u>NM</u> Country: <u>USA</u>		Time of Departure Time: <u>2000</u> Time Zone: <u>MDT</u>		Destination Airport ID: <u>KLAM</u> City: <u>Los Alamos</u> State: <u>NM</u> Country: <u>USA</u>		Type Flight Plan Filed ☒ None VFR/IFR ☐ Company VFR IFR ☐ Military VFR Unknown ☐ VFR Activated? ☐ Yes ☐ No ☐ Unknown
Type of ATC Clearance/Service (Check all that apply) ☒ None ☐ Special VFR ☐ Special IFR ☐ VFR Flight Following ☐ Cruise ☐ VFR ☐ IFR ☐ VFR On Top ☐ Traffic Advisory ☐ Unknown / NA						
Airspace where the accident/incident occurred (Check all that apply) ☐ Class A ☐ Class G ☐ Military Operations Area (MOA) ☐ Special ☐ Class B ☐ Demo Area ☐ Airport Advisory Area ☐ Air Traffic Control Area ☐ Class C ☐ Warning Area ☐ Jet Training Area ☐ Unknown ☐ Class D ☐ Prohibited Area ☐ TRSA ☐ FAR 93 ☒ Class E ☐ Restricted Area					Altitude of In-Flight Occurrence: _____ ft msl	
WEATHER INFORMATION AT THE ACCIDENT/INCIDENT SITE						
Source of Pilot Weather Information (Check all that apply) ☐ National Weather Service ☐ Flight Service Station ☐ TV/Radio ☐ Automated Report ☐ Commercial Weather Service (DUATS) ☒ On-Board Weather ☐ Company ☐ Military ☒ Internet ☐ None ☐ Unknown			Weather Observation Facility Facility ID: <u>KLAM</u> Observation Time: <u>2000</u> Time Zone: <u>MST</u> Distance from Accident Site: <u>0</u> nm Direction from Accident Site: _____ degrees true			
Basic Conditions ☒ VMC ☐ IMC ☐ Unknown		Light Condition Dawn Day Dusk Night ☒ Dark Night Bright Night Unknown				
Sky/Lowest Cloud Condition ☒ Clear ☐ Few ☐ Partial Obscuration ☐ Scattered ☐ Thin Broken ☐ Thin Overcast ☐ Unknown Lowest Cloud Condition Height _____ ft agl		Ceiling ☒ None (Clear) ☐ Broken ☐ Overcast ☐ Obscured ☐ Indefinite ☐ Unknown Ceiling Height _____ ft agl		Temperature: _____ (C) or <u>est 50</u> (F) Dew Point: _____ (C) or _____ (F) Altimeter Setting: <u>unk</u> in. Hg or _____ MB		
Wind Direction ☐ Variable -or- Direction: <u>180</u> degrees true	Wind Speed ☐ Calm ☐ Light and Variable -or- Speed: <u>9</u> kts	Wind Gusts ☒ Not Gusting -or- Speed: _____ kts	Visibility <u>Unrestricted</u> miles RVR: _____ feet RVV: _____ miles Density Altitude: <u>Unk</u> ft			
Intensity of Precipitation ☐ Light ☐ Moderate ☐ Heavy ☐ N/A ☐ Unknown	Type of Precipitation (Check all that apply) ☒ None ☐ Rain ☐ Snow ☐ Hail ☐ Rain Showers ☐ Drizzle ☐ Ice Pellets ☐ Snow Pellets ☐ Snow Grains ☐ Ice Crystals ☐ Freezing Rain ☐ Snow Shower ☐ Ice Pellets Shower ☐ Freezing Drizzle		Restriction to Visibility (Check all that apply) ☒ None ☐ Blowing Dust ☐ Blowing Sand ☐ Blowing Snow ☐ Blowing Spray ☐ Dust ☐ Fog ☐ Ground Fog ☐ Haze ☐ Ice Fog ☐ Smoke ☐ Unknown			
Icing Forecast Amount ☒ None ☐ Trace ☐ Light ☐ Moderate ☐ Severe ☐ Unknown Type ☐ N/A ☐ Rime ☐ Clear ☐ Mixed ☐ Unknown	Icing Actual Amount ☒ None ☐ Trace ☐ Light ☐ Moderate ☐ Severe ☐ Unknown Type ☐ N/A ☐ Rime ☐ Clear ☐ Mixed ☐ Unknown		Turbulence Type (Check all that apply) ☒ None ☐ Clear Air ☐ Terrain-Induced ☐ Convective Turbulence Severity ☐ Light ☐ Moderate ☐ Severe ☐ Extreme			
NOTAMs (D and FDC), AIRMETs, SIGMETs, PIREPs in effect at the time of the accident/incident: <u>None</u>						

DAMAGE TO AIRCRAFT AND OTHER PROPERTY**Aircraft Damage**

None ☒ Substantial
Minor Destroyed
Unknown

Aircraft Fire

☒ None Both Ground and In-Flight
In-Flight Fire at Unknown Time
On-Ground Unknown

Aircraft Explosion

☒ None Both Ground and In-Flight
In-Flight Explosion at Unknown Time
On-Ground Unknown

Description of Damage to Aircraft and Other Property *(Use additional sheet if necessary)*

Belly landing with gear retracted. Damage to prop, belly skins aft of front door post, belly antennas, belly strobe lens and bulb

NARRATIVE HISTORY OF FLIGHT *(Please type or print in ink)*

Describe what occurred in chronological order, including circumstances leading to and nature of accident/incident. Describe terrain and include wreckage distribution sketch if pertinent. Attach extra sheets if needed. State departure time and location, services obtained, and intended destination. Provide as much detail as possible.

A night currency flight for Brian and John was discussed early Friday morning October 23. The plan was to communicate again after the noon (MDT) TAF cycle came out since the forecast winds were to be from the south/southeast in the upper teens with gusts into the low 20's KTS in the afternoon but decline to 140/10 by 1900 local. The noon TAF indicated that at 1900, local time, the wind forecast was 140/10. We decided to go ahead with the proposed flight. At approximately 1940 local time Brian Smith checked the 1800 local TAF for KSAF where the winds were now forecast to be higher than earlier but thought to be manageable. Since the winds favored runway 15, NOTAMS were checked for KSAF and the REIL for runway 15 was noted out of service, along with several taxiway closures. The area forecast discussion was reviewed, all through Fore Flight. We met at KLAM approximately 1830 to preflight the plane.

The plan was to go to KSAF then switch pilot seats. Brian Smith started in the left seat as PIC and pilot flying and we departed KLAM at approximately one hour after published sunset of 18:18 local.

Brian entered the pattern at KSAF, from the Northwest, right base for runway 20. Runway 20 was selected because it offered the opportunity for cross wind practice, the runway was more visible since the REIL could be clearly seen and incoming Air Force trainers, Texans, were utilizing that runway. On approach I was told to side-step the approach path to the right for incoming faster traffic and expect to enter right base. I asked for a left downwind for runway 2, cross the airport midfield and enter left downwind for 20 so we could establish visual contact with the incoming Texan. I was told to cross runway 20 at the airport south boundary for left downwind to runway 20. On left downwind tower advised there were multiple Texans inbound and stop and go operations would be limited, we were then cleared for the option runway 20 and told not to remain on the runway for longer than 2 minutes. We successfully completed the stop and go and entered left downwind for 20. Tower cleared us for a short approach for 20 and was advised there was another aircraft on the RNAV 20 approach. We had visual contact with the incoming traffic, a Gulfstream, and asked to follow traffic in sight. Tower advised that the traffic was 12 miles out. Not feeling comfortable with all of the traffic and limited taxiway access, Brian decided to head back to KLAM to complete night currency without the conflict of multiple inbound and limited ground maneuvering.

Brian entered the pattern at KLAM for RW27 - wind was 180/9, completed the landing and taxied to the end of the runway, made a 180 degree turn and configured the plane for takeoff on RW09, made calls to traffic and departed for teardrop pattern to the northeast to return. The landing was performed without incident. This procedure was repeated again for the third landing. During the roll out, Mr. Heineman informed me that he would shoot his 3 landings from the right seat. I agreed and taxied the plane down to the departure end of RW09 and turned control of the aircraft over to Mr. Heineman at his request.

John Heineman Statement:

I took over control of the aircraft and accepted PIC duties from Mr. Smith after he completed his 3 take-offs and landings at the departure end of RW09. I made communication to traffic about the imminent departure and the plan to enter a northeast teardrop pattern and return for a full stop landing. On final approach, a crab was established to correct for the south crosswind, at the time around 180 @ 9kts. I verbally announced the landing checklist, ACGUMPS after turning to final at about 5 miles out. When I stated "undercarriage", I pointed to the gear handle and said gear down, but I did not actuate the handle to the down position, and Brian did not notice the amber light was still illuminated. During my flare, Brian thought the nose was very close to the ground, and said so. I think we both may have pulled on the yoke at the same instant. After an oscillation or two, Brian noticed the amber light was still illuminated, but it was too late. I landed a bit nose high, but otherwise I would not consider it a hard landing. I slid down the runway about 1200 feet and came to a stop with the nose pointed slightly to the north and wings almost level. Brian quickly secured the fuel selector, mixture control, magnetos and master switch before we departed the plane.

Joint Statement:

After confirming no injuries we became concerned about the disabled aircraft on the runway on a dark night and started a notification process so that a NOTAM to close the airport could be issued. John called the airport number [REDACTED], no answer. John then called the emergency number, 911, to see if they could contact someone to publish an "airport closed" NOTAM. They asked if there were any injuries or fire. John stated there were none, and the dispatcher said they would not be sending out rescue. Brian called the previous airport manager's cell, [REDACTED], which Brian believed is a Los Alamos County cell phone and not a personal phone. There was no answer, and the voice mailbox was full. We attribute this to the fact that the airport manager had recently left his job, and the County had not yet found a replacement. John then got the hand-held radio out of the plane, to keep the runway lights illuminated, and to warn any arriving traffic, while Brian went to get a truck to provide more illumination of the disabled aircraft. Brian noticed the on field mechanic was

DAMAGE TO AIRCRAFT AND OTHER PROPERTY**Aircraft Damage**

None ☒ Substantial
Minor Destroyed
Unknown

Aircraft Fire

☒ None Both Ground and In-Flight
In-Flight Fire at Unknown Time
On-Ground Unknown

Aircraft Explosion

☒ None Both Ground and In-Flight
In-Flight Explosion at Unknown Time
On-Ground Unknown

Description of Damage to Aircraft and Other Property (Use additional sheet if necessary)

Belly landing with gear retracted. Damage to prop, belly skins aft of front door post, belly antennas, belly strobe lens and bulb

NARRATIVE HISTORY OF FLIGHT (Please type or print in ink)

Describe what occurred in chronological order, including circumstances leading to and nature of accident/incident. Describe terrain and include wreckage distribution sketch if pertinent. Attach extra sheets if needed. State departure time and location, services obtained, and intended destination. Provide as much detail as possible.

the traffic was 12 miles out. Not feeling comfortable with all of the traffic and limited taxiway access, Brian decided to head back to KLAM to complete night currency without the conflict of multiple inbound and limited ground maneuvering.

Brian entered the pattern at KLAM for RW27 - wind was 180/9, completed the landing and taxied to the end of the runway, made a 180 degree turn and configured the plane for takeoff on RW09, made calls to traffic and departed for teardrop pattern to the northeast to return. The landing was performed without incident. This procedure was repeated again for the third landing. During the roll out, Mr. Heineman informed me that he would shoot his 3 landings from the right seat. I agreed and taxied the plane down to the departure end of RW09 and turned control of the aircraft over to Mr. Heineman at his request.

John Heineman Statement:

I took over control of the aircraft and accepted PIC duties from Mr. Smith after he completed his 3 take-offs and landings at the departure end of RW09. I made communication to traffic about the imminent departure and the plan to enter a northeast teardrop pattern and return for a full stop landing. On final approach, a crab was established to correct for the south crosswind, at the time around 180 @ 9kts. I verbally announced the landing checklist, ACGUMPS after turning to final at about 5 miles out. When I stated "undercarriage", I pointed to the gear handle and said gear down, but I did not actuate the handle to the down position, and Brian did not notice the amber light was still illuminated. During my flare, Brian thought the nose was very close to the ground, and said so. I think we both may have pulled on the yoke at the same instant. After an oscillation or two, Brian noticed the amber light was still illuminated, but it was too late. I landed a bit nose high, but otherwise I would not consider it a hard landing. I slid down the runway about 1200 feet and came to a stop with the nose pointed slightly to the north and wings almost level. Brian quickly secured the fuel selector, mixture control, magnetos and master switch before we departed the plane.

Joint Statement:

After confirming no injuries we became concerned about the disabled aircraft on the runway on a dark night and started a notification process so that a NOTAM to close the airport could be issued. John called the airport number [REDACTED] no answer. John then called the emergency number, 911, to see if they could contact someone to publish an "airport closed" NOTAM. They asked if there were any injuries or fire. John stated there were none, and the dispatcher said they would not be sending out rescue. Brian called the previous airport manager's cell, [REDACTED] which Brian believed is a Los Alamos County cell phone and not a personal phone. There was no answer, and the voice mailbox was full. We attribute this to the fact that the airport manager had recently left his job, and the County had not yet found a replacement. John then got the hand-held radio out of the plane, to keep the runway lights illuminated, and to warn any arriving traffic, while Brian went to get a truck to provide more illumination of the disabled aircraft. Brian noticed the on-field mechanic was still present at his hangar, told him of our situation and he accompanied Brian to the aircraft to assess the situation and to see what assistance he could provide. While Brian was retrieving the truck, John spoke to ABQ Center and told them about the situation. John had multiple subsequent cell phone conversations with the FAA and NTSB. He was told by the FAA that the airport manager had to issue the notam to close the runway, leaving us no choice but to remove the aircraft from the runway immediately to prevent the possibility of a collision with traffic taking off or landing. We pulled the plane off the north side of the runway and the mechanic dispatched a trailer with a winch to secure the plane in a borrowed hangar for the night.

During the aircraft recovery, John and Brian had a speaker phone conversation with NTSB officials in Seattle who inquired about our situation, our plan for the plane, took personal information such as DOB, email addresses, certification numbers and asked for a synopsis of the flight. At that time, they thought the damage was minor (not sure if accident or incident) based on the damage description but said that determination would be made after receiving photos. The NTSB told us to go ahead and move the plane as planned. Brian and John later received an email from Joshua Cawthra, Senior Aviation Accident Investigator, NTSB, 32125 32nd Ave South, Suite 140 Federal Way, WA establishing contact and thanking us.

The plane was then pulled onto the trailer stowed in a loaner hangar. While sliding the plane onto the trailer, Officer Brent Hudspeth from the Los Alamos Police Department arrived to provide assistance. We departed the field at approximately 23:00 local time with a plan to return the next day at 10:00 local to jack the plane off the trailer and lower the landing gear with the permission of the NTSB.

The following morning, John confirmed with the NTSB that the airplane could be jacked up, the gear extended, and the aircraft moved to our hangar, which was accomplished. The plane returned to its own hangar around 4:30PM and remains there.

RECOMMENDATION (How could this accident/incident have been prevented?)															
Operator/Owner Safety Recommendation Flying pilot should have used long established procedures for verifying gear in down and locked position. Possibility exists that Bose noise cancelling headsets may have contributed to pilot not hearing gear warning horn. Also possibility exists that throttle was in an advanced position, not activating gear warning horn until I settled on the runway.															
MECHANICAL MALFUNCTION/FAILURE (If more space is needed, continue on separate sheet)															
Was there Mechanical Malfunction/Failure? ☐ Yes ☒ No <i>(If yes, list the name of the part, manufacturer, part no., serial no., and describe the failure.)</i>			Total Time/Cycles On Part _____ Hours _____ Cycles Time Since This Part Inspected/Overhauled _____ Hours												
FUEL & SERVICES INFORMATION															
Fuel on Board at Last Takeoff <i>(Convert from pounds, as necessary)</i> <u>71</u> _____ Gallons	Fuel Type <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">80/87</td> <td style="width: 25%;">115/145</td> <td style="width: 25%;">Jet B</td> <td style="width: 25%;">Other, specify _____</td> </tr> <tr> <td>☒ 100 Low Lead</td> <td>Jet A</td> <td>JP8</td> <td></td> </tr> <tr> <td>100/130</td> <td>Jet A-1</td> <td>Automotive</td> <td></td> </tr> </table>			80/87	115/145	Jet B	Other, specify _____	☒ 100 Low Lead	Jet A	JP8		100/130	Jet A-1	Automotive	
80/87	115/145	Jet B	Other, specify _____												
☒ 100 Low Lead	Jet A	JP8													
100/130	Jet A-1	Automotive													
Other Services, if Any, Prior to Departure															
EVACUATION OF AIRCRAFT															
Was an emergency evacuation of the aircraft performed? ☒ Yes ☐ No															
Method of Exit – Describe how the occupants exited and how many occupants evacuated each location 2 front seat occupants exited the aircraft via left and right doors															
OTHER AIRCRAFT – COLLISION (If air or ground collision occurred, complete this section for <i>other</i> aircraft)															
Aircraft Registration Number _____	Manufacturer: _____ Model: _____		Damage to Other Aircraft <table style="width: 100%; border: none;"> <tr> <td>☐ Destroyed</td> <td>☐ Minor</td> </tr> <tr> <td>☐ Substantial</td> <td>☐ None</td> </tr> </table>	☐ Destroyed	☐ Minor	☐ Substantial	☐ None								
☐ Destroyed	☐ Minor														
☐ Substantial	☐ None														
Registered Owner of Other Aircraft Name: _____ City: _____ State: _____ ZIP: _____ Country: _____		Pilot of Other Aircraft Name: _____ City: _____ State: _____ ZIP: _____ Country: _____													

ADDITIONAL INFORMATION (Please type or print in ink)

Use this space if additional space is needed for any answers.

I HEREBY CERTIFY THAT THE ABOVE INFORMATION IS COMPLETE AND ACCURATE TO THE BEST OF MY KNOWLEDGE

Date of this Report <u>11/05/2020</u> <i>mm/dd/yyyy</i>	Name of Pilot/Operator: <u>John Robert Heineman</u> Signature:  -- or -- ☒ Check here to electronically sign this document
--	--

If a Person Other than Pilot/Operator is Filing Report

Name: _____	Title: _____
Signature: _____	
-- or -- ☐ Check here to electronically sign this document	

FOR NTSB USE ONLY

NTSB Accident/Incident No. WPR21LA028	Reviewed by NTSB Regional Office AS-WPR	Name of Investigator Tealeye Cornejo	Date Report Received
---	---	--	-----------------------------

ADDITIONAL INFORMATION (Please type or print in ink)

Use this space if additional space is needed for any answers.

I HEREBY CERTIFY THAT THE ABOVE INFORMATION IS COMPLETE AND ACCURATE TO THE BEST OF MY KNOWLEDGE

Date of this Report 11/05/2020 Name of Pilot/Operator: John Robert Heineman
mm/dd/yyyy Signature: [REDACTED]
-- or -- ☒ Check here to electronically sign this document

If a Person Other than Pilot/Operator is Filing Report

Name: _____ Title: _____
Signature: _____
-- or -- ☐ Check here to electronically sign this document

FOR NTSB USE ONLY

NTSB Accident/Incident No. WPR21LA028	Reviewed by NTSB Regional Office AS-WPR	Name of Investigator Tealeye Cornejo	Date Report Received 11/10/2021
--	--	---	------------------------------------