

NATIONAL TRANSPORTATION SAFETY BOARD

NTSB Form 6120.1

PILOT/OPERATOR AIRCRAFT ACCIDENT/INCIDENT REPORT

Email the pilot/operator aircraft accident/incident report to the investigator-in-charge of your accident/incident. If email is not available, mail the report per the instructions below.

If your accident/incident occurred in Maine, Vermont, New Hampshire, Massachusetts, Connecticut, Rhode Island, New York, New Jersey, Pennsylvania, Maryland, Delaware, Virginia, West Virginia, Kentucky, Tennessee, North Carolina, South Carolina, Mississippi, Alabama, Georgia, Florida, the District of Columbia, Puerto Rico, or the US Virgin Islands, send the form to: NTSB, ERA, 45065 Riverside Parkway, Ashburn, VA 20147.

If your accident/incident occurred in Ohio, Michigan, Indiana, Wisconsin, Illinois, Minnesota, Iowa, Missouri, Arkansas, Louisiana, North Dakota, South Dakota, Nebraska, Kansas, Oklahoma, Texas, Colorado, or New Mexico, send the form to: NTSB, CEN, 4760 Oakland Street, Suite 500, Denver, CO 80239.

If your accident/incident occurred in Montana, Wyoming, Idaho, Utah, Arizona, Nevada, Washington, Oregon, California, Hawaii, or the territories of Guam or American Samoa, send the form to: NTSB, WPR, 505 South 336th Street, Suite 540, Federal Way, WA 98003.

If your accident/incident occurred in Alaska, send the form to: NTSB, ANC, 222 West 7th Avenue, Room 216, Box 11, Anchorage, AK 99513.

Rules pertaining to notification of aircraft accidents and incidents, as well as overdue aircraft are found in 49 *Code of Federal Regulations* (CFR) Part 830 http://www.ecfr.gov/cgi-bin/text-idx?c=ecfr&tpl=/ecfrbrowse/Title49/49cfr830_main_02.tpl. These rules state the authority of the NTSB, define accidents, incidents, injuries, and other terms, and provide procedures for initial and immediate notification of accidents and incidents by aircraft pilots/operators.

A. APPLICABILITY

The pilot/operator of an aircraft shall send a report to the office listed above, based on accident/incident location; immediate notification is required by 49 CFR 830.5(a). **The report shall be filed within 10 days after an accident for which notification is required by Section 830.5, or after 7 days if an overdue aircraft is still missing.**

An aircraft accident, as defined in 49 CFR 830.2, is determined as an occurrence that involves a fatality or serious injury, or substantial damage to the aircraft. For occurrences that do not involve a fatality, the determination that the occurrence is an accident can be appealed by writing to the Director, Office of Aviation Safety, NTSB, 490 L'Enfant Plaza, S.W., Washington, D.C. 20594.

INSTRUCTIONS TO PILOTS/OPERATORS FOR COMPLETING THIS FORM

It is necessary that ALL questions on this report be answered completely and accurately.

If more space is needed, continue on a blank sheet of paper.

Nearest City/Place: Use the name of the nearest community in the state where the accident/incident occurred.

Date/Time: Indicate the date and local time of the event. Be sure to indicate the time zone.

Phase of Operation: Indicate the phase of operation during which the accident/incident occurred.

Aircraft Information: Enter aircraft make and model information as indicated on the aircraft registration certificate, including series. If the involved aircraft is certified as "amateur-built," include the name of the producer of the kit or plans, unless an NTSB employee instructs otherwise.

Maximum Gross Weight: Enter the certificated maximum gross weight for the aircraft involved in the occurrence. This should be the same as the maximum gross weight indicated on the aircraft weight and balance documents.

Engine: Enter engine make and model information as indicated on the engine data plate.

The NTSB uses this form for aircraft accident prevention activities and for statistical purposes. NTSB regulations (49 CFR Part 830) require that **ALL** questions be answered completely and accurately. Completion of this form will take approximately 60 minutes. The NTSB does not guarantee the privacy of any information provided in this form. You need not complete this form unless it displays a valid OMB control number, in accordance with 5 C.F.R. § 1320.5(b), which applies to this collection of information.

B. DEFINITIONS

1. "Aircraft Accident" means an occurrence associated with the operation of an aircraft that takes place between the time any person boards the aircraft with the intention of flight and all such persons have disembarked, and in which any person suffers death, or serious injury, or in which the aircraft receives substantial damage. For purposes of this form, the definition of "aircraft accident" includes "unmanned aircraft accident," as defined at 49 CFR 830.2.

2. "Substantial Damage" means damage or failure that adversely affects the structural strength, performance or flight characteristics of the aircraft, and that would normally require major repair or replacement of the affected component. NOTE: Engine failure or damage limited to an engine if only one engine fails or is damaged, bent fairing or cowl, dented skin, small puncture holes in the skin or fabric, ground damage to rotor or propeller blades, and damage to landing gear, wheels, tires, flaps, engine accessories, brakes, or wing tips are not considered "substantial damage" for purposes of this report.

3. "Operator" means any person who causes or authorizes the operation of an aircraft, such as the owner, lessee, or bailee of an aircraft.

4. "Fatal Injury" means any injury that results in death within thirty (30) days of the accident.

5. "Serious Injury" means any injury that (1) requires hospitalization for more than 48 hours, commencing within 7 days from the date the injury was received; (2) results in a fracture of any bone (except simple fracture of fingers, toes, or nose); (3) causes severe hemorrhages, nerve, muscle, or tendon damage; (4) involves injury to any internal organ; or (5) involves second- or third-degree burns, or any burns affecting more than 5 percent of the body surface.

Type of Fire Extinguishing System: If a fire extinguishing system was used to fight an aircraft fire, specify the type(s) of extinguishing system(s) used. Examples include handheld extinguisher, engine fire bottle, cargo/baggage compartment fire suppression system, or airport emergency ground equipment.

Owner/Operator Information: Enter the owner information as shown on the registration certificate. Commercial operators, enter the operator information, including "doing business as" when applicable, as shown on the operator certificate.

Revenue Sightseeing Flight: Indicate whether the accident aircraft was conducting **revenue** sightseeing operations under 14 CFR Part 91 at the time of the accident.

Air Medical Flight: Indicate whether the accident flight was being conducted for the purpose of carrying medical personnel, patient(s), or organs.

Public Aircraft: Federal, state or local government flight operations such as official travel, law-enforcement, low-level observation, aerial application, firefighting, search and rescue, biological or geological resource management, or aeronautical research. Indicate whether the flight was conducted by the armed forces, federal, state, or local government.

Purpose of Flight: 14 CFR Parts 91, 103, 133, 136, and 137: Indicate the type of operation that was being conducted at the time of the occurrence using the following definitions:

AERIAL APPLICATION--Operations using an aircraft to perform aerial application or dispersion of any substance. Examples include agricultural, health, forestry, cloud seeding, firefighting, insect control, etc.

AERIAL OBSERVATION--These flights include aerial mapping/photography, patrol, search and rescue, hunting, highway traffic advisory, ranching, surveillance, oil and mineral exploration, criminal pursuit, fish spotting, etc.

AIR DROP--Aerial operations, other than aerial application, that are intended to release items in flight.

AIR RACE/SHOW--Includes any flight operations conducted as part of an organized air race or public demonstration.

BUSINESS--includes all personal flying without a paid professional crew for reasons associated with furthering a business, including transportation to and from business meetings or work. This does not include corporate/executive operations, air taxi, or commuter operations.

EXECUTIVE/CORPORATE--Company flying with a paid, professional crew.

FERRY--Non-revenue flight under a special flight or "ferry" permit. Refer to 14 CFR 21.197 for details of special flight permit issuance.

FLIGHT TEST--Flight for the purpose of investigating the flight characteristics of an aircraft/aircraft component or evaluating an applicant for a pilot certificate or rating.

INSTRUCTIONAL--Flying while under the supervision of a flight instructor or receiving air carrier training. Personal proficiency flight operations and personal flight reviews, as required by federal air regulations, are excluded.

OTHER WORK USE--Miscellaneous flight operations conducted for compensation or hire such as construction work (not 14 CFR Part 135 operation), parachuting, aerial advertising, towing gliders, etc.

PERSONAL--Flying for personal reasons (excludes business transportation) including pleasure or personal transportation. This also includes practice or proficiency flights performed under flight instructor supervision and not part of an approved flight training program.

POSITIONING--Non-revenue flight conducted for the primary purpose of relocating the aircraft. Examples include moving the aircraft to a maintenance facility or to load passengers or cargo etc.

UNKNOWN--Use only if the primary purpose of flight is not known.

Other Aircraft--Collision: For all accidents involving a collision with another aircraft, including parked aircraft, check "Collision with other aircraft" under Basic Information and complete this section indicating details about the OTHER aircraft involved in the collision.

Airport Information: Complete this section if the accident/incident occurred on approach, landing, takeoff, departure, or within 3 statute miles of an airport. Please refer to the FAA Airport/Facility Directory or other official source for airport information.

Airport Identifier: Provide the official 3 or 4 character airport identifier number.

Runway: Indicate the number of the runway used, including L, R, or C if applicable.

Runway/Landing Surface: Indicate the type of intended runway/landing surface (do not indicate surface conditions). If the surface type was mixed, check all that apply.

Condition of Runway/Landing Surface: Indicate the condition of the intended runway/landing surface. If multiple conditions existed at the time of the accident, check all that apply.

Weather Information at the Accident/Incident Site: Indicate the weather conditions reported at the accident/incident site at the time of occurrence. If no weather reporting was available for the accident/incident site, indicate the reported conditions at the nearest reporting site. Specify the weather reporting site identifier, the observation time, and distance from the accident/incident.

Sky/Lowest Cloud Condition: Indicate the height above ground level of the lowest cloud condition present at the time of the accident/incident and whether coverage was reported as few, scattered, broken or overcast. Also indicate the height above ground level and coverage of the lowest cloud ceiling present at the time of the accident/incident (reported as broken or overcast).

NOTAMs (D and FDC), AIRMETs, SIGMETs, PIREPs: Describe all NOTAMs (distant (D) or Flight Data Center (FDC), if known), AIRMETs, SIGMETs, and PIREPs in effect near the accident/incident.

Flight Crewmember Information: Indicate the category that best describes the capacity served by this flight crewmember at the time of the accident. The designators "Flight Crewmember 1" and "Flight Crewmember 2" do not refer to a specific pilot position or responsibility. If more than one pilot is aboard, they may be entered in any order and their capacity entered as appropriate.

Degree of Injury: See Definitions on the top half of Page 1 of the instructions. Minor injury is not defined. If an injury does not meet the criteria for another injury category, select Minor.

Date of Last Flight Review or Equivalent: Enter the date of the most recent flight review, or equivalent, completed by this pilot. Refer to 14 CFR 61.56 for accepted equivalents.

Type Ratings: List all type ratings on the pilot certificate. If the pilot holds no type ratings indicate "none." If the pilot holds a pilot certificate other than student and was flying an aircraft requiring an endorsement, enter the type and date of any logbook endorsement(s) for that aircraft. See 14 CFR 61 for examples of required endorsements.

Student Endorsements: If the pilot holds a student pilot certificate, enter all solo endorsements and dates on the student pilot certificate.

Flight Time: Complete the flight time matrix. Solo flight time should be included as "Pilot-in-Command (PIC)" and all dual flight instruction given should be included as "Time as Instructor."

Additional Flight Crewmembers: Complete this section if there were more than two required flight crewmembers on the aircraft. This also includes a check airman performing official duties but does not include cabin crew. State the capacity served by each included crewmember at the time of the accident.

Passenger(s)/Other Personnel: Enter identification and injury severity information for all passengers, cabin crew, and other personnel involved in the accident. See Page 1 of the instructions for the official definition of injury levels.

Several questions throughout the form allow for multiple responses; when appropriate, choose all responses that apply.

These instructions only pertain to major issue areas covered by NTSB Form 6120.1 Pilot/Operator Aircraft Accident/Incident Report. For additional definitions of questions and responses, please refer to www.nts.gov.

NATIONAL TRANSPORTATION SAFETY BOARD PILOT/OPERATOR AIRCRAFT ACCIDENT/INCIDENT REPORT

This form to be used for reporting civil and public aircraft accidents and incidents

BASIC INFORMATION

Accident/Incident Location

Nearest City/Place: Poplar State: MT

ZIP: 59255 Country: USA

Latitude: 48° 6' 34" N Longitude: 105° 11' 42" W

(Enter in decimal degrees or degrees:minutes:seconds)

Accident/Incident Date/Time

Date: 01/18/2023 Local Time: 0818

mm/dd/yyyy

Time Zone: MST

Collision with Other Aircraft: ☐ Midair ☐ On-ground ☐ None

AIRCRAFT INFORMATION

Registration Number: N200EJ

Manufacturer: Beechcraft

Model: BE-200

Serial Number: BB-1884

Year of Manufacture: 2004

Amateur-Built: ☐ Yes ☒ No If Yes: ☐ Kit/Plans ☐ Original Design Make: _____

☒ IFR-Equipped and Certified

☐ Commercial Space Flight

☐ Unmanned Aircraft

Maximum Gross Weight: 12,500 lbs

Weight at Time of Accident/Incident: 10,700 lbs

Number of Seats: 9 Flight Crew Seats: 2

Cabin Crew Seats: _____ Passenger Seats: 7

Number of Engines: 2

Category of Aircraft

- ☒ Airplane
- ☐ Balloon
- ☐ Blimp/Dirigible
- ☐ Glider
- ☐ Gyroplane
- ☐ Helicopter
- ☐ Powered Lift
- ☐ Rocket
- ☐ Ultralight
- ☐ Unknown

Type of Airworthiness Certificate

(Check all that apply)

Standard

☒ Normal

☐ Aerobatic

☐ Balloon

☐ Commuter

☐ Transport

☐ Utility

☐ Certificate of Authorization or Waiver (COA)

☒ None

Special

☐ Restricted

☐ Limited

☐ Provisional

☐ Special Flight

☐ Experimental

☐ Special Light-Sport

☐ Experimental Light-Sport

☐ Unknown

Landing Gear

(Check all that apply)

☒ Retractable

☐ Tricycle

☐ Amphibian

☐ Emergency Float

☐ Float

☐ Hull

☐ Other Launch/Recovery System

☒ None

☐ Tailwheel

☐ High Skid

☐ Skid

☐ Ski

☐ Ski/Wheel

☐ Unknown

Engine Type (Select one)

☐ Reciprocating

☐ Turbo Shaft

☒ Turbo Prop

☐ Turbo Jet

☐ Turbo Fan

☐ Electric

☐ Liquid Rocket

☐ Solid Rocket

☐ Hybrid Rocket

☐ None

☐ Unknown

Fuel System Type (Reciprocating)

☐ Carburetor

☐ Fuel-Injected

Engine	Engine Manufacturer	Engine Model/Series	Manufacturer's Serial Number	Date of Mfg. mm dd yyyy	Rated Power ☒ Horsepower or ☐ lbs of Thrust	Total Time (hours)	Time Since: Inspection (hours)	Overhaul (hours)
Eng. 1	Pratt & Whitney	PT6A-42	PCE-PJ0839	11/04/2004	850	4455.6	108.4	980.5
Eng. 2	Pratt & Whitney	PT6A-42	PCE-PJ0841	11/04/2004	850	4455.6	108.4	980.5
Eng. 3								
Eng. 4								

Last Inspection Type

- ☐ 100-Hour
- ☒ AAIP
- ☐ Annual
- ☐ Continuous Airworthiness
- ☐ Conditional Inspection
- ☐ Unknown

Date Last Inspection: 10/19/2022
mm/dd/yyyy

Airframe Total Time: 4538.7 hrs

hours measured at (Select one)

☐ Last Inspection ☒ Time of Accident/Incident

Type of Maintenance Program (Select one)

- ☐ Annual
- ☐ Conditional (Amateur-built only)
- ☐ Manufacturer's Inspection Program
- ☒ Other Approved Inspection Program (AAIP)
- ☐ Continuous Airworthiness
- ☐ Other, specify: _____

Description of Fire Extinguishing System

- ☐ None
- ☐ Specify: _____

Propeller 1

- ☐ Fixed Pitch
- ☒ Controllable Pitch
- ☐ Ground Adjustable

Manufacturer: Hartzell

Model: HC-E4N-3

Propeller 2

- ☐ Fixed Pitch
- ☒ Controllable Pitch
- ☐ Ground Adjustable

Manufacturer: Hartzell

Model: HC-E4N-3

ELT Installed: ☒ Yes ☐ No

If Yes:

ELT Manufacturer: Artex

Model or Part No.: 453-0150

TSO No.: ☐ C91 (121.5 MHz) ☐ C91a (121.5 MHz)

☒ C126 (406 MHz)

Was ELT still mounted in aircraft? ☒ Yes ☐ No

Was ELT still connected to antenna? ☒ Yes ☐ No

Did ELT Activate? ☒ Yes ☐ No

If activated:

Did ELT Aid in Locating Aircraft: ☐ Yes ☒ No

If not activated:

- Indicate Reason: ☐ Impact Damage
- ☐ Fire Damage
- ☐ Battery Expired/Damaged
- ☐ Unknown

Additional Equipment (Check all that apply)

- ☒ ADS-B
- ☐ Airframe Parachute
- ☐ Angle of Attack Indicator
- ☒ Autopilot
- ☐ Data Recorder
- ☐ Electronic Flight Bag or Handheld Device
- ☒ Electronic Multifunction Display
- ☒ Electronic Primary Flight Display
- ☐ Handheld GPS
- ☐ Heads Up Display
- ☐ Onboard Weather
- ☐ Satellite Tracking Device
- ☒ Stall Warning System
- ☐ Video Recording Device
- ☐ Other, Specify: _____

OWNER/OPERATOR INFORMATION			
Registered Aircraft Owner Name: <u>Lynch Flying Service</u> Fractional Ownership Aircraft: ☐ Yes ☒ No		City: <u>Billings</u> State: <u>MT</u> ZIP: <u>59105</u> Country: <u>USA</u>	
Operator of Aircraft ☒ Same As Registered Owner Name: <u>Lynch Flying Service</u> Doing Business As: <u>Edwards Jet Center</u> Air Carrier/Operator Designator (4 Character Code): <u>HSRA811E</u>		☒ Same Address as Registered Owner City: _____ State: _____ ZIP: _____ Country: _____	
Operating Certificates Held <i>(Check all that apply)</i> ☐ None ☐ Flag Carrier Operating Certificate (FAR 121) ☐ Supplemental ☐ Air Cargo ☐ Foreign Air Carriers (FAR 129) ☐ Rotorcraft External Load (FAR 133) ☐ Commuter Air Carrier (FAR 135) ☒ On-Demand Air Taxi (FAR 135) ☐ Commercial Air Tour (FAR 136) ☐ Agricultural Aircraft (FAR 137) ☐ Pilot School (FAR 141) ☐ Certificate of Authorization or Waiver (COA) ☐ Commercial Space Transportation Experimental Permit ☐ Commercial Space Transportation License ☐ Other Operator of Large Aircraft	Regulation Flight Conducted Under ☐ FAR 91 ☐ FAR 129 ☐ FAR 415 ☐ FAR 103 ☐ FAR 133 ☐ FAR 431 ☐ FAR 121 ☒ FAR 135 ☐ FAR 435 ☐ FAR 125 ☐ FAR 137 ☐ FAR 437 ☐ FAR 91 Special Flight ☐ Non-US, Commercial ☐ Non-US, Non-commercial ☐ Public Aircraft <i>(Select one)</i> ☐ Armed Forces ☐ Federal ☐ State ☐ Local ☐ Unknown	Revenue Operation for FAR 121, 125, 129, 135 <i>(Select one for each group)</i> ☐ Scheduled or Commuter ☐ Domestic ☒ Non-Scheduled or Air Taxi ☐ International ☒ Passenger ☐ Cargo ☐ Mail Contract Only	
Revenue Sightseeing Flight ☐ Yes ☒ No	Air Medical Flight ☐ Yes ☒ No	Purpose of Flight for FAR 91, 103, 133, 137 <i>(Select one)</i> ☐ Aerial Application ☐ Firefighting ☐ Unknown ☐ Aerial Observation ☐ Flight Test ☐ Air Drop ☐ Glider Tow ☐ Air Race/Show ☐ Instructional ☐ Banner Tow ☐ Other Work Use ☐ Business ☐ Personal ☐ Executive/Corporate ☐ Positioning ☐ External Load ☐ Skydiving ☐ Ferry	
AIRPORT INFORMATION <i>(Fill in if accident/incident occurred on approach, landing, takeoff, departure, or within 3 miles of an airport)</i>			
Airport Name: <u>Poplar Municipal Airport</u> Airport Identifier: <u>PO1</u> Proximity to Airport: ☐ Off Airport/Airstrip ☒ On Airport/Airstrip ☐ N/A		Distance From Airport Center: <u>< 1</u> sm Direction From Airport: <u>270</u> degrees true Airport Elevation: <u>2037</u> ft. msl	
Runway Information Runway ID: <u>9/27</u> (L/R/C) Length: <u>4403</u> ft Width: <u>75</u> ft		Condition of Runway/Landing Surface <i>(Check all that apply)</i> ☐ Dry ☐ Snow-Compacted ☐ Water-Calm ☐ Holes ☐ Snow-Crusted ☐ Water-Choppy ☐ Ice Covered ☒ Snow-Dry ☐ Water-Glassy ☐ Rough ☐ Snow-Wet ☐ Wet ☐ Rubber Deposits ☐ Soft ☐ Slush-Covered ☐ Vegetation ☐ Unknown	
Runway/Landing Surface <i>(Check all that apply)</i> ☒ Asphalt ☐ Grass/Turf ☐ Macadam ☐ Water ☐ Concrete ☐ Gravel ☐ Metal/Wood ☐ Dirt ☐ Ice ☐ Snow ☐ Unknown			
Approach/Departure Segment <i>(Select one)</i> ☐ Taxi ☐ VFR Departure ☒ On Instrument Approach ☐ Downwind ☐ Low Approach ☐ Takeoff ☐ IFR Departure Procedure/Clearance ☐ Landing ☐ Base ☐ Go Around ☐ Initial Climb ☐ Final ☐ Aborted Landing (after touchdown) ☐ Crosswind ☐ Unknown			
IFR Approach <i>(Check all that apply)</i> ☐ None ☐ ADF/NDB ☐ PAR ☐ MLS ☐ Practice ☐ SDF ☐ Sidestep ☐ LDA ☐ GPS ☐ VOR/TVOR ☐ ILS ☐ ASR ☐ Visual ☐ VOR/DME ☐ Localizer Only ☐ Contact ☐ TACAN ☐ LOC-back course ☐ Circling ☒ RNAV ☐ Unknown		VFR Approach <i>(Check all that apply)</i> ☒ None ☐ Traffic Pattern ☐ Stop and Go ☐ Straight-In ☐ Touch and Go ☐ Valley/Terrain Following ☐ Simulated Forced Landing ☐ Go Around ☐ Forced Landing ☐ Full Stop ☐ Precautionary Landing ☐ Unknown	

"FLIGHT CREWMEMBER 1" INFORMATION																																																																																																				
"Flight Crewmember 1" Responsibilities at the Time of Accident/Incident ☒ Pilot ☐ Co-Pilot ☐ Student Pilot ☐ Flight Instructor ☐ Check Pilot ☐ Flight Engineer ☐ Other Flight Crew																																																																																																				
"Flight Crewmember 1" was pilot flying ☒ Yes ☐ No																																																																																																				
"Flight Crewmember 1" Identification First Name: <u>Kurt</u> Middle Initial: <u>F</u> Last Name: <u>Benner</u> City of Residence: <u>Billings</u> State: <u>MT</u> ZIP: <u>59101</u> Country: <u>USA</u> Age at time of Accident/Incident: <u>50</u> Date of Birth: <u> </u> <u>972</u> <u> </u> <u> </u> mm/dd/yyyy Certificate Number: <u> </u>																																																																																																				
Degree of Injury ☒ None ☐ Fatal ☐ Minor ☐ Unknown ☐ Serious		Seat Occupied ☒ Left ☐ Front ☐ Unknown ☐ Right ☐ Rear ☐ Center ☐ Single		Restraint Type Available ☐ None ☐ Lap only ☐ 3-point ☒ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap only ☐ 3-point ☒ 4-point ☐ 5-point ☐ Unknown			Inflatable Restraints ☒ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown																																																																																													
Pilot Certificate(s) <i>(Check all that apply)</i> ☐ None ☐ Flight Instructor ☒ Commercial ☐ US Military ☐ Private ☐ Recreational ☐ Airline Transport ☐ Foreign ☐ Student ☐ Sport ☐ Flight Engineer				Medical Certificate Validity ☐ Without limitations/waivers ☐ Unknown ☒ With limitations/waivers ☐ N/A ☐ Special Issuance			Date of Last Medical <u>01/04/2023</u> mm/dd/yyyy																																																																																													
Principal Occupation ☒ Pilot ☐ Other ☐ Unknown																																																																																																				
Medical Certificate ☐ None ☐ Class 3 ☐ Class 1 ☐ Driver's License (Sport Pilot only) ☒ Class 2 ☐ Unknown																																																																																																				
Medical Certificate Limitations Must use corrective lens(es) to meet vision standards at all required distances.																																																																																																				
Medical Certificate Special Issuance																																																																																																				
Date of Last Flight Review or Equivalent, Including FAR 121/135 Checks: <u>07/29/2022</u> mm/dd/yyyy			Flight Review Aircraft Make: <u>Beechcraft</u> (135.297 7-29-22, 135.293 2-26-22) Model: <u>BE-200</u>																																																																																																	
Airplane Rating(s) <i>(Check all that apply)</i> ☐ None ☒ Single-Engine Land ☐ Single-Engine Sea ☒ Multiengine Land ☐ Multiengine Sea		Other Aircraft Rating(s) <i>(Check all that apply)</i> ☐ None ☐ Airship ☐ Balloon ☐ Glider ☐ Gyroplane ☐ Helicopter ☐ Powered Lift		Instrument Rating(s) <i>(Check all that apply)</i> ☐ None ☒ Airplane ☐ Helicopter ☐ Powered Lift		Instructor Rating(s) <i>(Check all that apply)</i> ☐ None ☒ Airplane Single-Engine ☐ Airplane Multi-Engine ☐ Gyroplane ☐ Powered Lift ☐ Instrument Airplane ☐ Instrument Helicopter ☐ Helicopter ☐ Glider ☐ Sport																																																																																														
Type Ratings None						Student Endorsements <i>(Include dates)</i>																																																																																														
<table border="1" style="width:100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th rowspan="2" style="text-align: left; padding: 5px;">Flight Time <i>(Enter appropriate number of hours in each box)</i></th> <th rowspan="2" style="padding: 5px;">All Aircraft</th> <th rowspan="2" style="padding: 5px;">This Make & Model</th> <th rowspan="2" style="padding: 5px;">Airplane Single Engine</th> <th rowspan="2" style="padding: 5px;">Airplane Multiengine</th> <th rowspan="2" style="padding: 5px;">Night</th> <th colspan="2" style="padding: 5px;">Instrument</th> <th rowspan="2" style="padding: 5px;">Rotorcraft</th> <th rowspan="2" style="padding: 5px;">Glider</th> <th rowspan="2" style="padding: 5px;">Lighter Than Air</th> </tr> <tr> <th style="padding: 5px;">Actual</th> <th style="padding: 5px;">Simulated</th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 5px;">Total Time</td> <td style="padding: 5px;">4,242</td> <td style="padding: 5px;">2,068</td> <td style="padding: 5px;">364</td> <td style="padding: 5px;">3,874</td> <td style="padding: 5px;">370</td> <td style="padding: 5px;">518</td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="text-align: left; padding: 5px;">Pilot in Command (PIC)</td> <td style="padding: 5px;">5,892</td> <td style="padding: 5px;">1,423</td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="text-align: left; padding: 5px;">Time as Instructor</td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="text-align: left; padding: 5px;">This Make/Model</td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="text-align: left; padding: 5px;">Last 90 Days</td> <td style="padding: 5px;">92</td> <td style="padding: 5px;">65</td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="text-align: left; padding: 5px;">Last 30 Days</td> <td style="padding: 5px;">9</td> <td style="padding: 5px;">9</td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="text-align: left; padding: 5px;">Last 24 Hours</td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> </tbody> </table>											Flight Time <i>(Enter appropriate number of hours in each box)</i>	All Aircraft	This Make & Model	Airplane Single Engine	Airplane Multiengine	Night	Instrument		Rotorcraft	Glider	Lighter Than Air	Actual	Simulated	Total Time	4,242	2,068	364	3,874	370	518					Pilot in Command (PIC)	5,892	1,423									Time as Instructor											This Make/Model											Last 90 Days	92	65									Last 30 Days	9	9									Last 24 Hours										
Flight Time <i>(Enter appropriate number of hours in each box)</i>	All Aircraft	This Make & Model	Airplane Single Engine	Airplane Multiengine	Night	Instrument		Rotorcraft	Glider	Lighter Than Air																																																																																										
						Actual	Simulated																																																																																													
Total Time	4,242	2,068	364	3,874	370	518																																																																																														
Pilot in Command (PIC)	5,892	1,423																																																																																																		
Time as Instructor																																																																																																				
This Make/Model																																																																																																				
Last 90 Days	92	65																																																																																																		
Last 30 Days	9	9																																																																																																		
Last 24 Hours																																																																																																				

"FLIGHT CREWMEMBER 2" INFORMATION																																																																																																				
"Flight Crewmember 2" Responsibilities at the Time of Accident/Incident ☐ Pilot ☒ Co-Pilot ☐ Student Pilot ☐ Flight Instructor ☐ Check Pilot ☐ Flight Engineer ☐ Other Flight Crew																																																																																																				
"Flight Crewmember 2" was pilot flying ☐ Yes ☒ No																																																																																																				
"Flight Crewmember 2" Identification First Name: <u>Stephen</u> Middle Initial: <u>P</u> Last Name: <u>Hoklin</u> City of Residence: <u>Billings</u> State: <u>MT</u> ZIP: <u>59102</u> Country: <u>USA</u> Age at time of Accident/Incident: <u>62</u> Date of Birth: <u>1960</u> mm/dd/yyyy Certificate Number: <u> </u>																																																																																																				
Degree of Injury ☒ None ☐ Fatal ☐ Minor ☐ Unknown ☐ Serious		Seat Occupied ☐ Left ☐ Front ☐ Unknown ☒ Right ☐ Rear ☐ Center ☐ Single		Restraint Type Available ☐ None ☐ Lap only ☐ 3-point ☒ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap only ☐ 3-point ☒ 4-point ☐ 5-point ☐ Unknown			Inflatable Restraints ☒ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown																																																																																													
Pilot Certificate(s) <i>(Check all that apply)</i> ☐ None ☐ Flight Instructor ☐ Private ☐ Recreational ☐ Student ☐ Sport ☒ Commercial ☐ US Military ☒ Airline Transport ☐ Foreign ☐ Flight Engineer				Medical Certificate Validity ☐ Without limitations/waivers ☐ Unknown ☒ With limitations/waivers ☐ N/A ☐ Special Issuance			Date of Last Medical <u>08/10/2022</u> mm/dd/yyyy																																																																																													
Principal Occupation ☒ Pilot ☐ Other ☐ Unknown		Medical Certificate ☐ None ☐ Class 3 ☒ Class 1 ☐ Driver's License (Sport Pilot only) ☐ Class 2 ☐ Unknown			Medical Certificate Limitations <u>Must wear corrective lenses for near and distant vision.</u>																																																																																															
Medical Certificate Special Issuance 																																																																																																				
Date of Last Flight Review or Equivalent, Including FAR 121/135 Checks: <u>01/11/2023</u> mm/dd/yyyy				Flight Review Aircraft Make: <u>Cessna 135.293, 297</u> (last 293 in King Air was 5-18-22) Model: <u>CE-560</u>																																																																																																
Airplane Rating(s) <i>(Check all that apply)</i> ☐ None ☒ Single-Engine Land ☐ Single-Engine Sea ☒ Multiengine Land ☐ Multiengine Sea		Other Aircraft Rating(s) <i>(Check all that apply)</i> ☐ None ☐ Airship ☐ Balloon ☐ Glider ☐ Gyroplane ☐ Helicopter ☐ Powered Lift		Instrument Rating(s) <i>(Check all that apply)</i> ☐ None ☒ Airplane ☐ Helicopter ☐ Powered Lift		Instructor Rating(s) <i>(Check all that apply)</i> ☐ None ☒ Airplane Single-Engine ☒ Airplane Multi-Engine ☐ Gyroplane ☐ Powered Lift ☒ Instrument Airplane ☐ Instrument Helicopter ☐ Helicopter ☐ Glider ☐ Sport																																																																																														
Type Ratings <u>BE-300, CE-560, IA-Jet</u>						Student Endorsements <i>(Include dates)</i> 																																																																																														
<table border="1" style="width:100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th rowspan="2" style="text-align: left; padding: 5px;">Flight Time <i>(Enter appropriate number of hours in each box)</i></th> <th rowspan="2" style="padding: 5px;">All Aircraft</th> <th rowspan="2" style="padding: 5px;">This Make & Model</th> <th rowspan="2" style="padding: 5px;">Airplane Single Engine</th> <th rowspan="2" style="padding: 5px;">Airplane Multiengine</th> <th rowspan="2" style="padding: 5px;">Night</th> <th colspan="2" style="padding: 5px;">Instrument</th> <th rowspan="2" style="padding: 5px;">Rotorcraft</th> <th rowspan="2" style="padding: 5px;">Glider</th> <th rowspan="2" style="padding: 5px;">Lighter Than Air</th> </tr> <tr> <th style="padding: 5px;">Actual</th> <th style="padding: 5px;">Simulated</th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 5px;">Total Time</td> <td style="padding: 5px;">10,301</td> <td style="padding: 5px;">4,137</td> <td style="padding: 5px;">3,925</td> <td style="padding: 5px;">6,376</td> <td style="padding: 5px;">42</td> <td style="padding: 5px;">870</td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="text-align: left; padding: 5px;">Pilot in Command (PIC)</td> <td style="padding: 5px;">9,753</td> <td style="padding: 5px;">4,137</td> <td style="padding: 5px;">2,875</td> <td style="padding: 5px;">6,376</td> <td style="padding: 5px;">420</td> <td style="padding: 5px;">870</td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="text-align: left; padding: 5px;">Time as Instructor</td> <td style="padding: 5px;">1,120</td> <td style="padding: 5px;">132</td> <td style="padding: 5px;">748</td> <td style="padding: 5px;">240</td> <td style="padding: 5px;">30</td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="text-align: left; padding: 5px;">This Make/Model</td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;">218</td> <td style="padding: 5px;">412</td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="text-align: left; padding: 5px;">Last 90 Days</td> <td style="padding: 5px;">84</td> <td style="padding: 5px;">72</td> <td style="padding: 5px;"></td> <td style="padding: 5px;">84</td> <td style="padding: 5px;">8</td> <td style="padding: 5px;">9</td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="text-align: left; padding: 5px;">Last 30 Days</td> <td style="padding: 5px;">27</td> <td style="padding: 5px;">20</td> <td style="padding: 5px;"></td> <td style="padding: 5px;">27</td> <td style="padding: 5px;">7</td> <td style="padding: 5px;">3</td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> <tr> <td style="text-align: left; padding: 5px;">Last 24 Hours</td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> <td style="padding: 5px;"></td> </tr> </tbody> </table>											Flight Time <i>(Enter appropriate number of hours in each box)</i>	All Aircraft	This Make & Model	Airplane Single Engine	Airplane Multiengine	Night	Instrument		Rotorcraft	Glider	Lighter Than Air	Actual	Simulated	Total Time	10,301	4,137	3,925	6,376	42	870					Pilot in Command (PIC)	9,753	4,137	2,875	6,376	420	870					Time as Instructor	1,120	132	748	240	30						This Make/Model					218	412					Last 90 Days	84	72		84	8	9					Last 30 Days	27	20		27	7	3					Last 24 Hours										
Flight Time <i>(Enter appropriate number of hours in each box)</i>	All Aircraft	This Make & Model	Airplane Single Engine	Airplane Multiengine	Night	Instrument		Rotorcraft	Glider	Lighter Than Air																																																																																										
						Actual	Simulated																																																																																													
Total Time	10,301	4,137	3,925	6,376	42	870																																																																																														
Pilot in Command (PIC)	9,753	4,137	2,875	6,376	420	870																																																																																														
Time as Instructor	1,120	132	748	240	30																																																																																															
This Make/Model					218	412																																																																																														
Last 90 Days	84	72		84	8	9																																																																																														
Last 30 Days	27	20		27	7	3																																																																																														
Last 24 Hours																																																																																																				

ADDITIONAL FLIGHT CREWMEMBERS (Exclusive of cabin crew, complete the following information)									
Crew Name and Address					Seat Occupied		Injury		
First Name: _____ City of Residence: _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____					☐ Left ☐ Front ☐ Center ☐ Rear ☐ Right ☐ Single ☐ Unknown		☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown		
Pilot Certificate(s) (Check all that apply) ☐ None ☐ Private ☐ Student ☐ Flight Instructor ☐ Recreational ☐ Sport ☐ Commercial ☐ Airline Transport ☐ Flight Engineer ☐ US Military ☐ Foreign					Restraint Type: Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		Inflatable Restraints ☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown		
Type Rating/Endorsement for Accident/Incident Aircraft? ☐ Yes ☐ No			Total Flight Time at the Time of this Accident/Incident: _____ hrs						
Crew Name and Address					Seat Occupied		Injury		
First Name: _____ City of Residence: _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____					☐ Left ☐ Front ☐ Center ☐ Rear ☐ Right ☐ Single ☐ Unknown		☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown		
Pilot Certificate(s) (Check all that apply) ☐ None ☐ Private ☐ Student ☐ Flight Instructor ☐ Recreational ☐ Sport ☐ Commercial ☐ Airline Transport ☐ Flight Engineer ☐ US Military ☐ Foreign					Restraint Type: Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown		Inflatable Restraints ☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown		
Type Rating/Endorsement for Accident/Incident Aircraft? ☐ Yes ☐ No			Total Flight Time at the Time of this Accident/Incident: _____ hrs						
PASSENGER(S) / OTHER PERSONNEL (Include cabin crew; continue on separate sheet if necessary)									
Name and Address			Seat	Injury	Restraint Type		Inflatable Restraints	Age	
First Name: <u>Stacey</u> City: <u>Billings</u> Middle Initial: _____ State: <u>MT</u> ZIP: _____ Last Name: <u>LaFountain</u> Country: <u>USA</u> ☐ Crew ☒ Passenger ☐ Other			☐ Left ☐ Center ☒ Right ☐ Unknown Row: <u>2</u>	☒ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☒ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	Used ☐ None ☒ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	☒ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	☐ Under 5 years If Under 5, ☐ Child Restraint ☐ Lap-Held ☐ Unknown	
First Name: _____ City: _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other			☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	☐ Under 5 years If Under 5, ☐ Child Restraint ☐ Lap-Held ☐ Unknown	
First Name: _____ City: _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other			☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	☐ Under 5 years If Under 5, ☐ Child Restraint ☐ Lap-Held ☐ Unknown	
First Name: _____ City: _____ Middle Initial: _____ State: _____ ZIP: _____ Last Name: _____ Country: _____ ☐ Crew ☐ Passenger ☐ Other			☐ Left ☐ Center ☐ Right ☐ Unknown Row: _____	☐ None ☐ Minor ☐ Serious ☐ Fatal ☐ Unknown	Available ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	Used ☐ None ☐ Lap Only ☐ 3-point ☐ 4-point ☐ 5-point ☐ Unknown	☐ Not Installed ☐ Installed ☐ Not Deployed ☐ Deployed ☐ Unknown	☐ Under 5 years If Under 5, ☐ Child Restraint ☐ Lap-Held ☐ Unknown	

FLIGHT ITINERARY INFORMATION				
Last Departure Point Airport ID: <u>KBIL</u> City: <u>Billings</u> State: <u>MT</u> Country: <u>USA</u>		Time of Departure Time: <u>0722</u> Time Zone: <u>MST</u>		Destination Airport ID: <u>PO1</u> City: <u>Poplar</u> State: <u>MT</u> Country: <u>USA</u>
Type Flight Plan Filed ☐ None ☐ Company VFR ☐ Military VFR ☐ VFR ☐ VFR/IFR ☒ IFR ☐ Unknown Activated? ☒ Yes ☐ No ☐ Unknown				
Type of ATC Clearance/Service (Check all that apply) ☐ None ☐ VFR ☐ Special VFR ☒ IFR ☐ Special IFR ☐ VFR On Top ☐ VFR Flight Following ☐ Traffic Advisory ☐ Cruise ☐ Unknown / NA				
Airspace where the accident/incident occurred (Check all that apply) ☐ Class A ☐ Class B ☐ Class C ☐ Class D ☐ Class E ☒ Class G ☐ Demo Area ☐ Warning Area ☐ Prohibited Area ☐ Restricted Area ☐ Military Operations Area (MOA) ☐ Airport Advisory Area ☐ Jet Training Area ☐ TRSA ☐ FAR 93 ☐ Special ☐ Air Traffic Control Area ☐ Unknown				Altitude of In-Flight Occurrence: _____ ft msl
WEATHER INFORMATION AT THE ACCIDENT/INCIDENT SITE				
Source of Pilot Weather Information (Check all that apply) ☒ National Weather Service ☐ Flight Service Station ☐ TV/Radio ☒ Automated Report ☐ Commercial Weather Service (DUATS) ☐ On-Board Weather ☐ Company ☐ Military ☒ Internet ☐ None ☐ Unknown			Weather Observation Facility Facility ID: <u>KPO1</u> Observation Time: <u>1520 zulu</u> Time Zone: <u>MST</u> Distance from Accident Site: <u>< 1</u> nm Direction from Accident Site: <u>270</u> degrees true	
Basic Conditions ☐ VMC ☒ IMC ☐ Unknown		Light Condition ☐ Dawn ☒ Day ☐ Dusk ☐ Night ☐ Dark Night ☐ Bright Night ☐ Unknown		
Sky/Lowest Cloud Condition ☐ Clear ☐ Few ☐ Partial Obscuration ☐ Scattered ☐ Thin Broken ☐ Thin Overcast ☐ Unknown		Ceiling ☐ None (Clear) ☐ Broken ☒ Overcast ☐ Obscured ☐ Indefinite ☐ Unknown		Temperature: <u>M03</u> (C) or _____ (F) Dew Point: <u>M03</u> (C) or _____ (F) Altimeter Setting: <u>29.91</u> in. Hg or _____ MB
Lowest Cloud Condition Height <u>400</u> ft agl		Ceiling Height <u>400</u> ft agl		
Wind Direction ☐ Variable -or- Direction: <u>110</u> degrees true	Wind Speed ☐ Calm ☐ Light and Variable -or- Speed: <u>9</u> kts	Wind Gusts ☒ Not Gusting -or- Speed: _____ kts	Visibility <u>2</u> miles RVR: _____ feet RVV: _____ miles Density Altitude: _____ ft	
Intensity of Precipitation ☐ Light ☐ Moderate ☐ Heavy ☒ N/A ☐ Unknown	Type of Precipitation (Check all that apply) ☒ None ☐ Rain ☐ Snow ☐ Hail ☐ Rain Showers ☐ Drizzle ☐ Ice Pellets ☐ Snow Pellets ☐ Snow Grains ☐ Ice Crystals ☐ Freezing Rain ☐ Snow Shower ☐ Ice Pellets Shower ☐ Freezing Drizzle		Restriction to Visibility (Check all that apply) ☐ None ☐ Blowing Dust ☐ Blowing Sand ☐ Blowing Snow ☐ Blowing Spray ☐ Dust ☒ Fog ☐ Ground Fog ☒ Haze ☐ Ice Fog ☐ Smoke ☐ Unknown	
Icing Forecast Amount ☒ None ☐ Trace ☐ Light ☐ Moderate ☐ Severe ☐ Unknown Type ☒ N/A ☐ Rime ☐ Clear ☐ Mixed ☐ Unknown		Icing Actual Amount ☒ None ☐ Trace ☐ Light ☐ Moderate ☐ Severe ☐ Unknown Type ☒ N/A ☐ Rime ☐ Clear ☐ Mixed ☐ Unknown		Turbulence Type (Check all that apply) ☒ None ☐ Clear Air ☐ Terrain-Induced ☐ Convective Turbulence
NOTAMs (D and FDC), AIRMETs, SIGMETs, PIREPs in effect at the time of the accident/incident: <u>RWY 09 FICON 3/3/3 100 PCT 1/2IN DRY SN OBS at 2301181319</u>				

DAMAGE TO AIRCRAFT AND OTHER PROPERTY**Aircraft Damage**

- ☐ None ☐ Substantial
☐ Minor ☒ Destroyed
 ☐ Unknown

Aircraft Fire

- ☒ None ☐ Both Ground and In-Flight
☐ In-Flight ☐ Fire at Unknown Time
☐ On-Ground ☐ Unknown

Aircraft Explosion

- ☒ None ☐ Both Ground and In-Flight
☐ In-Flight ☐ Explosion at Unknown Time
☐ On-Ground ☐ Unknown

Description of Damage to Aircraft and Other Property *(Use additional sheet if necessary)*

Damage to aircraft has resulted in a total loss.
Not sure, but may have taken out a couple of taxi lights.

NARRATIVE HISTORY OF FLIGHT *(Please type or print in ink)*

Describe what occurred in chronological order, including circumstances leading to and nature of accident/incident. Describe terrain and include wreckage distribution sketch if pertinent. Attach extra sheets if needed. State departure time and location, services obtained, and intended destination. Provide as much detail as possible.

Written account of events on 1/18/2023, by Kurt Benner, to the best of my knowledge and recollection.

I arrived at Edwards Jet Center near or around 0540 for my flight scheduled at 0715. I proceeded upstairs to the pilot office to ready for the flight. I got the I-pads out and opened Number 1 to access the Garmin app. I logged into FltPlan.com and proceeded to check weather again, to confirm what I had been looking at earlier in the morning. I printed the weather and notams, and created several flight plans in my que, for filing later.

I went back downstairs to meet up with Steve Hoklin (SIC) to discuss the adverse weather in Glasgow, get his thoughts on it, and discuss how the flight was to be flown. The weather was below minimums in Glasgow, so I placed calls to both of those passengers to cancel the flight due to weather. Poplar was still reporting 5+ miles and 700 overcast, well above approach minimums, and the flight was determined to be able to go.

Our passenger arrived shortly after 7. We discussed the cancellation of the one group and that she would be the only one and that the weather was down but good enough for us to make the flight.

Departure, climb, and cruise were normal and without problems.

I had filed to the Doria fix, which is the initial approach fix for the RNAV 9 into Poplar. Center gave us a few step down altitudes with the last one being 8000 ft for traffic that was supposed to be departing Wolf Point. He stated that the traffic clearance void time in approximately 2.5 minutes and he had not heard from them yet. He gave us a heads up that if he didn't hear from them, he would have to hold us at zikik, and to plan for the published. We continued to monitor the weather in Poplar during the decent and it had deteriorated to 400 overcast and 2 miles visibility, still above minimums for the approach.

We loaded the hold and continued to Doria. We were about to cross doria when I saw Cape Air climbing out of Wolf Point, but they didn't contact center until after we got holding instructions. Just prior to entering the hold, I added approach flaps to slow below the 175-knot limit in the hold. We entered the hold as published and got a decent to 7000 ft.

We were on the outbound leg when cape air finally made contact with center and we were cleared for the approach. I slowed to approximately 120 knots to prepare for the approach.

I extended the landing gear slightly outside of zikik to keep the speed controlled in the decent on the approach. The airplane was being flown by the autopilot, as I monitored, and maintained speed control.

The airplane held the course and glide path, while I maintained 120 +/- knots. At the decision altitude of 2300 ft, I disconnected the autopilot to level off. Simultaneously with level off, I got a visual on the PAPI, End Lights, and the runway. I called the runway in sight, calculated if a safe and stabilized approach could be made, and continued with the approach.

The aircraft was slightly to the right of centerline and slightly high. I corrected to the left and pitched down to make the final approach. I also saw a twin Cessna sitting to the right of the runway holding in the turnaround area.

It is at this point that I could feel the airplane start to wallow and that it was appearing to lose altitude at a higher rate of speed. I pushed the throttles forward and pitched up as I heard Steve call for more power. I believe the plane did start to pitch up, but settled into the grass prior to the runway and slid to a stop near the end of the runway on the right side of 9.

After the aircraft stopped, Steve climbed out of the right seat to check on the passenger and to execute an evacuation. I remained in the left seat and verified that the plane was shut down and all electrical was off and secured. I looked up at this point to see Tracy O'Conner walking over to the aircraft. He had been the one in the twin waiting at the end.

Steve had gotten out with the passenger and was consoling her, as she was visually shaken up. We determined there were no injuries and Tracy took the passenger, in his aircraft, back to the hanger. Steve and I walked around the aircraft to assess the extent of the damage and take pictures, and then started to walk to the hanger ourselves.

(cont on page 11)

RECOMMENDATION (How could this accident/incident have been prevented?)

Operator/Owner Safety Recommendation

EJC New or Amended Policies:

Runway Conditions – Any runway being less than 5000' with a report of 3 or less on any part of the runway, or an unknown condition shall not be accepted. A more detailed description of this will go into what time of the year this will be in place, but it is in place at this time.

Weather Conditions – For the time being and until more research can be done, at this time our company minimums for approaches has been raised above the published minimums. Again, this is for the time being, these may be changed.

- For non-precision approaches ceiling minimums will be raised from the published minimums by 200'.
- Precision approaches will be a minimum of ½ mile (2400 RVR) or as published if higher.
- For takeoff, our minimums will be 2400 RVR or a reported ½ mile for non RVR runways.

Circle to Land – At this time, no Circle to Land will be attempted unless the weather is at least 1500' ceiling AND 3 miles of visibility.

NOTAM Checks – A NOTAM check on the destination airport must be performed within 15 minutes of departure.

Also, both pilots from this flight will go through immediate recurrent ground school (to include weather phenomena i.e. Flat Light), as well as remedial training flights before being placed back on line.

MECHANICAL MALFUNCTION/FAILURE (If more space is needed, continue on separate sheet)Was there Mechanical Malfunction/Failure? ☐ Yes ☒ No

(If yes, list the name of the part, manufacturer, part no., serial no., and describe the failure.)

Total Time/Cycles
On Part

_____ Hours

_____ Cycles

Time Since This Part
Inspected/Overhauled

_____ Hours

FUEL & SERVICES INFORMATION

Fuel on Board at Last Takeoff

(Convert from pounds, as necessary)

365 Gallons

Fuel Type

- ☐ 80/87 ☐ 115/145 ☐ Jet B ☐ Other, specify _____
☐ 100 Low Lead ☒ Jet A ☐ JP8
☐ 100/130 ☐ Jet A-1 ☐ Automotive

Other Services, if Any, Prior to Departure

EVACUATION OF AIRCRAFTWas an emergency evacuation of the aircraft performed? ☒ Yes ☐ No

Method of Exit – Describe how the occupants exited and how many occupants evacuated each location

All occupants exited from the main cabin door.

OTHER AIRCRAFT – COLLISION (If air or ground collision occurred, complete this section for other aircraft)

Aircraft Registration Number

Manufacturer: _____

Model: _____

Damage to Other Aircraft

- ☐ Destroyed ☐ Minor
☐ Substantial ☐ None

Registered Owner of Other Aircraft

Name: _____

City: _____

State: _____ ZIP: _____

Country: _____

Pilot of Other Aircraft

Name: _____

City: _____

State: _____ ZIP: _____

Country: _____

ADDITIONAL INFORMATION (Please type or print in ink)

Use this space if additional space is needed for any answers.

(Cont from page 9)

When we got to the hanger/office, we found that Tracy had already been on the phone with ATC and others, as well, Steve had been in contact with DFO Justin Schye. From this point we were in a hold to find out what was needing to be done on our part. I did talk to Justin and was told that we needed to hold at the airport for a representative from Sidney, MT to drive up and administer a drug and alcohol test on us, or at least me specifically. With nothing needed from our passenger, she opted to continue her work day and drive to Scobey. We met with her later at the Wolf Point Airport for our ride back to Billings.

While waiting for the Drug and Alcohol screener, we hung out at the office in Poplar. In talking with Tracy, I found out that he had taken a Drone over the site and videoed the impact point to the aircraft. He also asked if we had encountered any wind shear, as he had a hard time controlling the drone at an altitude of 80-100 ft, due to the erratic wind conditions in the area. The drug/alcohol tester did show up at approximately 1130. I was processed through first, followed shortly by Steve

19JAN2023 - Stephen Hoklin

The following is a chronological narrative of events of 18JAN2023 leading up to the accident of N200EJ.

I arrived at Edwards Jet Center at 0620 hours for a 0715 departure to GGW and POI. I engaged the PIC Kurt Benner (pilot flying) and discussed the weather for the flight. Weather at GGW was below minimums so Kurt elected to scrub that leg. Weather at POI was well above minimums so we were both good with the flight. I started the preflight SIC duties. We taxied out at 0715. Flight progressed normally. Kurt filed direct Doria, the IAF for the RNAV RWY 9 at Poplar. We did the approach checklist. As we approached Doria ATC advised me that we might have to hold at ZIKIK due to a conflict with an aircraft departing OLF. While in the first turn in the hold ATC cleared us for the approach. VNAV was selected and the glide path was captured. Flaps were at approach. Kurt extended the gear outside of WAXIV, conducted the before landing checklist and continued the descent to the LNAV/VNAV minimums (2283 MSL). Kurt leveled off at minimums and disconnected the autopilot. We had good ground contact. Airspeed degraded to 95 and I advised Kurt of that. Kurt spotted the RWY. We were slightly right of the centerline so I did not see the RWY quite as soon as Kurt did. Kurt left the DA and maneuvered to the runway. I was scanning the RWY intently to ensure this was safe and doable. A high, descent rate had developed. I advised Kurt to add power but it was too late. We touched down in a slightly right wing low slightly nose low attitude about 30-40 yards short of the RWY. Impact removed all three gear and the left propeller. We skidded about 75 yards. After coming to a stop I let our passenger out and led her to the airport managers plane. He taxied her to the FBO. Kurt and I gathered our things and walked to the FBO. There we had brief phone interviews with the FAA and NTSB and waited for the person to conduct the breath and urine tests. Time of tests is on the documentation.

While we were waiting a person who had conducted a drone flight about 30 minutes after the accident stated his drone encountered "extremely squirrely winds" near the RWY threshold 80-100 feet off the deck.

I HEREBY CERTIFY THAT THE ABOVE INFORMATION IS COMPLETE AND ACCURATE TO THE BEST OF MY KNOWLEDGE

Date of this Report

01/24/2023

mm/dd/yyyy

Name of Pilot/Operator: Kurt Benner

Signature: _____

-- or --

☐ Check here to electronically sign this document

If a Person Other than Pilot/Operator is Filing Report

Name: Justin Schye (helped fill out Operator and Aircraft Information)

Title: Director of Operations - Edwards Jet

Signature: _____

-- or --

☐ Check here to electronically sign this document

FOR NTSB USE ONLY

NTSB Accident/Incident No.
WPR23LA087

Reviewed by NTSB Regional Office
OAS WPR

Name of Investigator
S. B. Johnson

Date Report Received
01/25/2023