

RAOB: HRRRSOUNDING_2100UTC.TXT // YR: 2024 MON: 01 DAY: 26 HOUR: 21

Data Type: RAW Integrated data levels: 43

Lat: N Lon: W Elev: 995 meters

WAVE/x---	Height Level (ft-MSL) nm fpm max	Pres (mb)	T (C)	Td (C)	RH (%)	DD/FF (deg/kts)	CAT	LLWS	Icing - Type
-----------	--	--------------	----------	-----------	-----------	--------------------	-----	------	--------------

1	3264	909	4.9	-0.3	69	206/1			
2	3293	908	4.8	-0.8	67	204/1			
3	3352	906	4.6	-0.3	70	204/2			
4	3500	901	4.2	-1.3	67	205/3			
5	3768	892	3.4	-1.7	69	207/5	LGT		
6	4158	879	2.3	-2.3	72	209/8	LGT	LIGHT	
7	4614	864	1.3	-3.3	71	208/13	LGT		
8	5169	846	0.4	-4.8	68	204/18	LGT		
9	5830	825	-0.2	-6.9	61	201/22			
10	6539	803	-0.7	-9.4	52	202/24	LGT		
11	7367	778	-1.5	-12.3	44	208/22	LGT		
12	8253	752	-2.7	-14.9	38	220/18	LGT		
13	9272	723	-4.8	-16.8	38	234/16			
14	10435	691	-7.1	-18.0	41	234/17			

	15	11686	658	-7.8	-15.0	56	240/19	LGT
	16	13122	622	-8.1	-12.8	69	261/21	LGT
2.71	716	LT-MD						
	17	14766	583	-10.5	-13.6	78	273/24	
3.16	271	LIGHT						
	18	16600	542	-13.1	-17.3	71	278/28	
3.64	337	LIGHT						
	19	18555	501	-16.3	-23.9	52	285/30	
4.46	417	LIGHT						
	20	20383	465	-20.2	-29.9	42	290/30	LGT
5.90	357	LIGHT						
	21	22158	432	-24.3	-32.3	48	291/36	MDT
7.74	448	LIGHT						
	22	23865	402	-28.5	-32.5	68	291/47	LGT
	23	25430	376				287/53	
	24	25550	374	-32.1	-36.9	62	n/	
	25	27024	351				288/54	
	26	27141	349	-35.6	-43.2	46	n/	
11.11	236	LIGHT						
	27	28560	328				292/53	
	28	28685	326	-39.4	-46.8	45	n/	
	29	31407	288				298/57	
	30	31579	286	-46.8	-54.2	43	n/	LGT
	31	34045	255				290/68	
	32	34288	252	-54.0	-60.0	48	n/	
	33	36499	227				286/64	
	34	36731	224	-60.6	-69.2	31	n/	MDT
	35	39144	199				286/47	
	36	39429	196	-65.2	-71.7	40	n/	LGT
	37	42205	171				284/58	
	38	42512	168	-64.8	-73.3	30	n/	MDT
	39	45883	142				294/37	

40	46193	140	-61.3	-85.3	3	n/
41	50449	114				290/24
42	50774	112	-57.7	-86.8	1	n/
43	56073	87				265/21